



Wireless CCTV






Wireless CCTV

Wireless Video Surveillance Solutions

At the cutting edge of video surveillance for 40 years, BURG-WÄCHTER are revolutionising the security camera industry by offering high definition 3 megapixel cameras featuring two way audio, video analytics and pan tilt and zoom remote control functionality.

The systems are suitable for both domestic and small commercial applications.

Instant alarm notifications of suspicious activity can be sent via the free BurgCam App to your handheld device



- Free app
- Quick setup
- Remote Access
- Remote PTZ control
- Live view and playback
- Facial recognition
- Trip wire
- Motion sensor
- Two way audio - remote audio warning
- IR Night vision
- Professional backlight compensation
- Push notifications



BURGcam surveillance cameras



DOME



BULLET



SMART



ZOOM



REC



**BURG
WÄCHTER**

BURGCam surveillance cameras

BURGCam DOME 303

WLAN camera for indoor and outdoor use

- Lens, 2.8 mm (90°)
- 2K-HD Video 3 MP (2048 x 1536)
- Remote viewing via BURG CAM App
- Local access via web browser
- IR range up to 30m
- Suitable for outdoor use (IP66)
- Professional back light compensation
- H.264 & MJPEG dual-stream encoding
- Professional solution for domestic applications
- Easy set up
- WLAN and Lan available
- Micro SD card slot, 128 GB

Camera Type	WLAN IR camera
Resolution	3 MP: 2048x1536 1080p: 1920x1080 (Full HD) 720p: 1280x720 D1: 704x576/704x480 CIF: 352x288/352x240
Frame Rate	20fps @ 3MP, 25/30fps @ 1080p
Bit Rate	4Kbps to 8192Kbps
IR Range	30 m
Lens	2.8mm F2.0 Fixed
View	Horizontal 90°
Mounting	Wall or ceiling mounting
Power Supply	12 V DC
Input	<4,5 W
Temperature range	-30° C to 60° C
Dimensions	110x81 mm
Weight	470 g



Product No.	EAN	VE	Info
	40 03482...		
DOM 303	39050 4	1	Incl: power adapter

BURGCam BULLET 304

WLAN camera for indoor and outdoors

- Lens 2.8 mm (90°)
- 2K-HD Video 3 MP (2048x1536)
- Remote viewing via BURG CAM Apps
- Local access via web browser
- Suitable for outdoor use (IP66)
- Professional Back Light Compensation WDR (Wide Dynamic Range)
- H.264 & MJPEG dual-stream encoding
- Professional solution for domestic applications
- Easy Set Up
- WLAN and Lan available
- Micro SD card slot, 128 GB

Camera Type	WLAN IR-Bullet-Camera for indoor and outdoor use
Resolution	3 MP: 2048x1536 1080p: 1920x1080 (Full HD) 720p: 1280x720 D1: 704x576/704x480 CIF: 352x288/352x240
Frame Rate	20fps @ 3MP, 25/30fps @ 1080p
Bit Rate	4Kbps to 8192Kbps
IR Range	30 m
Lens	2.8 mm F2.0 Fixed
View	Horizontal 90°
Mounting	Wall mounted
Power Supply	12 V DC
Input	<4,5 W
Temperature Range	-30° C to 60° C
Dimensions	70 x 165 mm
Weight	430 g



Product No.	EAN	VE	Info
	40 03482...		
BULLET 304	39060 3	1	Incl: power adapter

BURGcam surveillance cameras




BURGcam SMART 3020

WLAN camera with audio function

- Wide angle lens, 2.3 mm (120°)
- Supports 4:3 (2048x1536 px) and 16:9 (2304x1296 px) Format
- Easy to set up over app or WPS
- Remote access via the Burg Cam app or BURG-WÄCHTER Cloud
- Local access via web browser
- Audio via speaker and microphone
- Professional Back Light Compensation WDR/HLC/BLC
- H.264/MJPEG Video Compression
- Micro SD Slot, up to 128GB
- Power supply included

Camera	WLAN Camera with two way audio for internal use
Resolution	3MP: 2048x1536 1080p: 1920x1080 (Full HD) 720p: 1280x720 D1: 704x576/704x480 CIF: 352x288/352x240
Frame Rate	20fps @ 3MP, 25/30fps @ 1080p
Bit Rate	4Kbps to 8192 Kbps
IR Range	10 m
Lens	2.3 mm F2.0 Fixed
View	Horizontal 120°
Mounting	Desktop
Power Supply	5V DC
Input	<4,5W
Temperature Range	0° C to 40° C
Dimensions	107 x 76 x 64 mm
Weight	140 g

Product No.	EAN	VE	Info
	40 03482...		
SMART 3020	39480 9	1	Incl: Power supply



BURGcam ZOOM 3060

WLAN camera with motorised pan-tilt and zoom function

- Wide angle zoom lens (112° - 30°)
- HD Video stream up to 50 fps
- Video Analytics (Face Detection, Tripwire)
- Easy set up via app or WPS
- Remote access via the BURGcam App or the BURG-WÄCHTER Cloud
- Local access via Web Browser
- Suitable for Outdoor use (IP66)
- Professional Backlight compensation HLC/BLC/profiWDR
- H.264/MJPEG Video compression
- Micro SD slot up to 128GB
- Power Adapter included

Camera type	WLAN camera with motorised pan and zoom
Resolution	1080p: 1920x1080 (Full HD) 720p: 1280x720 D1: 704x576/704x480 CIF: 352x288/352x240
Data Rate	4Kbps to 8192 Kbps
Lens	2.7 mm to 11 mm (F1.6-2.8)
Video Analytics	Face Recognition, Tripwire
View	Horizontal 30° to 112.5°
Mount	Wall or Ceiling
Power Supply	12V DC
Input	<10W
Temperature Range	-30° C to 60° C
Dimensions	122x89 mm
Weight	660 g

Product No.	EAN	VE	Info
	40 03482...		
ZOOM 3060	39470 0	1	Incl: power supply



BURGcam network recorder

BURGcam REC 3510


Network recorder with 3.5 "HDD

- Hd Support Compatible with IP (ONVIF), CVI, TVI, AHD and Analogue cameras
- Recording up to 5MP
- 4 Channel BNC / 6 Channel IP Recorder
- Supports up to 6TB HDD (SATA)
- Hard Disk not Included
- BNC Video Analytics Function
- Simple Operation and Set Up
- User Account Operation
- Remote access via BURGcam App or BURG-WÄCHTER Cloud
- Power Adapter Included

Recorder Type	Network video recorder
Max. Hard Disk Capacity	1 x 3,5", SATA, max. 8TB (not included)
Ext. Connections (Videoformat)	4x BNC (Analog/ AHD/TVI/CVI)
Max. Resolution AHD/CVI/TVI	2 MP (1080p)
Max. Resolution IP/WLAN	5 MP
Automatic Video Format Detection	Yes
USB- Interface	2x USB 2.0
Export Options	USB, Network
Monitor Outputs	1x VGA, 1x HDMI
Supported Operating Systems	Mac OS X, Windows Vista, 7, 8
View	Web-Interface, Monitor
Remote View	App (P2P)
Temperature Range	-10° C to 55° C
Dimensions	205 x 211 x 454 mm
Weight	360 g without hard drive



Product No.	EAN	VE	Info
	40 03482...		
REC 3510	39580 6	1	Incl: Power Supply



[illegible]



ALWAYS THE SAFE CHOICE

BURG-WÄCHTER UK Ltd.
Eurocam Technology Park
Chase Way, Bradford
BD5 8HW

Tel: 01274 395333
Email: UKsales@burg.biz

www.burg.biz/uk