

LUXURY ROYAL **SAFES**



LUXURY ROYAL SAFES

BURG-WÄCHTER manufactures commercial grade security safes with insurance approved storage for cash of up to £100,000 and for jewellery and valuables up to £1,000,000.










CONTENTS

Bespoke	06	Anatomy of a safe	14	Locking information
Choice of size		Luxury storage for		Starting your journey
and security grade	09	jewellery and valuables	16	to better security
Paint finis	10	Making security a priority	18	

Safes that are as individual as their owner.





Royal safes can be as individual as their owner, with a choice of sizes, colour and locking systems. The bespoke interior of each Royal safe is handcrafted in the UK from a choice of premium materials including wood and leather.

The combination of German engineered security and British craftsmanship brings the best of both worlds together to create a secure but uniquely tailored safe to protect cash, valuables and precious items.









BESPOKE

LUXURIOUS DIMENSIONS

Royal safes are available in four sizes, offering a generous internal volume from 162 to 588 litres.

CERTIFIED SECURITY TO INDIVIDUALLY AGREED REOUIREMENTS

A choice of fiv certifie security grades are available. These meet strict European standards ensuring all Royal safes are insurance approved, whatever level of security is required. BURG-WÄCHTER safes are independently tested and certifie in Germany to meet international Eurograde ratings and are recognised by the UK Association of Insurance Surveyors providing ease of insurance continuity.

CHOICE OF LOCKS

Depending on the grade of safe, one or two locks can be specified Royal safes are supplied with a choice of key operated locks or electronic combination locks with secure integrated fingerscan

BRITISH MADE INTERIOR

The interior of a luxury Royal safe is handmade in the UK to each customers specification Every element from shelves and drawers, to interior lighting and watch winders can be incorporated, then tailored and finishe with the best materials.

INDIVIDUAL SERVICE

Through the customer consultation process, BURG-WÄCHTER researches the individual requirements for each safe. This information is then transformed into a unique build specificatio that ensures all the personal requirements are fulfilled



CHOICE OF SIZE AND SECURITY GRADE

BURG-WÄCHTER Royal safes are available in four sizes to suit a range of a storage requirements. They also offer fiv different levels of security. Each grade is tested and certifie by an independent third party up to the value of £1 million to reflec the individual situation, risk levels and value of items being stored.

DIMENSIONS



Size 1 (H x W x D) 1000 x 695 x 635mm



Size 2 (H x W x D) 1315 x 695 x 635mm



Size 3 (H x W x D) 1755 x 695 x 635mm



Size 4 (H x W x D) 1755 x 1130 x 635mm

SECURITY GRADING

Five security grades offer independently tested and certifie up to £1,000,000 of valuable cover.



Certifie Storage of: Cash: £10,000 Valuables: £100,000



Certifie Storage of: Cash:£17,500 Valuables: £175,000



Certifie Storage of: Cash: £35,000 Valuables: £350,000



Certifie Storage of: Cash: £60,000 Valuables: £600,000



Certifie Storage of: Cash: £100,000 Valuables: £1,000,000

PAINT FINISH



The ideal location for a safe is somewhere that is easily accessible and convenient for daily use. Painted to complement décor, a bespoke Royal safe can be positioned in plain sight in any room. Finished to a flawles automotive quality, a choice of 1,625 RAL colours provides many options to make a safe a unique and valuable addition to a property.







LOCK OPTIONS

Royal safes can be fitte with ten different locking configurations Grade 1 to 3 safes feature a single locking mechanism, whilst grades 4 and 5 require two locks. All BURG-WÄCHTER locks are independently tested and certifie to meet the international recognised EN 1300 class B security standard.

KEY OPERATED

Manufactured in Germany, BURG-WÄCHTER high quality, key-operated locks feature a twin tumbler, ten lever mechanism for a high level of security. Locks can be changed to a new key in just minutes using the in-built resettable mechanism in the event of a key being lost. These market leading locks have an incredible 50 million key differs.









ELECTRONIC COMBINATION LOCKS WITH INTEGRATED FINGERSCAN

Electronic combinations are easy to use and offer even greater security as they avoid the need to carry or hide a key. The advanced lock can accommodate up to ten users, each with their own pin code. The integrated fingersca offers quick and convenient access with the swipe of programmed fingerprints The backlit LCD display and menu interface ensures simple and easy programming and operation.


ANATOMY OF A LUXURY SAFE

The interior of a Royal safe can be individually designed. During the consultation every element can be specifie—so the finishe—safe fit—perfectly into daily life. A bespoke solution can be developed to meet most requirements.

Using only the best materials, each safe is handcrafted in the UK to the highest standards of finish



Safe shown includes three powered Rapport watch winders, vanity tray and three drawers.










Chrome, silver or gold plated bolt work with leather lined door



Walnut veneer soft close drawers with luxury handles and fitting





Powered automatic Rapport watch winders and integrated LED lighting

LUXURY STORAGE FOR JEWELLERY AND VALUABLES

BESPOKE STORAGE

The interior of a BURG-WÄCHTER luxury safe can be designed with all precious items in mind.

Royal safes not only offer insurance approved secure storage, but also a beautifully crafted interior that gives such items the setting they deserve, whilst keeping them in top condition. Luxurious velvet or suede-lined drawers can be specifie for the storage of watches and all items of jewellery, however bespoke or unique.




BEAUTIFULLY PRESENTED

With Royal safes, possessions and collections can be beautifully displayed, even within a highly secure setting. Thanks to the interior illumination, it is a pleasure to review collections and select the right piece for the right occasion.









Vanity Tray

4 Compartment Drawer

6 Compartment Drawer







Ring Organiser

Watch Organiser (bracelet)

Watch Organiser (straps)





It is not just expensive items that BURG-WÄCHTER safes are required to protect. Personally prized possessions such as heirlooms, family jewellery and unique items relating to special people or occasions are irreplaceable and need protecting too.



MAKING SECURITY A PRIORITY

A luxurious safe must firs and foremost offer the fina line of defence against theft. All too often, other safe manufacturers compromise the integrity of the safe by prioritising impressive exterior and interior finishe over secure protection. BURG-WÄCHTER is different. The customisation never compromises the security of the safe. The finishe product remains certifie to the internationally recognised EN 1143-1 standard, verifie by independent testing. This way individually crafted and beautiful storage can be achieved in partnership with the highest UK insurance standards of security.



E 514 ESShown with special painting and version ES locking option.



E 532 EShown with special painting and version E locking option.



FEATURES

- ECB.S grade 1 to 5 resistance to attack from burglary according to EN 1143-1
- AiS approved
- Triple-walled body with integrated concealed hinges
- Fire protective material in safe body according to DIN 4102
- Resettable armoured high security lock as standard, ECB.S certifie to EN 1300 class 2/B or above
- Grey/white paint finis as standard (bespoke colour and finis special order)
- Choice of custom locking options made to order.

GRADE INFORMATION

GRADE 1

Insurance rating: £10,000 cash - £100,000 valuables







Royal E 512 - 518 ECB.S Grade I certified

Resettable, armoured high security lock included as standard with 10 levers and 50,000,000 key differs. VdS tested and ECB.S certified to EN1300 class B.

Size	ArtNo.	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
		mm	mm		kg	I
1	E 512 S	1000 x 695 x 635	745 x 545 x 400	8 🔾	220	162
2	E 514 S	1315 x 695 x 635	1060 x 545 x 400	12 🔾	305	231
3	E 516 S	1755 x 695 x 635	1500 x 545 x 400	14 🔾	350	327
4	E 518 S	1755 x 1130 x 635	1500 x 980 x 400	18 🔾	500	588

 \bigcirc = round bolt

GRADE 2

Insurance rating: £17,500 cash - £175,000 valuables



In addition to the Grade 1 Royal safe:

- ECB.S grade 2 resistance to attack from burglary according to EN 1143-1
- Emergency non-resettable locking bolts for secondary attack protection.

Size	ArtNo.	Exterior $H \times W \times D$	Interior H x W x D	Bolts	Weight	Volume
		mm	mm		kg	1
1	E 522 S	1000 x 695 x 635	745 x 545 x 400	8 🔾	360	162
2	E 524 S	1315 x 695 x 635	1060 x 545 x 400	12 🔾	480	231
3	E 526 S	1755 x 695 x 635	1500 x 545 x 400	14 🔾	640	327
4	E 528 S	1755 x 1130 x 635	1500 x 980 x 400	18 🔾	910	588

 \bigcirc = round bolt

GRADE 3

Insurance rating: £35,000 cash - £350,000 valuables



In addition to the Grade 2 Royal safe:

- ECB.S grade 3 resistance to attack from burglary according to EN 1143-1
- Special fire protective armoured mass in body according to DIN 4102

Size	ArtNo.	Exterior $H \times W \times D$	Interior H x W x D	Bolts	Weight	Volume
		mm	mm		kg	I
1	E 532 S	1000 x 695 x 635	745 x 545 x 400	8 🔾	540	162
2	E 534 S	1315 x 695 x 635	1060 x 545 x 400	12 🔾	690	231
3	E 536 S	1755 x 695 x 635	1500 x 545 x 400	14 🔾	900	327
4	E 538 S	1755 x 1130 x 635	1500 x 980 x 400	18 🔾	1280	588

 \bigcirc = round bolt

GRADE INFORMATION

GRADE 4

Insurance rating: £60,000 cash - £600,000 valuables



In addition to the Grade 3 Royal safe:

- ECB.S grade 4 resistance to attack from burglary according to EN 1143-1
- Two resettable armoured high security twin tumbler locks as standard, ECB.S certified to EN 1300 class 2/B
- Twin emergency non-resettable locking bolts for secondary attack protection

Size	ArtNo.	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
		mm	mm		kg	1
1	E 542 SS	1000 x 695 x 635	745 x 545 x 400	6 ○ + 1 🛚	560	162
2	E 544 SS	1315 x 695 x 635	1060 x 545 x 400	10 🔾 + 1 🗌	720	231
3	E 546 SS	1755 x 695 x 635	1500 x 545 x 400	12 🔾 + 1 🗓	940	327
4	E 548 SS	1755 x 1130 x 635	1500 x 980 x 400	14 🔾 + 9 🗓	1340	588

 \bigcirc = round bolt / \bigcirc = square bolt

GRADE 5

Insurance rating: £100,000 cash - £1,000,000 valuables



In addition to the Grade 4 Royal safe:

- \bullet ECB.S grade 5 resistance to attack from burglary according to EN 1143-1
- Additional armouring in front, and behind the locking system
- Double armouring in door and body
- Double basquill lock at the top and bottom of door

Size	ArtNo.	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
		mm	mm		kg	I
1	E 552 SS	1040 x 735 x 680	745 x 545 x 400	6 🛮	980	162
2	E 554 SS	1355 x 735 x 680	1060 x 545 x 400	8 🗌	1250	231
3	E 556 SS	1795 x 735 x 680	1500 x 545 x 400	9 🛘	1650	327
4	E 558 SS	1795 x 1170 x 680	1500 x 980 x 400	9 🛮	2300	588

= square bolt







Royal safes can be fitte with multiple locking options to meet customer requirements

LOCKING OPTION INFORMATION

Royal safes are specifie with a high quality key lock as standard. On high security grade 4 and 5 models, two key locks are standard.

Safes can be specifie with eight different locking combinations (and two further fully redundant options) to suit all security requirements.



Version S High security resettable key lock



Version SS Twin high security key locks



Version HSS Two enhanced security twin tumbler key locks with ECB.S class C certification



Version C Resettable combination dial lock



Version CS Resettable key and combination dial lock



Version CC Two resettable combination dial locks



Version E Electronic combination lock with fingerscan



Version ES Electronic combination with fingerscan and high security key lock



Version EE Two electronic combination locks with fingerscan

START YOUR JOURNEY TO BETTER SECURITY

A perfect safe is designed in such a way that it becomes part of your daily routine, offering the go-to storage location for the treasured and valued. During the commissioning process it is important to consider the steps below:

STEP 1: STORAGE, SIZE & LOCATION

Creating a list of your most prized and valued items is a good place to start your journey. Don't forget to include those sentimental and irreplaceable items. Consider the size of each item and the amount of storage space they will require now and in the future. Finally decide on the best location to place the safe within the property. Ensure the floo is strong enough to support the weight of the safe and contents within; this may require a site survey.

STEP 2: CASH & JEWELLERY VALUE

The amount of cash and the value of jewellery and valuables stored inside the safe will determine the required security grading. Royal safes are available in fiv grades, offering insurance approved cover from £10,000 to £100,000 in cash and £100,000 to £1 million in valuables. Insurers can provide guidance on the safe grading required.

STEP 3: LOCK CHOICE

Royal safes are specifie with a high quality German manufactured key operated lock as standard and provide a simple and easy method of access. Electronic combination locks with fingersca are ideal for those that do not wish to have a key that can be lost or misplaced. Offering up to ten unique user codes, they are ideal for safes where there is more than one user.

The fingersca sensor provides secure access with a swipe of pre-authorised fingerprints making it the most convenient method of entry to the safe.

STEP 4: EXTERIOR FINISH

The colour and finis of a Royal safe is a personal decision. Consider the room in which it will be placed and the location within that room. Bright and bold, or subtle and discreet?

STEP 5: INTERIOR SPECIFICATION AND FINISH

The interior of the safe should be designed to accommodate all the items that need to be securely stored, whilst presenting them in a manner which is convenient and easy to use. Function aside, the interior of a luxury safe should also be a beautiful place to store prized possessions and provide a space where creativity can roam freely. Like the interior of a luxury car, fin leathers, woods and precious metals can be combined into a truly unique one-of-a-kind interior.

DELIVERY & INSTALLATION

To ensure your Royal safe can be delivered and installed to meet insurance requirements, a site survey may be required at the property. This will ensure suitable access is available at the property and the safe will be located in a position where it can be fixe in place.



ALWAYS THE SAFE CHOICE

BURG-WACHTER UK Ltd. Eurocam Technology Park Chase Way Bradford BD5 8HW

Tel: 01274 395 333 Email: UKsales@burg.bi BURG-WACHTER KG Altenhofer Weg 15, 58300 Wetter Germany