



SAFES



www.burg.biz/uk



BURG-WÄCHTER is Europe's largest manufacturer of quality safes for home and commercial applications. The comprehensive range meets the strict demands of the insurance industry, offering safes with recognised cash rating from £1,000 to £100,000 and up to £1,000,000 in valuables.

BURG-WÄCHTER have over 100 years' experience in engineering quality safes and you can be assured that regardless of which safe is chosen, it has BURG-WÄCHTER's commitment to quality built-in.

BURG-WÄCHTER certified safes meeting the internationally recognised EN 14450 or EN 1143-1 standards are tested by VdS and certified by ECB.S to ensure they meet their security grades. It is important to ensure safes are certified by a body recognised by the AiS (Association of Insurance Surveyors) to meet UK insurance requirements for the secure storage of cash and valuables.

BURG-WÄCHTER safes provide real certified security for your valuables, and this is why they are ***always the safe choice.***



Safe Range



Contents

The BURG-WÄCHTER difference	1
Choosing the right safe	2
Safe Certification	14
Safe models	
PointSafe	3
HomeSafe	7
CityLine	11
Combi-Line	15
Karat	19
Diplomat	23
Wall Safes	26
Royal	31
Commercial Safety Cabinets	39
Gun Cabinets	50





The difference

German engineering

A safe should be the most secure place in your home or office. BURG-WÄCHTER provide quality German craftsmanship and precision engineering to offer safes that give peace of mind by protecting your most valuable assets.

Genuine certification

BURG-WÄCHTER certified safes are independently tested by the internationally recognised and respected test body VdS and certified by ECB.S. This ensures our safes offer genuine protection for your cash and valuables.

Buy with confidence

BURG-WÄCHTER safes are engineered in Germany to offer superior quality and reliability. We are proud to be affiliated to leading UK and European industry bodies.



Choosing the right safe



The comprehensive BURG-WÄCHTER range can make selecting a specific safe seem like a daunting task. There are many industry recognised certifications and standards for safes and safe locks and these will affect the cash rating a safe is rated to. Your insurer can guide you on the level of insurance required.

Choosing a safe in four easy steps:

Cash Rating

Safes are classified in terms of cash ratings, the higher the cash rating, the greater the security. Ensure the cash rating exceeds the value of the property/money stored inside the safe. For valuables and jewellery, you are usually covered for up to ten times the cash value.

Fire Protection

Items stored inside safes are often irreplaceable. Fire safes offer extra protection in the event of fire. BURG-WÄCHTER certified fire safes meet the superior European EN15659 standard for fire protection.

Locking Options

Safes often feature multiple locking options and the three most common are; Key, Electronic Combination and Fingerscan

- Key locks offer the simplest form of access, however it is important to keep the keys in a secure location
- Combination locks do not require a key and work with a programmable user pin code
- Fingerscan technology allows safes to be operated by reading the unique pattern of a fingerprint, Burg are the only safe manufacturer to offer a certified fingerscan module

Size and Weight

It is quite easy to forget the simplest consideration when selecting a safe - do you have space for it? Consider where you wish to place the safe and what you wish to store inside. Choose one that can accommodate these items and any future requirements. Finally remember to pay attention to the weight of the safe - safes can weigh well over a tonne! Is the property accessible for installation and will the floor withstand the weight of the safe?



PointSafe



Insurance rating

- £1,000 cash rating
- £10,000 valuables

PointSafe is ideal for those looking for a secure place to store small amounts of cash, valuables and important documents such as passports and birth certificates. Available in a choice of sizes and locking options, their strong but lightweight construction offers flexibility for placement in the home and office.

- Strong 7mm thick door plate for enhanced drill protection
- Large 22mm locking bolts are protected with reinforced steel plates
- Available in a wide choice of sizes and locking options
- Motorised bolts for electronic and fingerscan models
- Prepared for wall or floor anchoring - fixings included

For wall safes, please see page 27

PointSafe is designed and manufactured to provide genuine protection from attack. Lighter weight safes do not deliver the same level of resistance or protection.



PointSafe video

www.burg.biz/uk

Insurance rating

- £1,000 cash rating
- £10,000 valuables



Version S (key operated)

German manufactured six lever lock with 100,000 key differs.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
P 1 S	180 x 280 x 200	173 x 273 x 141	135 x 188	7.5	6.7
P 2 S	255 x 350 x 300	248 x 343 x 241	188 x 230	14.0	20.5
P 3 S	320 x 442 x 350	310 x 435 x 288	240 x 317	20.0	38.8

Did you know?

Key locks offer the simplest form of access with a turn of a key.



P 1 S



P 2 S



P 3 S



PointSafe

electronic keypad

Insurance rating

- £1,000 cash rating
- £10,000 valuables



Version E (electronic keypad)

Fully programmable lock suitable for both home and hotel use. Emergency key override feature allows access in the event of a forgotten combination code.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
P 1 E	180 x 280 x 200	173 x 273 x 141	135 x 188	7.5	6.7
P 2 E	255 x 350 x 300	248 x 343 x 241	188 x 230	14.0	20.5
P 3 E	320 x 442 x 350	310 x 435 x 288	240 x 317	20.0	38.8
P 3 E Lap	200 x 445 x 380	196 x 441 x 323	140 x 380	15.2	27.9
P 4 E	500 x 416 x 350	490 x 410 x 288	423 x 290	25.5	57.9

Electronic keypad with LCD display has a programmable user code and separate admin code providing convenient secure access.



P 1 E



P 2 E



P 3 E



P 4 E



P 3 E Lap

PointSafe

electronic keypad with fingerscan



Insurance rating

- £1,000 cash rating
- £10,000 valuables



Version E FS (electronic keypad with fingerscan)

Fully programmable lock with fingerscan module suitable for both home and hotel use. Includes emergency key override feature.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Door H x W Opening mm	Weight kg	Volume l
P 2 E FS	255 x 350 x 300	248 x 343 x 241	188 x 230	14.0	20.5
P 3 E FS	320 x 442 x 350	310 x 435 x 288	240 x 317	20.0	38.8
P 3 E FS Lap	200 x 445 x 380	196 x 441 x 323	140 x 380	15.2	27.9
P 4 E FS	500 x 416 x 350	490 x 410 x 288	423 x 290	25.5	57.9

Electronic keypad with integrated fingerscan has two methods of access. A programmable user code and separate admin code or the swipe of an authorised finger provides convenient secure access.

Did you know?

No two fingerprints are alike. Even identical twins have unique prints. Fingerscan offers quick and secure access for authorised fingerprints.



P 2 E FS



P 3 E FS



P 3 E FS Lap



P 4 E FS



HomeSafe H3



H3 E

Insurance rating

- £1,000 cash rating
- £10,000 valuables

HomeSafe H3 is a compact and lightweight secure storage solution for the home and office. A strong steel wall construction and large square locking bolt offers a good level of attack resistance, while remaining light enough to self-install. Available with key or electronic locking options and with or without deposit slot.

- Security Level A to VDMA 24992 5/1995
- VdS tested and ECB.S certified locks
- Optional deposit slot provides a convenient method for inserting cash / documents without opening safe door
- Prepared for wall fixing



HomeSafe video

Certification



HomeSafe H3

key operated or electronic keypad



Insurance rating

- £1,000 cash rating
- £10,000 valuables



Version S (key operated)

9 lever lock with more than 1,000,000 key differs. VdS tested and ECB.S certified (EN1300 Class A). Supplied with two keys as standard.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
H 3 S	257 x 347 x 298	216 x 340 x 243	184 x 276	16.0	17.8
H 3 S C4 EWS*	257 x 347 x 298	216 x 340 x 243	184 x 276	16.0	17.8



H 3 S C4 EWS



Version E (electronic keypad)

Fully programmable VdS tested electronic combination lock with ECB.S certification (EN1300 Class B) offering 1,000,000 possible code combinations.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
H 3 E	257 x 347 x 298	216 x 340 x 243	184 x 276	16.0	17.8
H 3 E C4 EWS*	257 x 347 x 298	216 x 340 x 243	184 x 276	16.0	17.8



H 3 E

* EWS models feature a narrow deposit slot for quick and easy insertion of cash / documents without opening the safe door.



HomeSafe



H 4 E



HomeSafe video

Insurance rating

- £2,000 cash rating
- £20,000 valuables

HomeSafe H1 and H4 offer enhanced security with a double walled body and door for attack and drill protection. Available in two sizes with two locking options.

- Security Level B to VDMA 24992 5/1995
- VdS approved locks with a choice of key or electronic combination lock
- Fire protective materials to DIN 4102-A1 and a specially designed fire fold
- Prepared for wall fixing

Certification



Fire protection



HomeSafe

key operated or electronic keypad



Insurance rating

- £2,000 cash rating
- £20,000 valuables



Version S (key operated)

9 lever lock with more than 1,000,000 key differs. VdS tested and ECB.S certified (EN1300 Class A). Supplied with two keys as standard.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
H 1 S	278 x 402 x 376	209 x 336 x 294	209 x 326	30.0	20.6
H 4 S	528 x 435 x 382	440 x 350 x 292	440 x 345	49.0	45.3



Version E (electronic keypad)

Fully programmable VdS tested electronic combination lock with ECB.S certification (EN1300 Class B) offering 1,000,000 possible code combinations.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
H 1 E	278 x 402 x 376	209 x 336 x 294	209 x 326	30.0	20.6
H 4 E	528 x 435 x 382	440 x 350 x 292	440 x 345	49.0	45.3



H 1 S



H 4 E



CityLine



C4 EFS



CityLine video

Insurance rating

- £2,000 cash rating
- £20,000 valuables

The CityLine models offer certified security features, basic fire protection and a choice of locking options, making it ideal for home and office use.

- Security level B to VDMA 24992 5/1995
- VdS tested and ECB.S certified locks
- Fire protective material in body to DIN 4102-A1 and offers basic fire protection
- Prepared for wall and floor anchoring

Certification



Fire protection



Insurance rating

- £2,000 cash rating
- £20,000 valuables



Version S (key operated)

VdS tested and ECB.S certified (EN 1300 class B) armoured high security 10 lever lock with 50,000,000 key differs. SecuSafe lock can be reprogrammed.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
C 1 S	278 x 402 x 376	209 x 336 x 294	209 x 326	30.0	20.6
C 4 S	528 x 435 x 382	440 x 350 x 292	440 x 345	49.0	45.3

SecuSafe key lock

SecuSafe locks can be reconfigured to a new set of keys. Programming is a simple process and a new key can be used quickly – ideal for when a key is lost. May also be used when one key is required to open multiple safes.



C 1 S



C 4 S



CityLine

electronic keypad and fingerscan

Insurance rating

- £2,000 cash rating
- £20,000 valuables



Version E (electronic keypad)

Fully programmable VdS tested electronic combination lock with ECB.S certification (EN1300 Class B) offering 1,000,000 possible code combinations.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
C 1 E	278 x 402 x 376	209 x 336 x 294	209 x 326	30.0	20.6
C 4 E	528 x 435 x 382	440 x 350 x 292	440 x 345	49.0	45.3

Certified electronic lock with easy to programme six digit combination code.



C 4 E



Version E FS (electronic keypad with fingerscan)

VdS certified (EN 1300 class 1) combination lock with biometric fingerscan. 10 fingerprint memory and 6 digit user pin code.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
C 1 E FS	278 x 402 x 376	209 x 336 x 294	209 x 326	30.0	20.6
C 4 E FS	528 x 435 x 382	440 x 350 x 292	440 x 345	49.0	45.3



C 4 E FS

Safe Certification



BURG-WÄCHTER safes are independently tested in Germany by VdS and ECB.S certified to meet strict UK insurance requirements for the storage of cash and valuables. Safes that offer insurance approved credentials will have a blue plaque attached to the inside of the door, independently certifying the security or fire rating the safe meets.



AiS Approved

The Association of Insurance Surveyors is a UK body that maintains a list of safes and their recommended level of cash and valuable cover. In order to meet "AiS approval" the safes listed must be tested by an approved test house. AiS ensure strict standards are maintained within the industry.



Attack Protection

BURG-WÄCHTER certified safes are tested to meet either EN 14450 or a stricter standard known as EN 1143-1.

Each of these certifications provide the safe with a grade that relates to the level of attack resistance they offer.

Based on these findings UK insurance bodies assign a level of cash & valuable cover they will insurance the safe contents to.

Fire Protection

BURG-WÄCHTER certified fire safes are tested to the superior EN 15659 or EN 1047-1 standard for the protection of paper in the event of a fire. A certified fire safe is assigned a period of time, typically units of 30 minutes, to indicate the time the safe was fire tested whilst protecting the paper documents inside.

Grade	Cash Rating	Valuable Cover
EN 14450		
S2	£4,000	£40,000
EN 1143-1		
0	£6,000	£60,000
1	£10,000	£100,000
2	£17,500	£175,000
3	£35,000	£350,000
4	£60,000	£600,000
5	£100,000	£1,000,000



Combi-Line



CL 60 EFS



Insurance rating

- £4,000 cash rating
- £40,000 valuables

Combi-Line fire safes offer the perfect balance of performance and value. Certified fire protection, insurance approved attack resistance and available in four sizes, the Combi-Line delivers dependable security for your valuables.

- Grade S2 to EN 14450 & VDMA security level B (VDMA 24992)
- AiS approved
- Certified 30 minute fire protection to LFS 30 P according to EN 15659
- Independently attack and fire tested by ECB.S
- Locking bolts on 2 sides of the door
- Prepared for wall or floor anchoring - fixings included



Combi-Line video

Certification



Fire certification



Combi-Line

key operated



Insurance rating

• £4,000 cash rating • £40,000 valuables



Version S (key operated)

9 lever lock with more than 1,000,000 key differs. VdS tested and ECB.S certified (EN1300 Class A). Supplied with two keys as standard.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
CL 10 S	320 x 435 x 380	205 x 320 x 232	205 x 265	44	15
CL 20 S	360 x 495 x 445	245 x 380 x 297	245 x 325	55	27
CL 40 S	560 x 495 x 445	445 x 380 x 297	445 x 325	77	50
CL 60 S	820 x 495 x 445	694 x 380 x 297	694 x 324	111	78

NEW

Certified key lock offers an easy and secure method of access.
Supplied with two keys.



CL 10 S



CL 20 S



CL 40 S



CL 60 S



Combi-Line

electronic keypad

Insurance rating

• £4,000 cash rating • £40,000 valuables



Version E (electronic keypad)

Fully programmable VdS tested electronic combination lock with ECB.S certification (EN1300 Class B) offering 1,000,000 possible code combinations.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Door H x W Opening mm	Weight kg	Volume l
CL 10 E	320 x 435 x 380	205 x 320 x 232	205 x 265	44	15
CL 20 E	360 x 495 x 445	245 x 380 x 297	245 x 325	55	27
CL 40 E	560 x 495 x 445	445 x 380 x 297	445 x 325	77	50
CL 60 E	820 x 495 x 445	694 x 380 x 297	694 x 324	111	78

NEW

Certified electronic lock with easy to programme six digit combination code.



CL 10 E



CL 20 E



CL 40 E



CL 60 E

Combi-Line

electronic keypad with fingerscan



Insurance rating

• £4,000 cash rating • £40,000 valuables



Version E FS (electronic keypad with fingerscan)

VdS certified (EN 1300 class 1) combination lock with biometric fingerscan. 10 fingerprint memory and 6 digit user pin code.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
CL 10 E FS	320 x 435 x 380	205 x 320 x 232	205 x 265	44	15
CL 20 E FS	360 x 495 x 445	245 x 380 x 297	245 x 325	55	27
CL 40 E FS	560 x 495 x 445	445 x 380 x 297	445 x 325	77	50
CL 60 E FS	820 x 495 x 445	694 x 380 x 297	694 x 324	111	78

NEW

Certified electronic lock with easy to programme six digit combination code and fingerscan module. Safe can only be accessed by swiping two authorised fingerprints or entering the pin code. Ten fingerprint memory for up to 5 individual users.



CL 10 E FS



CL 20 E FS



CL 40 E FS



CL 60 E FS



Karat



Karat video

Insurance rating

- £6,000 cash rating
- £60,000 valuables

Karat safes are ideal for those requiring enhanced protection with external stainless steel walls for extreme resistance against flame cutting, drilling and attack.

- Resistance grade 0 independently certified by ECB.S to EN 1143-1
- AiS approved
- Fire resistant materials to DIN 4102-A1
- Locking bolts on 3 sides of the door
- Triple walled body
- Double walled door with 7mm thick door leaf and additional lock protection
- Thermal activated emergency locking mechanism
- Prepared for wall and floor anchoring - fixings included
- Adjustable shelf
- Karat electronic models are compatible with TSE door locks and software

Certification



Fire protection

Karat
key operated



Insurance rating

- £6,000 cash rating
- £60,000 valuables



Version S (key operated)

VdS tested and ECB.S certified (EN 1300 class B) armoured high security 10 lever lock with 50,000,000 key differs. SecuSafe lock can be reprogrammed.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
MT 24 N S	340 x 430 x 390	250 x 348 x 294	250 x 336	43	25.8
MT 26 N S	530 x 430 x 390	440 x 348 x 294	440 x 336	60	45.3

SecuSafe key lock

SecuSafe locks can be reconfigured to a new set of keys. Programming is a simple process and a new key can be used quickly – ideal for when a key is lost. May also be used when one key is required to open multiple safes.



MT 24 N S



MT 26 N S



Karat

electronic keypad

Insurance rating

- £6,000 cash rating
- £60,000 valuables



Version E (electronic keypad)

Fully programmable VdS tested and ECB.S (EN 1300 class B) electronic combination lock with LCD display and menu driven interface.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
MT 24 N E	340 x 430 x 390	250 x 348 x 294	250 x 336	43	25.8
MT 26 N E	530 x 430 x 390	440 x 348 x 294	440 x 336	60	45.3

SecuTronic locks feature backlit LCD display for easy programming and navigation through the menu-driven interface. Up to ten user codes can be programmed with full or half access rights. The lock is compatible with wireless TSE E-keys and can be programmed via the lock.

Also available as a wall safe, see page 29



MT 24 N E



MT 26 N E

Karat

electronic keypad with fingerscan

Insurance rating

- £6,000 cash rating
- £60,000 valuables



Version E FS (electronic keypad with fingerscan)

VdS certified (EN 1300 class 2) electronic combination lock with biometric fingerscan.
LCD display with menu driven interface, up to 10 users and 20 fingerprints.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
MT 24 N E FS	340 x 430 x 390	250 x 348 x 294	250 x 336	43	25.8
MT 26 N E FS	530 x 430 x 390	440 x 348 x 294	440 x 336	60	45.3

SecuTronic electronic lock with fingerscan module feature backlit LCD display for easy programming and navigation through the menu-driven interface. Up to ten user codes and 20 fingerprints can be programmed with full or half access rights.

The lock is compatible with wireless TSE E-keys and can be programmed via the lock.

Also available as a wall safe, see page 29



MT 24 N E FS



MT 26 N E FS



Diplomat



Diplomat video



Insurance rating

- £10,000 cash rating
- £100,000 valuables

Diplomat safes offer commercial grade security with advanced protection against attack and fire through superior construction. A triple walled armoured body with fireproof insulation and self-sealing door offers exceptional performance.

- Resistance grade 1 independently certified by ECB.S to EN 1143-1
- AiS approved
- Emergency locking bolts for additional attack protection
- Superior fire protection certified 60 minutes to LFS 60 P according to EN 15659
- Locking bolts on 4 sides of the door and triple walled body
- Heavily armoured 4 walled extra slim door for maximum internal space
- Adjustable shelves and prepared for wall & floor anchoring - included

Certification



Fire certification



Diplomat

key operated



Insurance rating

- £10,000 cash rating
- £100,000 valuables



Version S (key operated)

VdS tested and ECB.S certified (EN 1300 class B) armoured high security 10 lever lock with 50,000,000 key differs. SecuSafe lock can be reprogrammed.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
MTD 34 F60 S	380 x 500 x 462	255 x 372 x 300	255 x 337	92	28.3
MTD 35 F60 S	470 x 500 x 462	345 x 372 x 300	345 x 337	104	38.5
MTD 36 F60 S	625 x 500 x 462	500 x 372 x 300	500 x 337	132	55.8
MTD 38 F60 S	985 x 500 x 462	860 x 372 x 300	860 x 337	186	96.0

SecuSafe locks can be reconfigured to a new set of keys. Programming is a simple process and a new key can be used quickly – ideal for when a key is lost.



MTD 34 F60 S



MTD 35 F60 S



MTD 36 F60 S



MTD 38 F60 S

NEW Lighter weight for easier handling

Key locks offer the simplest method of safe access. Supplied with two high security keys as standard.



Diplomat

electronic keypad with fingerscan

Insurance rating

- £10,000 cash rating
- £100,000 valuables



Version E (electronic keypad with fingerscan)

VdS certified (EN 1300 class 2) electronic combination lock with biometric fingerscan. LCD display with menu driven interface, up to 10 users and 20 fingerprints.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
MTD 34 F60 E	380 x 500 x 462	255 x 372 x 300	255 x 337	92	28.3
MTD 35 F60 E	470 x 500 x 462	345 x 372 x 300	345 x 337	104	38.5
MTD 36 F60 E	625 x 500 x 462	500 x 372 x 300	500 x 337	132	55.8
MTD 38 F60 E	985 x 500 x 462	860 x 372 x 300	860 x 337	186	96.0

The SecuTronic lock is compatible with wireless TSE E-keys and can be programmed via the lock.

NEW Lighter weight for easier handling

Fully programmable combination lock with integrated fingerscan module.



MTD 34 F60 E



MTD 35 F60 E



MTD 36 F60 E



MTD 38 F60 E

Wall Safes



WT 10/6 350 E



Insurance rating

- £1,000 up to £10,000 cash rating
- £10,000 to £1,000,000 valuables

BURG-WÄCHTER offer a comprehensive range of wall safes suitable for domestic and commercial premises. The range features a choice of sizes and safe depths, including models with a variable depth to provide flexibility with installation. Certified models provide up to ECB.S grade 1 attack resistance and fire protection.

Wall safes offer a number of benefits over their freestanding counterparts:

- Fixed into the wall a thief is unable to remove the safe to open off-site
- Only one attack point with the safe door the only entry point
- Saves space within the room and easier to hide
- Convenient to access – no bending down to open the safe



- Safes with adjustable depth offer installation flexibility
- Depth can be adjusted to fit into most walls
- Saves space within the room and easier to hide
- Diplomat wall safes feature a reinforced back wall allowing the whole wall depth to be used



PointSafe

wall safes

Insurance rating

- £1,000 cash rating
- £10,000 valuables



Version S (key operated)

German manufactured six lever lock with 100,000 key differs.

Art.-No.	Exterior H x W x D	Interior H x W x D	Weight	Volume
	mm	mm	kg	l
PW 1 S	180 x 260 x 148	150 x 230 x 100	6.8	3.5
PW 2 S	220 x 340 x 140	177 x 298 x 85	10.2	4.5
PW 2 S 200	220 x 340 x 195	177 x 298 x 140	10.4	7.4
PW 3 S	260 x 390 x 195	213 x 345 x 140	15.0	10.3



Version E (electronic keypad)

Fully programmable lock suitable for both home and hotel use. Emergency key override feature allows access in the event of a forgotten combination code.

Art.-No.	Exterior H x W x D	Interior H x W x D	Weight	Volume
	mm	mm	kg	l
PW 2 E	220 x 340 x 140	177 x 298 x 85	10.2	4.5
PW 3 E	260 x 390 x 195	213 x 345 x 140	14.8	10.3

- Motorised bolts automatically opens door

PointSafe
PW 1 S



PointSafe
PW 2 E



Karat & CityLine

adjustable depth wall safes



Insurance rating

- £2,000 cash rating
- £20,000 valuables



Version S (key operated)

9 lever lock with more than 1,000,000 key differs. VdS tested and ECB.S certified (EN1300 Class A). Supplied with two keys as standard.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Weight kg	Volume l
WT 11 S	170 x 240 x 119 - 163	110 x 190 x 74.5 - 118.5	7.5	1.55 - 2.4
WT 12 S	205 x 290 x 119 - 163	145 x 240 x 74.5 - 118.5	10.2	2.6 - 4.1
WT 13 S	250 x 350 x 233 - 351	190 x 300 x 188.5 - 306.5	18.0	10.7 - 17.4
C W 5 350 S*	326 x 440 x 350	243 x 343 x 294	19.5	24.5

* Fixed depth



Version E (electronic keypad)

Fully programmable VdS tested electronic combination lock with ECB.S certification (EN1300 Class B) offering 1,000,000 possible code combinations.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Weight kg	Volume l
WT 13 E	250 x 350 x 233 - 351	190 x 300 x 188.5 - 306.5	18.0	10.7 - 17.4

- Double walled doors
- Fire protective materials to DIN 4102-A1
- 1 Million key differs

Karat
WT 13 S



CityLine
C W 5 350 S
not adjustable



Karat
WT 13 E





Karat

adjustable depth wall safes

Insurance rating

• £6,000 cash rating • £60,000 valuables



Version S (key operated)

Vds tested and ECB.S certified (EN 1300 class B) armoured high security 10 lever lock with 50,000,000 key differs. SecuSafe lock can be reprogrammed.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Weight kg	Volume l
WT 14 N S	342 x 434 x 233 - 351	250 x 352 x 178 - 296	27.5	15.6 - 26.0
WT 16 N S	532 x 434 x 233 - 351	440 x 352 x 178 - 296	39.0	27.5 - 45.7



Version E (electronic keypad)

Fully programmable Vds tested and ECB.S (EN 1300 class B) electronic combination lock. Up to 10 user programmable codes.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Weight kg	Volume l
WT 14 N E	342 x 434 x 233 - 351	250 x 352 x 178 - 296	27.5	15.6 - 26.0
WT 16 N E	532 x 434 x 233 - 351	440 x 352 x 178 - 296	39.0	27.5 - 45.7



Version E FS (electronic keypad with fingerscan)

Vds certified class 2 electronic combination lock with biometric fingerscan module. Up to 10 user codes and 20 fingerprints can be programmed.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Weight kg	Volume l
WT 14 N E FS	342 x 434 x 233 - 351	250 x 352 x 178 - 296	27.5	15.6 - 26.0
WT 16 N E FS	532 x 434 x 233 - 351	440 x 352 x 178 - 296	39.0	27.5 - 45.7

- Double walled door
- Fire protective material to DIN 4102-A1
- Locking on 3 sides



WT 14 N S



WT 16 N E

Diplomat wall safes



Insurance rating

- £10,000 cash rating
- £100,000 valuables



Version E (electronic keypad with fingerscan)

Vds certified class 2 electronic combination lock with biometric fingerscan module. Up to 10 user codes and 20 fingerprints can be programmed.

Fixed depth reinforced back wall allows the whole thickness of the wall to be used; no concrete backwall necessary.

Art.-No.	Exterior HxWxD mm	Interior HxWxD mm	Door HxW Opening mm	Weight kg	Volume l
WT 10/5 350 E	465 x 500 x 385	345 x 370 x 300	345 x 340	65	37.8
WT 10/6 350 E	620 x 500 x 385	500 x 370 x 300	500 x 340	80	54.8
WT 10/8 350 E	980 x 500 x 385	860 x 370 x 300	860 x 340	115	94.2
WT 10/6 580 E	620 x 500 x 580	500 x 370 x 495	500 x 340	90	90.3
WT 10/8 580 E	980 x 500 x 580	860 x 370 x 495	860 x 340	130	155.4

- Fire protective material to DIN 4102-A1
- Double emergency locking system
- Locking on 3 sides



WT 10/5 350 E



WT 10/6 350 E



WT 10/8 580 E



Royal Commercial Safes



Special paint colour shown

Insurance rating

- £10,000 to £100,000 cash rating
- £100,000 to £1,000,000 valuables

The Royal safe models are ideal for those looking for commercial grade security, featuring the very best of BURG-WÄCHTER engineering. Fully customisable options include: paint finishes, locking options and internal fittings. Each safe can be made bespoke to the user's requirements. Tested and supervised by ECB.S, industry leading security is at the heart of each Royal safe.

- Resistance grade 1 through to 5 (EN 1143-1)
- AiS approved for cash ratings from £10,000 to £100,000
- Fire protective material to DIN 4102
- Emergency locking bolts
- Prepared for wall anchoring - fixings included
- Choice of locking options, see page 37

Certification



Fire Protection



Royal



Insurance rating

- £10,000 cash rating
- £100,000 valuables



Royal E 512 - 518 ECB.S Grade I tested

Resettable, armoured high security lock included as standard with 10 levers and 50,000,000 key differs. VdS tested and ECB.S certified (EN1300 class B).

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Bolts	Weight kg	Volume l
E 512 S	1000 x 695 x 635	745 x 545 x 400	8 ○	220	162
E 514 S	1315 x 695 x 635	1060 x 545 x 400	12 ○	305	231
E 516 S	1755 x 695 x 635	1500 x 545 x 400	14 ○	350	327
E 518 S	1755 x 1130 x 635	1500 x 980 x 400	9 □	500	588

○ = round bolt □ = square bolt

Royal grade 1 safes are supplied with one re-programmable 10 lever security lock as standard. Royal safes can be specified to electronic and dual locking options, for more information please see page 37.



Version S High security resettable key lock

SecuSafe key lock

SecuSafe locks can be reconfigured to a new set of keys. Programming is a simple process and a new key can be used quickly – ideal for when a key is lost. May also be used when one key is required to open multiple safes.





Royal

Insurance rating

- £17,500 cash rating
- £175,000 valuables



Royal E 522 - 528 ECB.S Grade II tested

Resettable, armoured high security lock included as standard with 10 levers and 50,000,000 key differs. VdS tested and ECB.S certified (EN1300 class B).

Art.-No.	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
	mm	mm		kg	l
E 522 S	1000 x 695 x 635	745 x 545 x 400	8 ○	360	162
E 524 S	1315 x 695 x 635	1060 x 545 x 400	12 ○	480	231
E 526 S	1755 x 695 x 635	1500 x 545 x 400	14 ○	640	327
E 528 S	1755 x 1130 x 635	1500 x 980 x 400	9 □	910	588

○ = round bolt □ = square bolt

Royal grade 2 safes offer additional protection with fire insulating material in the safe walls and a non-resettable emergency locking mechanism. Supplied with one re-programmable 10 lever security lock as standard. Royal safes can be specified to electronic and dual locking options – for more information please see page 37.



Version S High security resettable SecuSafe key lock



Royal



Insurance rating

- £35,000 cash rating
- £350,000 valuables



Royal E 532 - 538 ECB.S Grade III tested

Resettable, armoured high security twin tumbler lock included as standard with 10 levers and 50,000,000 key differs. VdS tested and ECB.S certified (EN1300 class B).

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Boils	Weight kg	Volume l
E 532 S	1000 x 695 x 635	745 x 545 x 400	8 ○	540	162
E 534 S	1315 x 695 x 635	1060 x 545 x 400	12 ○	690	231
E 536 S	1755 x 695 x 635	1500 x 545 x 400	14 ○	900	327
E 538 S	1755 x 1130 x 635	1500 x 980 x 400	9 □	1280	588

○ = round bolt □ = square bolt

Royal grade 3 safes offer enhanced protection with additional fire insulating special armoured mass in the safe walls and a non-resettable emergency locking mechanism. Supplied with one re-programmable twin tumbler 10 lever security lock as standard. Royal safes can be specified to electronic and dual locking options, for more information please see page 37.



Version S High security resettable SecuSafe key lock

E 532 S





Royal

Insurance rating

- £60,000 cash rating
- £600,000 valuables



Royal E 542 - 548 ECB.S Grade IV tested

Two resettable, armoured high security twin tumbler locks included as standard with 10 levers and 50,000,000 key differs. VdS tested and ECB.S certified (EN1300 class B).

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Bolts	Weight kg	Volume l
E 542 SS	1000 x 695 x 635	745 x 545 x 400	6 ○ + 1 □	560	162
E 544 SS	1315 x 695 x 635	1060 x 545 x 400	10 ○ + 1 □	720	231
E 546 SS	1755 x 695 x 635	1500 x 545 x 400	12 ○ + 1 □	940	327
E 548 SS	1755 x 1130 x 635	1500 x 980 x 400	9 □	1340	588

○ = round bolt / □ = square bolt

Royal grade 4 safes offer enhanced protection with additional fire insulating special armoured mass in the safe walls and twin non-resettable emergency locking mechanisms. Supplied with two re-programmable twin tumbler 10 lever security locks as standard. Royal safes can be specified to electronic options – for more information please see page 37.



Version SS Twin high security SecuSafe key locks

E 544 SS



Royal



Insurance rating

- £100,000 cash rating
- £1,000,000 valuables



Royal E 552 - 558 ECB.S Grade V tested

Two resettable, armoured high security twin tumbler locks included as standard with 10 levers and 50,000,000 key differs. VdS tested and ECB.S certified (EN1300 class B).

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Bolts	Weight kg	Volume l
E 552 SS	1040 x 735 x 680	745 x 545 x 400	6	980	162
E 554 SS	1355 x 735 x 680	1060 x 545 x 400	8	1250	231
E 556 SS	1795 x 735 x 680	1500 x 545 x 400	9	1650	327
E 558 SS	1795 x 1170 x 680	1500 x 980 x 400	9	2300	588

= square bolt

Royal grade 5 safes offer superior protection with all the features of the grade 4 model and additional armouring in the body, door and locking mechanism. Door features large surface area locking bolts and double basquill lock at the top and bottom. Supplied with two re-programmable twin tumbler 10 lever security locks as standard. Royal safes can be specified to electronic options – for more information please see page 37.



Version SS Twin high security SecuSafe key locks

E 556 SS





Royal

Lock Configurations & Customisation

Royal safes can be factory fitted with 10 different locking configurations, meeting EN 1300 up to class B. As standard all Royal safe grade 1 to 3 models are fitted with a single 10 lever re-programmable key lock. Grade 4 and 5 models are supplied with two re-programmable twin tumbler 10 lever key locks.

Locking Options

Royal safes can be fitted with different locking options to meet customer requirements.



Version S High security resettable key lock



Version CS Resettable key and combination dial lock



Version ES Electronic combination with fingerscan and high-security key lock



Version SS Twin high security key locks



Version CC Two resettable combination dial locks



Version EE Two electronic combination locks with fingerscan



Version C Resettable combination dial lock



Version E Electronic combination lock with fingerscan

* Available in fully redundant options. Details on request.

Examples of RAL colours



Brilliant colours



Please contact BURG-WÄCHTER UK to discuss your lock and colour requirements.



Royal Luxury Safes



BURG-WÄCHTER commercial grade Royal safes can be customised to meet the most demanding requirements. Paintwork can be specified to any RAL colour and finished to a high gloss, paired with bolt work plated to user tastes (chrome, gold etc). The interior space can be designed and fitted to exacting specifications including a choice of wood or leather internal finish to drawers, shelves and watch winders. Please contact BURG-WÄCHTER UK to discuss your bespoke requirements.



OfficeLine Commercial Safes



Office 114 E

Insurance rating

- £2,000 to £17,500 cash rating
- £2,0000 to £175,000 valuables

OfficeLine safety cabinets are suitable for commercial environments offering generous storage capacities to accommodate files, documents and valuable office equipment. Optional internal fittings cater to a broad range of commercial applications.

- Available in four sizes with a choice of locking options and security specifications
- Generous internal volume suitable for common file sizes
- Optional interior safes, custom internal fittings
- VDMA security level B through to EN1143-1 ECB.S certified grade II attack resistance tested by VdS
- Prepared for floor anchoring - fixings included

Certification



Insurance rating

- £2,000 cash
- £20,000 valuables



- Security level B according to VDMA 24992 5/95
- Double walled body & door with strong round bolts on 3 sides



Version S (key operated)

VdS tested and ECB.S certified (EN 1300 class B) armoured high security 10 lever lock with 50,000,000 key differs. SecuSafe lock can be reprogrammed.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
Office 101 S	626 x 641 x 554	476 x 498 x 370	476 x 498	110	87
Office 102 S	816 x 641 x 554	666 x 498 x 370	666 x 498	126	122
Office 102 S 300	816 x 641 x 554	666 x 498 x 370	666 x 498	300	122
Office 104 S	1096 x 641 x 554	946 x 498 x 370	964 x 498	163	174
Office 104 S 300	1096 x 641 x 554	946 x 498 x 370	964 x 498	300	174
Office 106 S	1486 x 780 x 554	1336 x 638 x 370	1336 x 638	300	315

- Models 102 and 104 are available in a heavier 300 kg option.

SecuSafe key lock

SecuSafe locks can be reconfigured to a new set of keys. Programming is a simple process and a new key can be used quickly – ideal for when a key is lost. May also be used when one key is required to open multiple safes.



101 S



OfficeLine

electronic keypad

Insurance rating

- £2,000 cash
- £20,000 valuables



- Security level B according to VDMA 24992 5/95
- Double walled body & door with strong round bolts on 3 sides



Version E (electronic keypad)

Fully programmable VdS tested electronic combination lock with ECB.S certification (EN1300 Class B) offering 1,000,000 possible code combinations.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
Office 101 E	626 x 641 x 554	476 x 498 x 370	476 x 498	110	87
Office 102 E	816 x 641 x 554	666 x 498 x 370	666 x 498	126	122
Office 102 E 300	816 x 641 x 554	666 x 498 x 370	666 x 498	300	122
Office 104 E	1096 x 641 x 554	946 x 498 x 370	964 x 498	163	174
Office 104 E 300	1096 x 641 x 554	946 x 498 x 370	964 x 498	300	174
Office 106 E	1486 x 780 x 554	1336 x 638 x 370	1336 x 638	300	315

- Models 102 and 104 are available in a heavier 300 kg option.



102 E

OfficeLine

key operated



Insurance rating

- £10,000 cash
- £100,000 valuables



- ECB.S grade 1 resistance from attack according to EN1143-1
- Double walled body & door with strong round bolts on 3 sides
- Fire protective material in body
- Single non-resettable emergency locking mechanism in door



Version S (key operated)

ECB.S certified (EN 1300 class B) armoured high security 10 lever key lock with 50,000,000 key differs. SecuSafe lock can be reprogrammed.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Door H x W Opening mm	Weight kg	Volume l
Office 111 S	626 x 641 x 554	476 x 498 x 370	476 x 498	121	87
Office 112 S	816 x 641 x 554	666 x 498 x 370	666 x 498	205	122
Office 114 S	1096 x 641 x 554	946 x 498 x 370	964 x 498	213	174
Office 114 S 300	1096 x 641 x 554	946 x 498 x 370	964 x 498	305	174
Office 116 S	1486 x 780 x 554	1336 x 638 x 370	1336 x 638	310	315

- Model 114 is available in a heavier 305 kg option.

SecuSafe key lock

SecuSafe locks can be reconfigured to a new set of keys. Programming is a simple process and a new key can be used quickly – ideal for when a key is lost. May also be used when one key is required to open multiple safes.



112 S



OfficeLine

electronic keypad with fingerscan

Insurance rating

- £10,000 cash
- £100,000 valuables



- ECB.S grade 1 resistance from attack according to EN1143-1
- Double walled body & door with strong round bolts on 3 sides
- Fire protective material in body
- Single non-resettable emergency locking mechanism in door



Version E (electronic keypad with fingerscan)

VdS certified (EN 1300 class 2) electronic combination lock with biometric fingerscan. LCD display with menu driven interface, up to 10 users and 20 fingerprints.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
Office 111 E	626 x 641 x 554	476 x 498 x 370	476 x 498	121	87
Office 112 E	816 x 641 x 554	666 x 498 x 370	666 x 498	205	122
Office 114 E	1096 x 641 x 554	946 x 498 x 370	964 x 498	213	174
Office 114 E 300	1096 x 641 x 554	946 x 498 x 370	964 x 498	305	174
Office 116 E	1486 x 780 x 554	1336 x 638 x 370	1336 x 638	310	315

- Model 114 E 300 available in a heavier 305 kg option.

SecuTronic locks feature backlit LCD display for easy programming and navigation through the menu-driven interface. Up to ten user codes can be programmed with full or half access rights. The lock is compatible with wireless TSE E-keys and can be programmed via the lock.



114 E

OfficeLine

key operated



Insurance rating

- £17,500 cash
- £175,000 valuables



- ECB.S grade 2 resistance from attack according to EN1143-1
- Double walled body & door with strong round bolts on 3 sides
- Fire protective material in body
- Double non-resettable emergency locking mechanisms in door



Version S (key operated)

VdS tested and ECB.S certified (EN 1300 class B) armoured high security 10 lever lock with 50,000,000 key differs. SecuSafe lock can be reprogrammed.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
Office 121 S	626 x 641 x 554	476 x 498 x 370	476 x 498	205	87
Office 122 S	816 x 641 x 554	666 x 498 x 370	666 x 498	205	122
Office 124 S	1096 x 641 x 554	946 x 498 x 370	964 x 498	239	174
Office 126 S	1486 x 780 x 554	1336 x 638 x 370	1336 x 638	336	315

SecuSafe key lock

SecuSafe locks can be reconfigured to a new set of keys. Programming is a simple process and a new key can be used quickly – ideal for when a key is lost. May also be used when one key is required to open multiple safes.



121 S



OfficeLine

electronic keypad with fingerscan

Insurance rating

- £17,500 cash
- £175,000 valuables



- ECB.S grade 2 resistance from attack according to EN1143-1
- Double walled body & door with strong round bolts on 3 sides
- Fire protective material in body
- Double non-resettable emergency locking mechanisms in door



Version E (electronic keypad with fingerscan)

VdS certified (EN 1300 class 2) electronic combination lock with biometric fingerscan. LCD display with menu driven interface, up to 10 users and 20 fingerprints.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Door H x W Opening mm	Weight kg	Volume l
Office 121 E	626 x 641 x 554	476 x 498 x 370	476 x 498	205	87
Office 122 E	816 x 641 x 554	666 x 498 x 370	666 x 498	205	122
Office 124 E	1096 x 641 x 554	946 x 498 x 370	964 x 498	239	174
Office 126 E	1486 x 780 x 554	1336 x 638 x 370	1336 x 638	336	315

SecuTronic locks feature backlit LCD display for easy programming and navigation through the menu-driven interface. Up to ten user codes and 20 fingerprints can be programmed with full or half access rights. The lock is compatible with wireless TSE E-keys and can be programmed via the lock.




126 E

OfficeLine



OfficeLine safes can be fitted to meet user requirements with interior safes, file holders and pull out drawer units. Further to this the exterior can be painted in any RAL colour.

Please contact BURG-WÄCHTER UK for more information.



Examples of RAL colours



Brilliant colours





OfficeDoku Commercial Safes



Insurance rating

- £17,500 cash rating
- £175,000 valuables

OfficeDoku safety cabinets feature a high level of certified fire resistance making them perfect for the storage of important and irreplaceable documents and cash.

- Resistance grade II to EN 1143-1
- Certified 60 minute fire protection (S 60P to EN 1047-1)
- Available in two sizes
- Two locking options including key and electronic keypad with fingerscan
- Prepared for floor anchoring - fixings included

Certification



Fire Certification



OfficeDoku

key operated



Insurance rating

- £17,500 cash
- £175,000 valuables

- ECB.S grade 2 resistance from attack according to EN1143-1
- Double walled body & door with strong round bolts on 3 sides
- Fire resistant insulation in body & door meeting EN 1047-1
- Double non-resettable emergency locking mechanisms in door



Version S (key operated)

VdS tested and ECB.S certified (EN 1300 class B) armoured high security 10 lever lock with 50,000,000 key differs. SecuSafe lock can be reprogrammed.

Art.-No.	Exterior H x W x D	Interior H x W x D	Door H x W	Weight	Volume
	mm	mm	Opening mm	kg	l
OfficeDoku 121 S	626 x 641 x 555	476 x 498 x 336	476 x 498	300	79.6
OfficeDoku 124 S	1096 x 641 x 555	946 x 498 x 336	946 x 498	450	158.3

SecuSafe key lock

SecuSafe locks can be reconfigured to a new set of keys. Programming is a simple process and a new key can be used quickly – Ideal for when a key is lost. May also be used when one key is required to open multiple safes.



OfficeDoku 124 S



OfficeDoku

electronic keypad with fingerscan

Insurance rating

- £17,500 cash
- £175,000 valuables

- ECB.S grade 2 resistance from attack according to EN1143-1
- Double walled body & door with strong round bolts on 3 sides
- Fire resistant insulation in body & door meeting EN 1047-1
- Double non-resettable emergency locking mechanisms in door



Version E (electronic keypad with fingerscan)

VdS certified (EN 1300 class 2) electronic combination lock with biometric fingerscan. LCD display with menu driven interface, up to 10 users and 20 fingerprints.

Art.-No.	Exterior H x W x D mm	Interior H x W x D mm	Door H x W Opening mm	Weight kg	Volume l
OfficeDoku 121 E	626 x 641 x 555	476 x 498 x 336	476 x 498	300	79.6
OfficeDoku 124 E	1096 x 641 x 555	946 x 498 x 336	946 x 498	450	158.3

SecuTronic locks feature backlit LCD display for easy programming and navigation through the menu-driven interface. Up to ten user codes and 20 fingerprints can be programmed with full or half access rights. The lock is compatible with wireless TSE E-keys and can be programmed via the lock.



OfficeDoku 124 E

Gun Cabinets



Insurance rating

£1,000 to £10,000 cash rating

£10,000 to £100,000 valuables

Ranger gun cabinets feature safes in a choice of sizes and gun storage capacities for the hobbyist or those with larger arms collections. Ranger certified gun cabinets ensure arms storage meets strict government guidelines.

- Double walled safe doors
- 3mm steel construction: Ranger S1
- All Ranger safes feature a three sided locking system
- Holder for barrel cleaners in door
- Ranger I/8 and N feature emergency locking systems
- Prepared for wall and floor anchoring - fixings included

Certification





Ranger

key operated or fingerscan

Insurance rating

- £2,000 cash rating
- £20,000 valuables



The Ranger R S 1 series offer a good level of security with certification to ECB.S grade S1 (EN 14450) and storage capacities of 5 or 7 firearms and lockable interior safe.



Version S (key operated)

VdS tested high security lock with ECB.S certification (EN1300 class A). 9 lever with 1,000,000 key differs.

Art.-No.	for rifles	Exterior H x W x D mm	Interior H x W x D mm	Weight kg
RS 1/7 S	7	1450 x 400 x 315	1444 x 394 x 251	82



Version E FS (electronic keypad with fingerscan)

VdS certified (EN 1300 class 2) electronic combination lock with biometric fingerscan. LCD display with menu driven interface, up to 10 users and 20 fingerprints.

Art.-No.	for rifles	Exterior H x W x D mm	Interior H x W x D mm	Weight kg
RS 1/5 E	5	1450 x 300 x 315	1444 x 294 x 251	63
RS 1/7 E	7	1450 x 400 x 315	1444 x 394 x 251	82

R S 1/7 models Interior safe is certified to VDMA level B



RS 1/7 S



RS 1/7 E



Ranger N

key operated or electronic keypad

Insurance rating

- £6,000 cash rating
- £60,000 valuables



Independently certified protection to ECB.S grade 0 (EN 1143-1). Enhanced protection with triple walled body, double walled door and a non-resettable emergency lock.



Version S (key operated)

VdS tested high security lock with ECB.S certification (EN1300 Class A). 9 lever with 1,000,000 key differs.


Art.-No.	for rifles	Exterior H x W x D	Interior H x W x D	Weight
		mm	mm	kg
N 5 S	5	1304 x 372 x 368	1250 x 294 x 263	105
N 7 S	7	1304 x 472 x 368	1250 x 394 x 263	121



Version E (electronic keypad)

VdS tested electronic combination lock with ECB.S certification (EN1300 Class B). 1,000,000 possible code combinations.

Art.-No.	for rifles	Exterior H x W x D	Interior H x W x D	Weight
		mm	mm	kg
N 5 E	5	1304 x 372 x 368	1250 x 294 x 263	105
N 7 E	7	1304 x 472 x 368	1250 x 394 x 263	121



N 5 S



N 7 E



Ranger

key operated or electronic keypad with fingerscan

Insurance rating

- £10,000 cash rating
- £100,000 valuables



The Ranger R 1/8 is suited to individuals and clubs with large arms collections, offering storage for up to 8 firearms. Locks are ECB.S approved to EN 1300 class B and the safe offers grade 1 attack resistance according to EN 1143-1 for superior firearm security.



Version S (key operated)

ECB.S certified (EN 1300 class B) armoured high security 10 lever key lock with 50,000,000 key differs. Lock can be reprogrammed to a new set of keys

Art.-No.	for rifles	Exterior H x W x D mm	Interior H x W x D mm	Weight kg
R 1/8 S	8	1486 x 641 x 554	1336 x 498 x 370	265



Version E FS (electronic keypad with fingerscan)

Vds certified class 2 electronic combination lock with biometric fingerscan module. Up to 10 user codes and 20 fingerprints can be programmed.

Art.-No.	for rifles	Exterior H x W x D mm	Interior H x W x D mm	Weight kg
R 1/8 E*	8	1486 x 641 x 554	1336 x 498 x 370	265
R 1/8 E FS	8	1486 x 641 x 554	1336 x 498 x 370	265

* No fingerscan and lock has single code 6 digit access.



R 1/8



**BURG
WÄCHTER**

Gun Lock

- Safety lock for guns
- Secures your firearm by blocking the trigger
- Additional protection for your gun against unauthorised use
- Consists of two parts which interlock via a secure locking system
- Resettable combination
- Please only secure unloaded guns with GUN LOCK.



Gun Lock GL 345 SB





ALWAYS THE SAFE CHOICE

BURG-WÄCHTER UK LTD.

Eurocam Technology Park
Chase Way, Bradford
BD5 8HW

Tel: 01274 395333

Email: UKsales@burg.biz

BURG-WÄCHTER KG

Altenhofer Weg 15, 58300 Wetter, Germany

www.burg.biz/uk