

CATALOGUE 2021





BURG-WÄCHTER UK LTD.



CONTACT BURG-WÄCHTER UK

PHONE

+44 (0)1274 395333

FAX

+44 (0)1274 731694

E-MAIL

UKCS@burg.biz











@burgwachteruk

BURG-WÄCHTER UK

Eurocam Technology Park Chase Way Bradford BD5 8HW

"There is no freedom without security" ALEXANDER VON HUMBOLDT

Security is a fundamental requirement for both ourselves and the wider family.

BURG-WÄCHTER strives to make the world a little safer every day, a commitment we have maintained for 100 years. It all began in 1920 in a small locksmith's forge in Wetter-Volmarstein, Germany. Today, we are a trusted brand worldwide for all aspects of security. The trust our customers place in BURG-WÄCHTER is a great motivator to continue the hard work, commitment and innovation.

As technology rapidly changes and improves all our daily lives, so does the expectation for security to become more accessible and convenient. This plays a major role in our new products. Whether you are considering using the BURGprotect™ smart home alarm system via a voice assistant, or checking who is at the front door via the smartphone app, BURG-WÄCHTER provides innovative solutions to make security fit seamlessly into our busy lives.

The entire BURG-WÄCHTER team hopes you enjoy browsing through our new catalogue. We are sure that that you will find plenty of ideas for your individual requirements in the following pages.

BURG-WÄCHTER worldwide

Our business sites

OVER THE PAST 100 YEARS BURG-WÄCHTER HAS GROWN A SMALL LOCKMAKING FORGE TO AN INTERNATIONAL SECURITY BRAND. THE MAP BELOW SHOWS OUR GLOBAL OFFICE AND MANUFACTURING SITES WHERE WE DEVELOP AND PRODUCE OUR PRODUCTS.





Quality "Made in Germany" is and remains the BURG-WÄCHTER guiding principle. Our company headquarters and largest production facility is located in Germany

- 01 BURG-WÄCHTER head office has been located in WETTER-VOLMARSTEIN since 1920. Production still continues at the site 100 years later.
- 02 MEINERZHAGEN-VALBERT is the home of our largest production facility, research and development department, training centre and central warehouse.
- O3 SANTEC BW AG is the head office of our professional video security subsidiary located in AHRENSBURG.
- 04 WISMAR is the production site of our subsidiary SECU Security Products GmbH

BURG-WÄCHTER is represented across Europe through its own subsidiaries and one manufacturing site.

- O5 YORKSHIRE is the location of BURG-WÄCHTER UK, our subsidiary for the UK market.
- O6 PONT-SUR-SOMBRE in north west France is home to our BURG-WÄCHTER France subsidiary.
- 07 ARAD in western Romania is the location of our Securo subsidiary. Besides production, assembly work is also carried out in Arad.

ASIA



Like many companies BURG-WÄCHTER is also active in China. Various products from our range are manufactured in Nanjin.

NANJING in the east of China is home to the head office and manufacturing site of Nanjing Burg-Wächter Co, Ltd.

From Wetter to throughout the world: The heart of BURG-WÄCHTER still beats in the small town of Wetter in South Westphalia. Almost 100 years after it was founded, BURG-WÄCHTER is still manufacturing at its main facility in Meinerzhagen-Valbert, Germany. Today, the business continues to sustainably strengthen and grow in Germany and around the world.

Outside Germany, we take our social & ethical responsibility seriously and are committed to good workplace conditions and fair wages. We have established our own sites in France, England, Romania and China.

Competence and a sense of responsibility are a priority for our employees. All these elements together form the solid foundation for our high-quality products.

As a family business in its fourth generation we feel firmly committed to our Christian values. We share our knowledge and experience from generation to generation. This ever-expanding know-how is the basis of our products and ensures that people all over the world trust the BURG-WÄCHTER brand.

BURG-WÄCHTER History

BURG-WÄCHTER: Tradition meets innovation

FROM MECHANICAL LOCKS TO ELECTRONIC LOCKING SYSTEMS.

BURG-WÄCHTER HAS BEEN PROVIDING PEOPLE WITH SECURITY FOR 100 YEARS.

In Wetter-Volmarstein, the headquarters of BURG-WÄCHTER, skilful craftsmen have been performing the art of lock making under the protection of Volmarstein castle since 1750. This castle is the unmistakable trademark of BURG-WÄCHTER and symbolises quality, security and innovation "Made in Germany".


Our production by the people, for the people has continued for 100 years. In doing so we have always kept in mind that the issue of security is very personal and specific requirements differ from person to person. We strive to meet these requirements with the highest quality. Our success in the market is evidence that we are getting many things right. Last year, for example, we were named "Customer's Favourite 2019 – Most Popular Brand" in a major "Focus Money" customer analysis.

The award is a further incentive for us.

In the future we will continue to help shape the transformation from mechanical locks to complex locking systems and from simple bolts to app controlled smart homes. Our objective is to make people's lives more secure and convenient.



The result of a survey in Germany's Test magazine concluded that: BURG-WÄCHTER is the "Customer's favourite 2019 – Most popular brand".




Precision: Many of our products still involve manual craftwork. Our employees use their skill and finesse to ensure that everything works as intended.



Motivated: We produce our goods for people to make their everyday life a little more secure. That is our inspiration, day after day.

YEARS OF SECURITY




Tried and tested: The history of BURG-WÄCHTER began in 1920 with the classic padlock. Today, strong & robust locks remain a fundamental part of our product range.



In the past: Padlocks were forged at the workbench. Today, production has long since been mechanised.



Modern: The use of state of the art technology ensures that our products are continuously improving and of higher quality. Our quality control department carefully scrutinizes all of our products to ensure the very best results.



Innovative: We are breaking new ground in many areas. For example, we provide our specialist trade partners with 3D visualisations and 360-degree views to help them remodel and redesign their sales premises.

BURG-WÄCHTER UK



The home of great value security

30 Years of Sterling Service

Sterling Locks was acquired in 2013 and is one of BURG-WÄCHTER's most popular brands. The heritage and values of the Sterling brand strengthen the global BURG-WÄCHTER security business. Sterling products meet a wide variety of locking and lifestyle security needs, offering great value and quality across all areas.

With a 30 year history, Sterling has been a trusted name within the trade and DIY market for security products. Sterling products provide innovative and practical security solutions that also feature British Standard accreditation. Products are engineered to exacting standards and built to last without compromise.

All Sterling products are supported by a dedicated UK team responsible for advising and helping customers with their security needs. The team also provides retailers with sales support including branded point of sale display equipment and merchandising materials. Sterling products are held in our UK warehouse in Bradford, enabling most stock to be dispatched within 24/48 hours of purchase.





BURG-WÄCHTER Responsible conduct

The future is green!

ENVIRONMENTAL PROTECTION IS A MATTER FOR ALL OF US.

Environmental and climate protection are the hottest topics of our time. Our children and grandchildren are also entitled to a safe and prosperous life on planet earth. Therefore BURG-WÄCHTER has made an uncompromising commitment to increased sustainability.

BURG-WÄCHTER regularly undergoes an energy audit by an independent body. The result of the energy audit according to DIN EN 16247-1 is an important step to improve the energy efficiency in the company, to reduce energy consumption and to lessen any negative environmental impacts.

ENERGY AUDIT

Our energy use is audited by an independent body. The results of the energy audit according to DIN standard EN 16247-1 highlight potential energy savings that we implement as best as possible. Ultimately, it is important for the future to handle our resources with great respect.



BURG-WÄCHTER: Certificates, awards, seals of approval, partnerships ...

General overview



The Association of Property Insurers (VdS) tests and certifies products in our safe and window security segment. The VdS seal of quality verifies the certification.



The impartial European Certification Body GmbH (ECB-S) issues certificates for products in the security industry, this includes various items from our safe and window security range.



Istituto Giordano has been testing and certifying industrial products since 1959. BURG-WÄCHTER safes are also put to the test on their test benches.



BURG-WÄCHTER is a member of the German Engineering Federation (VDMA), with about 3200 members it is the largest industrial association in Europe.



The DIN 18104-1 standard regulates the requirements for burglar-resistant retrofit products. Many of our door and window products comply with this standard.



The EN 1143-1 standard regulates the requirements for burglary protection for safes. It distinguishes between different levels of breakopen resistance.



Security level S2 according to ECB-S confirms a tested burglary protection standard for safes. The security requirements are tested according to the EN 14450 standard.



The EN 1047-1 standard regulates the testing of safes for fire resistance and includes a drop test. S 60P guarantees that paper items are protected from fire for at least 60 minutes.



The EN 15659 standard regulates the testing of safes for fire resistance. LFS 60 guarantees that paper items are protected for at least 60 minutes.



The EN 15659 standard regulates the testing of safes for fire resistance. LFS 30 guarantees that paper items are protected for at least 30 minutes.



The EN 13724 standard regulates the requirements of letter boxes in terms of size, insertion dimensions, weather resistance and classifies the degree of protection against burglary and corrosion.



BURG-WÄCHTER verifies the effectiveness of energy efficiency measures by periodically undergoing energy audits according to DIN EN 16247-1.



ISO 9001 is a globally recognized standard for quality management systems. The BURG-WÄCHTER QM system is certified according to this standard.



The national standards organisation of Great Britain. The British Standards Institute (BSI) produces technical standards and certifications for products and services.



Sold Secure is dedicated to reducing the risk of crime by evaluating and certifying security products through manual break-in tests.



Secured by Design focuses on crime prevention in private homes and business premises. It promotes the use of safety standards for corresponding products.

BURG-WÄCHTER AS A COMPANY IS INVOLVED WITH MANY KEY INDUSTRY BODIES IN THE FIELD OF SECURITY. THE PRODUCTS WE MANUFACTURE ARE ALSO SUBJECTED TO NUMEROUS TESTS & AUDITS. WE HAVE LISTED THESE BELOW WITH AN EXPLAINATION TO EACH AND INCLUDED WIDER COMMITMENTS SUCH AS CORPORATE SPONSORSHIPS.



BURG-WÄCHTER is "Customer Favourite 2019" for safety and warning devices (see the "Focus" German Test magazine, issue 21/22 2019).



BURG-WÄCHTER supports the Police Trade Union in the "Polizei Dein Partner" initiative as a partner in crime prevention.



Partner



A powerful duo: BURG-WÄCHTER has been the proud partner of Borussia Dortmund, the Bundesliga football team, since 2012.





We consider promoting young

talent to be one of our core values.

That's why we have been support-

ing young athletes by sponsoring

our Trackteam athletics initiative

for more than 20 years.



BURG-WÄCHTER UK supports "Let's Ride" events in cooperation with the British Cycling Association.



The "iF Product Design Award" awards honours to outstandingly designed products, such as the **BURG-WÄCHTER Quadus letter** box in 2012.



The BURG-WÄCHTER secuENTRY system was awarded the renowned "Plus X Award" for the best product of 2015/2016.



dhf is a not-for-profit trade association for companies in the Locks & Building Hardware sector.





Quality "Made in Germany": **BURG-WÄCHTER** produces large portions of its range in Germany and the majority of product development is located in Germany.



BURG-WÄCHTER is audited in accordance with the SMETA-4-Pillar procedure for the company working conditions, health & safety, environment and business ethics.



The Master Locksmiths Association (MLA) certifies and recommends British locksmiths as a non-profit professional association.



The independent body of risk control experts that advise British insurers on all aspects of protecting people and property against insurable risks.



BURG-WÄCHTER UK is a member of British Safe & Vault Trade Association, the association of British safe manufacturers.



With the "K-Einbruch" initiative, the police are informing people to take responsibility for burglary prevention themselves, so that burglary crime continues to decline. BURG-WÄCHTER has been a premium partner of "K-Einbruch" for many years. Because every burglary is one too many!

BURG-WÄCHTER shop concept

Individual shop fitting: from one source, for all sizes

USING MODERN VR TECHNOLOGY OUR EXPERT TEAM CREATES SPACES TO WORK AND EXPERIENCE FOR YOU AND YOUR CUSTOMERS.

Retail premises are a companies' business card. With our help your business will become a real

gem. This is exactly what our shop fitting experts have been doing for many years. They have already converted hundreds of retail premises, from small shops to several hundred square metres of space in large retailers. Our motto is: We create individual solutions and do not rely on off-the-peg shop fittings. On request we can create modern lighting effects and will gladly help to convert your office space.

We base our designs on the three shop fitting systems: KUBUSTM, FlexTM and miniKUBUSTM. You decide the direction to take in the conversion of your premises. All three systems enable the conversion to be made independently of the brand. This enables you to continue to offer your customers the best possible product portfolio.

Irrespective of which system you choose, we rely on the latest VR technology with BURG-WÄCHTER VISION™ for all three concepts. We create your sales premises on the computer as a 3D model with a 360-degree view before starting the conversion. Using VR goggles you are then able to view the simulation in detail. The great advantage: The reality that you experience enables changes and enhancements to be made before the physical conversion begins. BURG-WÄCHTER VISION™ even simulates light at different times of the day.

BURG-WÄCHTERTM



The traditional business "Hofmaier Sicherheits-Systeme" premises in Böblingen were the first to be converted using BURG-WÄCHTER VISION™. Owner Jan Hofmaier was enthusiastic about the realistic simulation of the conversion and the many possibilities offered by VR technology.



KUBUS™

BURG-WÄCHTER deluxe shop fitting

Contemporary and elegant solid wood construction with energy-saving LED lighting.

- High-quality elements made of durable solid wood in modern and timeless anthracite
- Energy-saving LED lighting for the respective brands and product groups
- Ideal product presentation is achieved through LED lighting integrated into the shelves
- Special solutions for features such as pillars and niches
- Simulation prior to conversion using BURG-WÄCHTER VISION™

Flex™

BURG-WÄCHTER shop fitting — fast and flexible

Rapid shop conversion with complete freedom for additions and the presentation of new product ranges.

- Combines wood and metal elements
- Slot-together assembly system enables quick conversion
- The system can adapt to new product presentation in a time-saving and flexible manner
- Energy-saving LED lighting for shelves and slot-in walls
- Special solutions for features such as pillars and niches
- Simulation prior to conversion using BURG-WÄCHTER VISION™


miniKUBUS™

BURG-WÄCHTER for beginners

The clever cube system for space-saving and versatile presentation.

- Sturdy wooden presentation cases
- Simple and precise assembly using integrated magnets
- Conversion in a few simple steps

- Multiple variants are available such as presentation cases with covers, compartments or an integrated screen
- Fast presentation of new products
- Simulation prior to conversion using BURG-WÄCHTER
 VISION™







miniKUBUS™

The space-saving miniKUBUS™ system offers the perfect merchandising solution for smaller shops. The system can be converted quickly and easily using the integrated magnets



Elegant presentation meets energy-saving lighting:
The KUBUS™ system uses LED lamps to emphasise product groups and individual items.



Flex™

bled very quickly.

Flexible and rapid shop fitting provided by the Flex™ system. The high-quality workmanship of the shelf combinations have an exclusive feel and can be assem-

Small details that make your work easier: Our shop fitting concepts focus on service and handling. For example, our slot-in walls enable the products and items on display to be changed in a few simple steps.

Have a question? Please contact us:

TELEPHONE +44 (0)1274 395 333

E-MAIL ukcs@burg.biz

BURG-WÄCHTER Marketing

How we support your sales success

WE PLACE GREAT IMPORTANCE ON ESTABLISHING A MUTUALLY BENEFICIAL AND LONG-TERM TRADING PARTNERSHIP.

THIS IS DEMONSTRATED BY THE MANY ACTIVITIES THAT WE UNDERTAKE TO BENEFIT YOU AND YOUR CUSTOMERS.



Sales promotion

From revolving lock stands to safe configurator units and shop window displays – we offer a broad range of merchandising and promotional materials. Our goal is to build a long-term mutually beneficial partnership that supports your business, staff and customers.

Brochures

Our diverse range of brochures and flyers offer all the key product information and specifications across the broad range of security products on offer. Security is often a considered purchase and our literature ensures both you and your customers have all the information required to hand in an easy to read format.

Quality and convenience is what we demand of our products – and have been doing so since

1920. But without a broad network of competent business partners the BURG-WÄCHTER brand would not have become a success story spanning the past 100 years. We want this successful partnership to continue over the coming decades. To ensure this happens we offer a wide range of measures and merchandise to support your sales success. This starts with our shop fitting concepts, through to point of sales and all the essentials such as

One of the POS success stories last year was our rotating lock stand (see image left). Not only is this countertop stand a real eye-catcher, it is also

give-aways, brochures and leaflets.

extremely robust, ensuring many years of care-free use. Alongside the high level of workmanship, the unit also offers the practicality of offering presentation of either loose locks or product in clam packs for self-service. The safe configurator stand is another highlight. This freestanding unit allows customers to see all available sizes, lock options, colours and accessories at a glance for select safe ranges.

Would you like a complete overview of our sales promotion offers? Is there something you are missing? Or do you have suggestions for improvement? Then please contact your BURG-WÄCHTER sales representative. They will be happy to help.





Give-aways

BURG-WÄCHTER offer a range of high-quality branded gifts and giveaways. From pens to power banks and lighters, there are many options. Perfect for establishing and building relationships with customers, they also grow brand recognition and loyalty, ensuring BURG-WÄCHTER is always the first thought for security products.

Clothing

Acclaimed outfitter "engelbert strauss" offers premium quality, functional and timelessly STYLISH workwear to meet the demands of everyday working life. Whether shirts or jackets, waistcoats or trousers: Daily work is a bit more fun with the high-quality products of "engelbert strauss".

Content

FROM PADLOCKS TO CERTIFIED SAFES AND SMART HOME SECURITY, THIS CATALOGUE INCLUDES THE ENTIRE PRODUCT RANGE ACROSS NINE SECURITY CATEGORIES.



Locks and bolts





Window / door security, door systems



Measuring tools



Cash boxes and key cabinets





Safes and gun cabinets



Smart Home





Locks and bolts

BURG-WÄCHTER OFFER LOCKS AND BOLTS FOR ALL APPLICATIONS, AND WITH 100 YEARS OF MANUFACTURING EXPERIENCE, THEY PROVIDE RELIABLE SECURITY YOU CAN TRUST.

Premium padlocks	23
Hardened steel padlocks	26
Armoured steel padlocks	29
Brass padlocks	30
Aluminium padlocks	46
Stainless steel padlocks	51
Laminated steel padlocks	54
Combination padlocks	56
Hasps & staples	62
Solution packs	70
Lock bolts	72
Security chains	74
Security anchors	78
D-locks & U-locks	79
Cable locks	81
Double loop cables	90
Chains, ropes & accessories	91
Straps & bungees	98
Cam locks	100
Furniture locks	105
Lock blocking keys	106
Gun trigger lock	107




Locks and bolts

Padlocks

Icon Summary

BURG-WÄCHTER padlocks use an icon system to easily identify key features of the padlocks within the range. These include properties of the product, key options and product dimensions.

Dimensions





A Shackle diameter



B Shackle height



Shackle width



ס Total height

Product Features



Padlock with enhanced protection against drilling



Double bolted shackle for additional security against pulling attacks



Padlocks with very high pull strength for extra protection against pulling attacks



Padlocks with a chemically hardened shackle which offers resistance to cutting attacks



Protection against bolt cutting: Padlocks with thicker shackles or concealed shackles



Rust-prooflocking mechanism offers long and reliable operation



Highly rustproof-ideal for salt water environments

Locking & Key Options



Available in keyed alike version



Available to special order with guaranteed key differ & factory certificate



Reversible dimple key locking mechanism



Available to special order with master key



Available with 6 keys per padlock on request



Key blank number for ordering additional keys



Available to special order grand master keyed



Resettable combination



Offering a wide choice of key suiting options, these padlocks are ideal for locksmiths

Premium

900 Alpha Titan

High-tech padlock


for the highest security demands


- ultra-hardened chrome plated shackle
- Sold Secure bicycle diamond & motorcycle gold approved





- extreme protection against cutting / drilling protected against drilling and corrosion
 - easy to open shackle
 - prepared for half-cylinders, supplied without cylinder





^{*}Enhanced security 5-pin cylinder with additional hardened and anti-pick pins. Sold Secure only applies to complete padlock with BS1 ESN1130 cylinder fitted.















High-performance padlock

- protected against opening by bolt cutting and drilling (all-round protection)
- chrome plated hardened steel body
- protective plastic cover
- MnCr steel shackle with specially hardened double ball bearing locking
- several tons breaking strength
- · high-tech cylinder
- more than 300,000 key differs
- cylinder protected against extraction
- Sold Secure bicycle gold approved

ArtNo.			EAN	Pack	•	•	(1)	1	•
			40 03482		mm	mm	mm	mm	
800 65		boxed	19650 2	1	11.0	22.0	26.0	88.0	62
800 65	SB	visi	19651 9	3	11.0	22.0	26.0	0.88	62



Key suiting options see page 400 for further information

Notes	
Keyed alike – stocked series	
Keyed alike – as per sample	

Ť	EAN	Pack	Notes
	40 03482		
	18890 3		Key cut as per sample or key card
	04042 3		Each additional key
62	04360 8	20	Key blanks*

^{*}Only supplied after prior authorisation.

















Premium




700 Gamma

High-performance padlock

- solid brass body
- high breaking strength
- protective plastic cover
- ultra-hardened shackle with double ball Sold Secure bicycle silver approved bearing locking
- high precision cylinder
- rustproof interior
- cylinder multi-protected against drilling

ArtNo.			EAN	Pack	•	<u>••</u>	(1)	1	P
			40 03482		mm	mm	mm	mm	
700 55		boxed	19170 5	3	9.0	22.0	28.0	83.0	60 R
700 55	SB	visi	19171 2	3	9.0	22.0	28.0	83.0	60 R

Key suiting options see page 400 for further information



Ť		Notes
	40 03482	
	17720 4	Key cut as per no. or sample
	04043 0	Each additional key
60 R	17700 6 20	0 Key blanks





Premium


D 600 Diamant

- solid brass body
- high breaking strength
- ultra-hardened double bolted shackle
- high precision cylinder
- rustproof interior
- cylinder multi-protected against drilling



ArtNo.			EAN	Pack	•	**	(1)	1	Ť
			40 03482		mm	mm	mm	mm	
D 600 40		boxed	17600 9	5	7.5	22.0	23.0	73.0	60 R
D 600 50		boxed	17610 8	5	9.0	25.0	28.0	84.0	60 R
D 600 60		boxed	17620 7	3	11.0	30.0	35.0	103.0	60 R
D 600 40	SB	visi	17601 6	5	7.5	22.0	23.0	73.0	60 R





Guaranteed keyed to differ with factory certificate locks and keys consecutively numbered, expandable, with locking plan

Master key

7	EAN	Pack	Notes
	40 03482		
	17720 4		Key cut as per no. or sample
	04043 0		Each additional key
60 R	17700 6	20	Key blanks



















Cylinder padlocks Hardened steel



650 Delta / 660 Delta Open and closed shackle

- hardened solid steel body
- double ball bearing locking
- hardened boron steel shackle
- re-keyable brass cylinder
- protective steel plate over cylinder
- key retained in unlocked position
- independently tested by Sold Secure









ArtNo.			EAN	Pack	•	•	(\$)	1
			40 03482		mm	mm	mm	mm
650 50	SB	visi	10201 5	5 4	9.5	19.8	28.6	84.1
650 60	SB	visi	10250 1	1 4	9.5	19.8	28.0	111.7
660 CS 50	SB	visi	28661 6	5 4	11.0	23.0	28.6	89.6
660 CS 60	SB	visi	10321 () 4	11.0	21.5	28.0	117.0



Sterling

Hardened steel padlock open and closed shackle

- hardened solid steel body
- double ball bearing locking
- hardened boron steel shackle
- re-keyable brass cylinder
- protective steel plate over cylinder
- key retained in unlocked position
- 60mm padlocks independently tested by Sold Secure



ArtNo.		EAN	Pack	•	<u>€</u>	1	1	
		50 1656		mm	mm	mm	mm	KB0
SSP152 50 [†]	visi	701570 3	4	9.5	19.8	28.6	84.1	15B
SSP152C 50 [†]	visi	701572 7	4	9.5	19.8	28.0	111.7	15B
SSP162 60 [†]	visi	701571 0	4	11.0	23.0	28.6	89.6	15B
SSP162C 60 [†]	visi	701573 4	4	11.0	21.5	28.0	117.0	15B

† Whilst stocks last

Hardened steel

Sterling

Round shackleless padlock

- hardened steel body
- chrome plated shackle
- brass keys
- ideal for use with heavy duty hasp & staple (see page 63)



ArtNo.		EAN	Pack	•	••	1	1	P
		50 1656		mm	mm	mm	mm	KB0
SSP173B	boxed	701663 2	2 1	11.0	21.5	28.0	117.0	20
	↓ C	ompatible he	eavy du	ıty hasp	V			
AHS210B	boxed	701421 8	3 1		79.0	114	-	
AHS210E	visi	701954 1	1 1		79.0	114	-	
	↓ Pa	adlock & hasp	soluti	on pac	k V			
PHS104E	boxed	701424	9 8	van	lock se	t with	hasp & pa	adlock







Solution pack

Van lock set with heavy duty padlock and hasp



Hardened steel



Emerald 480

- steel padlock
- hardened alloy steel shackle
- removable shackle
- double ball bearing locking
- protective nylon cover
- weather resistant
- strong disc locking mechanism



		EAN	Pack	* *	**		1	T
		40 03482		mm	mm	mm	mm	KB0
480 70	boxed	10362 3	4	11.0	17.0	21.0	120.5	29
480 70 SB	visi	10361 6	4	11.0	17.0	21.0	120.5	29





Sterling

70mm Closed shackle padlock

- steel padlock
- hardened alloy steel shackle
- removable shackle
- double ball bearing locking
- protective nylon cover
- weather resistant
- strong disc locking mechanism
- supplied with 3 keys
- assorted colours

ArtNo.		EAN	Pack	•	**	(1)	1	f
		50 1656		mm	mm	mm	mm	KB0
CSP170 70 ⁺	visi	701708 0	4	11.0	17.0	21.0	120.5	29
CSP170BK 70 ⁺ *	boxed	702010 3	4	11.0	17.0	21.0	120.5	29

- * All black body † Whilst stocks last

Armoured steel

Quadra 555

- brass body with tough steel armour
- hardened steel chrome plated shackle
- rotating shackle
- closed shackle
- anti-drill cylinder
- stainless steel springs
- nickel plated brass keys
- large number of key combinations
- standard section keyway
- shackle opens on the same side as the key

ArtNo.			EAN	Pack	•	€	(1	P
			40 03482		mm	mm	mm		KB0
555 60	boxed	Single Slot	10164 3	6	10	22	11.5	55.5	68 R
555 80	boxed	Single Slot	10172 8	6	11	30	14	68.5	68 R
555 90	boxed	Single Slot	10182 7	6	12	36	18	75.5	68 R
555 DS 90	boxed	Double Slot	10192 6	6	12	11.4	18	75.5	68 R
555 60 SB	visi	Single Slot	10161 2	6	10	22	11.5	55.5	68 R
555 80 SB	visi	Single Slot	10171 1	4	11	30	14	68.5	68 R
555 90 SB	visi	Single Slot	10181 0	4	12	36	18	75.5	68 R
555 DS 90 SB	visi	Double Slot	10191 9	4	12	11.4	18	75.5	68 R











Sterling

Armoured steel padlocks

- brass body with tough steel armour
- hardened steel chrome plated shackle
- rotating shackle
- closed shackle
- anti-drill cylinder
- stainless steel springs
- nickel plated brass keys
- large number of key combinations
- standard section keyway
- shackle opens on the same side as the key

ArtNo.				EAN	Pack	•	<u> </u>	1	1	•
				50 1656		mm	mm	mm		KB0
ASP160	62 [†]	visi	Single Slot	7005728	6	10	22	11.5	55.5	02
ASP180	81 [†]	visi	Single Slot	701059 3	6	11	30	14	68.5	02
ASP190	91 [†]	visi	Single Slot	700573 5	6	12	36	18	75.5	02
ASP290	91 [†]	visi	Double Slot	701269 6	6	12	11.4	18	75.5	02
ASP181	81† 3	* visi	Single Slot	701716 5	6	11	31	14	68	
ASP181B	81†	* boxed	Single Slot	702002 8	6	11	31	14	68	



^{* 81}mm locks have lighter weight zinc body











Brass





Shutter lock

- solid brass body
- hardened steel shackle
- rustproof interior

• integrated shackle leaves very little contact space for attack with mechanical tools

ArtNo.		EAN	Pack	•	<u>**</u>	(1)	1	7
		40 03482		mm	mm	mm	mm	
444 50	boxed	28590 9	5	7.0	14.0	14.0	40.0	67 R
444 70	boxed	28680 7	3	12.0	22.0	16.5	55.0	68 R
444 90	boxed	28690 6	3	12.0	36.0	18.0	65.0	68 R
444 50 SB	visi	28591 6	5	7.0	14.0	14.0	40.0	67 R
444 70 SB	visi	28681 4	3	12.0	22.0	16.5	55.0	68 R
444 90 SB	visi	28691 3	3	12.0	36.0	18.0	65.0	68 R

Key suiting options













Key blanks

Key blanks
Key blanks

Brass

116 Profi PC

High-tech cylinder padlock for half profile cylinder

- solid brass body
- hardened shackle, double-bolted
- lock body prepared for cylinder fitting
- 116 PC 50 suitable for 11/30mm cylinder
- 116 PC 50 /L suitable for 11/35mm cylinder
- for integration into existing and new key suites
- German Engineering



Note: suitable for almost all DIN-compliant profile half cylinders with adjustable cam (length 11/30mm 116 PC 50 and 11/35mm 116 PC 50 /L) and easy assembly, disassembly and replacement. Cylinder does not need to be reworked for assembly supplied without cylinder.

ArtNo.		EAN	Pack	••	<u>••</u>	(‡)	1
		40 03482		mm	mm	mm	mm
116 PC 50	boxed	01240 6	1	8.0	27.0	40.0	95.0
		50 1656					
116 PC 50 /L	boxed	759004 0	1	8.0	27.0	40.0	100

For compatible cylinders see page 399 for further information











116 Profi PC Niro

Saltwater proof high-tech padlock for half profile cylinder

- solid brass body
- available with stainless steel shackle in two different heights
- double-bolted
- saltwater resistant

- lock body prepared for cylinder fitting
- for integration into existing and new keying suites
- German Engineering



Note: suitable for almost all DIN-compliant profile half cylinders with adjustable cam (length 11/30mm) and easy assembly, disassembly and replacement. Cylinder does not need to be reworked for assembly supplied without cylinder.

ArtNo.		EAN	Pack	•	<u>↔</u>	(1)	1	
		40 03482		mm	mm	mm	mm	
116 PC 50 Niro	boxed	18710 4	1	8.0	27.0	40.0	95.0	
116 PC 50 80 Niro	boxed	18720 3	1	8.0	27.0	80.0	135.0	

For compatible cylinders see page 399 for further information









Brass



=Sterling

Euro cylinder padlocks

- chrome plated solid brass body
- complete with cylinder and body only options
- double ball bearing locking mechanism
- key retained in unlocked position
- hardened chrome plated shackle
- removable euro cylinder (modified 35mm)
- suitable for all quality branded cylinders
- vertical and horizontal cam available
















[†] Products supplied boxed whilst stocks last Cylinder is not available to purchase seperately

Brass

450 Boccia

With reversible key system

- solid brass body
- specially hardened shackle, double-bolted
- rustproof interior

- supplied with 2 reversible keys
- high number of key differs
- German Engineering



		EAN	Pack	•	<u>↔</u>	(1)	1	P
		40 03482		mm	mm	mm	mm	
SB	visi	06431 3	10	5.0	16.5	16.0	55.0	75 W
SB	visi	06581 5	10	6.5	22.0	22.5	61.0	75 W
SB	visi	06591 4	5	8.0	28.0	29.5	68.0	76 W
SB	visi	06601 0	5	9.5	35.0	34.5	91.0	76 W
ch pad	llock set inclu	ıdes 4 or 6 k	eys, p	oacke	d for se	elf ser	vice ↓	,
SB	visi	33701 1	5	5.0	16.5	16.0	55.0	75 W
SB	visi	33711 0	5	6.5	22.0	22.5	61.0	75 W
SB	visi	33721 9	5	8.0	28.0	29.5	68.0	76 W
	SB SB ch pad SB SB	SB visi SB visi Ch padlock set inclu SB visi SB visi	SB visi 06431 3 SB visi 06581 5 SB visi 06591 4 SB visi 06601 0 ch padlock set includes 4 or 6 k SB visi 33701 1 SB visi 33711 0	SB visi 06431 3 10 SB visi 06581 5 10 SB visi 06591 4 5 SB visi 06601 0 5 Ch padlock set includes 4 or 6 keys, p SB visi 33701 1 5 SB visi 33711 0 5	SB visi 06431 3 10 5.0 SB visi 06581 5 10 6.5 SB visi 06591 4 5 8.0 SB visi 06601 0 5 9.5 ch padlock set includes 4 or 6 keys, packe SB visi 33701 1 5 5.0 SB visi 33711 0 5 6.5	SB visi 06431 3 10 5.0 16.5 SB visi 06581 5 10 6.5 22.0 SB visi 06591 4 5 8.0 28.0 SB visi 06601 0 5 9.5 35.0 ch padlock set includes 4 or 6 keys, packed for states SB visi 33701 1 5 5.0 16.5 SB visi 33711 0 5 6.5 22.0	40 03482 mm class pm class class class mm class class mm class mm class mm class class class mm class class mm class class class cl	40 03482 mm mm









Notes	
Keyed alike – stocked (size 30 and 40 mm)	

Key blanks see page 424/425 for further information

•	EAN	Pack	Notes
	40 03482		
75 W	14710 8	20	Key blanks
76 W	14730 6	20	Key blanks



Brass















om size 50

116 Profi

Reliable quality

- solid brass body
- hardened shackle, double-bolted
- high precision cylinder
- high number of key differs
- rustproof interior
- supplied with 2 keys

ArtNo.			EAN	Pack	••	•	1	1	P
			40 03482		mm	mm	mm	mm	
116 25		boxed	03140 7	5	4.0	13.0	16.0	45.0	64 R
116 30		boxed	03150 6	10	5.0	16.0	17.5	50.0	65 R/L
116 40		boxed	03160 5	10	6.0	23.0	22.0	63.0	66 R/L
116 50		boxed	03170 4	5	8.0	28.0	27.0	76.0	66 R/L
116 60		boxed	03180 3	5	10.0	32.0	33.0	94.0	66 R/L
116 30	SB	visi	03151 3	5	5.0	16.0	17.5	50.0	65 R/L
116 40	SB	visi	03161 2	5	6.0	23.0	22.0	63.0	66 R/L
116 50	SB	visi	03171 1	5	8.0	28.0	27.0	76.0	66 R/L















116 HB Profi

Reliable quality

- long shackle version
- solid brass body
- hardened shackle, double-bolted
- high precision cylinder
- many key differs
- rustproof interior
- supplied with 2 keys

ArtNo.		EAN	Pack	•	••	(1)	1	7
		40 03482		mm	mm	mm	mm	
116HB 30 30	boxed	03230 5	5	5.0	16.0	30.0	63.0	65 R/L
116HB 30 45	boxed	03240 4	5	5.0	16.0	45.0	78.0	65 R/L
116HB 40 45	boxed	03250 3	5	6.0	23.0	45.0	86.0	66 R/L
116HB 40 60	boxed	03260 2	5	6.0	23.0	60.0	101.0	66 R/L
116HB 50 80	boxed	03270 1	5	8.0	28.0	80.0	128.0	66 R/L
116HB 50 110	boxed	03280 0	1	8.0	28.0	110.0	160.0	66 R/L
116HB 50 180	boxed	03290 9	1	8.0	28.0	180.0	225.0	66 R/L
116HB 60 110	boxed	03300 5	1	10.0	32.0	110.0	170.0	66 R/L
116HB 40 45 SB	visi	03251 0	5	6.0	23.0	45.0	86.0	66 R/L
116HB 40 60 SB	visi	03261 9	5	6.0	23.0	60.0	101.0	66 R/L

Cylinder padlocks Brass, saltwater proof


116 Ni Profi

Saltwater proof & absolutely rustproof!

- solid brass body
- stainless steel shackle, double bolted
- high precision cylinder
- high number of key differs
- rustproof interior
- supplied with 2 keys

ArtNo.		EAN	Pack	••	<u>••</u>	(‡)	1	P
		40 03482		mm	mm	mm	mm	
Niro 116 25	boxed	03380 7	5	4.0	13.0	16.0	45.0	64 R
Niro 116 30	boxed	03190 2	10	5.0	16.0	17.5	50.0	65 R/L
Niro 116 40	boxed	03200 8	10	6.0	23.0	22.0	63.0	66 R/L
Niro 116 50	boxed	03210 7	5	8.0	28.0	27.0	76.0	66 R/L
Niro 116 60	boxed	03220 6	5	10.0	32.0	33.0	94.0	66 R/L
Ni116HB 40 45	boxed	03310 4	5	6.0	23.0	45.0	86.0	66 R/L





Master key

EAN	Pack	Notes
40 03482		
04040 9		Key cut as per no. or sample
04044 7		Each additional key
15110 5	20	Key blanks
06380 4	50	Key blanks
06390 3	50	Key blanks
06440 5	50	Key blanks
06450 4	50	Key blanks
	04040 9 04044 7 15110 5 06380 4 06390 3 06440 5	04040 9 04044 7 15110 5 20 06380 4 50 06390 3 50 06440 5 50













Brass















217 Karat

- solid brass body
- hardened shackle, double-bolted
- rustproof interior

ArtNo.			EAN	Pack	•	€	(1)	1	Ť
			40 03482		mm	mm	mm	mm	
217 30		boxed	03430 9	10	5.0	16.0	17.5	48.0	64 R
217 40		boxed	03440 8	10	6.0	23.0	23.5	60.0	65 R/L
217 50		boxed	03450 7	10	8.0	28.0	27.5	72.0	66 R/L
217 30	SB	visi	03431 6	10	5.0	16.0	17.5	48.0	64 R
217 40	SB	visi	03441 5	10	6.0	23.0	23.5	60.0	65 R/L
217 50	SB	visi	03451 4	5	8.0	28.0	27.5	72.0	66 R/L
$oldsymbol{\psi}$ With 6 keys per lock, packed for self-service $oldsymbol{\psi}$									
217/30/6	SB	visi	003718	10	5.0	16.0	17.5	48.0	64 R
217/40/6	SB	visi	00381 7	10	6.0	23.0	23.5	60.0	65 R/L
217/50/6	SB	visi	00391 6	5	8.0	28.0	27.5	72.0	65 R/L

Key suiting options see page 404 for further information

Notes
Keyed alike – stocked
Keyed alike – as per sample
Guaranteed keyed to differ with factory certificate. Locks and keys consecutively numbered, expandable, with locking plan
Master key

"	EAN	PU	Notes
	40 03482		
	04040 9		Key cut as per no. or sample
	04044 7		Each additional key
64 R	15110 5	20	Key blanks
65 L	06380 4	50	Key blanks
65 R	06390 3	50	Key blanks
66 L	06440 5	50	Key blanks
66 R	06450 4	50	Key blanks

Brass


400 E Magno

Solid brass body

- hardened and chrome-plated
- double bolted from size 30 mm
- rustproof interior

- high breaking strength
- high number of key differs
















400 E HB Magno

ArtNo.		EAN	Pack	••	(t)		1	P
		40 03482		mm	mm	mm	mm	
400 E HB 20 26	boxed	06140 4	10	3.5	11.0	23.0	51.2	45L
400 E HB 30 45	boxed	33580 2	5	5.0	16.0	45.0	78.0	67 R
400 E HB 40 45	boxed	06170 1	5	6.5	22.0	45.0	85.5	68 R
400 E HB 40 65	boxed	06180 0	5	6.5	22.0	65.0	107.5	68 R
400 E HB 50 80	boxed	06260 9	5	8.0	28.0	80.0	129.0	68 R
400 E HB 20 26	SB visi	06141 1	10	3.5	11.0	23.0	51.2	45 L
400 E HB 30 45	SB visi	33581 9	5	5.0	16.0	45.0	78.0	67 R
400 E HB 40 45	SB visi	061718	5	6.5	22.0	45.0	85.5	68 R
400 E HB 40 65	SB visi	06181 7	5	6.5	22.0	65.0	107.5	68 R
400 E HB 50 80	SB visi	06261 6	5	8.0	28.0	80.0	129.0	68 R
Duo 400 E HB 20) 26 SB visi	29961 6	5	2 x 2	0mm L	ong Sh	ackle	

Key suiting options see page 404 for further information



Key blanks see page 425 for further information

*	EAN 40 03482	Pack	Notes
45 L	05220 4	20	Key blanks
67 R	00080 9	20	Key blanks
68 R	00130 1	20	Key blanks













Brass















=Sterling

Premium brass padlocks

- heavy brass body & cylinder
- hardened steel chrome plated shackle
- anti-pick mushroom pins
- stainless steel springs
- nickel plated brass keys
- large number of key combinations
- standard section keyway

Aut No		FAN	Doole	24	•	(1)	1	P
ArtNo.		EAN	Pack	•	**	•	Į.	
		50 1656		mm	mm	mm	mm	KB0
BPL132B 3	0† boxed	701293 1	12	3.0	9.7	12.0	34.1	04A
BPL142B 4	0 [†] boxed	701294 8	3 12	4.0	12.7	14.1	42.5	01
BPL152B 5	0 ⁺ boxed	701295 5	5 12	4.8	15.8	17.0	50.1	02
BPL162B 6	0 ⁺ boxed	701319 8	3 12	6.4	22.6	23.8	63.2	02
BPL122 2	0† visi	701073 9) 12	3.0	9.7	12.0	34.1	13
BPL123 2	5† visi	701074 6	5 12	4.0	12.7	14.1	42.5	14
BPL132 3	0 [†] visi	701075 3	3 12	4.8	15.8	17.0	50.1	04A
BPL142 4	0 ⁺ visi	701069 2	2 12	6.4	22.6	23.8	63.2	01
BPL152 5	0† visi	701070 8	3 6	7.9	28.0	29.4	77.6	02
BPL162 6	0† visi	701078 4	1 6	9.5	35.6	33.7	88.7	02

$oldsymbol{\psi}$ Padlock sets: Keyed alike padlocks $oldsymbol{\psi}$							
BPL222 [†]	visi	701071 5	6	2 x 20mm Brass Padlocks			
BPL22P ⁺ *	visi	701535 2	6	2 x 20mm Brass Padlocks			
BPL422 [†]	visi	701072 2	6	4 x 20mm Brass Padlocks			
BPL432 [†]	visi	701055 5	6	2 x 30mm Brass Padlocks			
BPL442 [†]	visi	701056 2	6	2 x 40mm Brass Padlocks			
BPL444†	visi	701057 9	6	4 x 40mm Brass Padlocks			
BPL452†	visi	701270 2	6	2 x 50mm Brass Padlocks			

^{*} Coloured sleeve with standard shackle, ideal for luggage

Key suiting options see page 405 for further information

Notes
Keyed alike – stocked series
Keyed alike – as per sample
Master key

Key blanks see page 426 for further information

[†] Whilst stocks last

Long / closed shackle

Sterling

Premium brass padlocks

- heavy brass body & cylinder
- hardened steel chrome plated shackle
- anti-pick mushroom pins
- stainless steel springs
- nickel plated brass keys
- large number of key combinations
- standard section keyway

ArtNo.		EAN	Pack	•	<u> </u>	1	•
		50 1656		mm	mm	mm mm	KB0
BPL242B 40 ⁺	boxed	701079 1	12	6.4	22.6	63.5 102.9	01
BPL242 40 [†]	visi	701079 1	12	6.4	22.6	63.5 102.9	01
BPL252 50 ⁺	visi	701236 8	6	7.9	28.0	76.0 124.2	02

[†] Whilst stocks last















Closed shackle padlocks

- solid brass body and cylinder
- hardened steel chrome plated shackle
- double ball bearing locking
- anti-pick mushroom pins
- nickel plated brass keys
- large number of key combinations
- key retained in unlocked position
- standard section keyway



ArtNo.		EAN	Pack	•	•	(\$)	1	P
		50 1656		mm	mm	mm	mm	
CSP142 40 ⁺	visi	701062 3	6	6.4	14.0	17.0	70.9	01
CSP152 50 [†]	visi	701063 0	6	8.7	19.0	21.0	94.7	02
CSP162 60 ⁺	visi	701064 7	6	9.5	24.6	27.5	109.0	02

[†] Whilst stocks last







Brass









222 C-Line

Tough cylinder padlock

- solid brass body
- hardened steel shackle from size 30 mm
- double bolted from size 40 mm
- not available in suited versions (keyed alike, etc.)

ArtNo.		EAN	PU	••	••	1	1	7
		40 03482		mm	mm	mm	mm	
222 15	boxed	02950 3	10	3.0	8.0	11.0	35.0	45 L
222 20	boxed	02960 2	10	3.5	10.0	11.0	35.0	45 L
222 25	boxed	03040 0	10	4.0	12.0	12.0	42.0	45 L
222 30	boxed	03000 4	10	5.0	14.3	16.0	48.0	67 R
222 35	boxed	03050 9	10	5.0	18.0	18.5	55.0	67 R
222 40	boxed	03010 3	10	6.0	20.0	22.0	60.0	68 R
222 45	boxed	03060 8	10	6.0	23.5	27.0	67.0	68 R
222 50	boxed	03020 2	5	7.0	25.0	26.0	71.0	68 R
222 60	boxed	03030 1	5	8.0	32.0	32.5	87.0	68 R
222 15	SB visi	02951 0	10	3.0	8.0	11.0	35.0	45 L
222 20	SB visi	02961 9	10	3.5	10.0	11.0	35.0	45 L
222 25	SB visi	03041 7	10	4.0	12.0	12.0	42.0	45 L
222 30	SB visi	03001 1	10	5.0	14.3	16.0	48.0	67 R
222 35	SB visi	03051 6	10	5.0	18.0	18.5	55.0	67 R
222 40	SB visi	03011 0	10	6.0	20.0	22.0	60.0	68 R
222 45	SB visi	03061 5	10	6.0	23.5	27.0	67.0	68 R
222 50	SB visi	03021 9	5	7.0	25.0	26.0	71.0	68 R
222 60	SB visi	03031 8	5	8.0	32.0	32.5	87.0	68 R
	↓ With 6 keys pe	er lock, packe	d for	r self-	service	· •		
222/40/6	SB visi	33661 8	5	6.0	20.0	22.0	60.0	68 R
222/50/6	SB visi	33691 5	5	7.0	25.0	26.0	71.0	68 R



Sterling

Standard brass padlocks

- medium brass body & cylinder

- anti-pick mushroom pins
- nickel plated brass keys
- hardened steel chrome plated shackle standard section keyway

ArtNo.		EAN	Pack	•	40	1	1
		50 1656		mm	mm	mm	mm
BPL022 20	visi	701737 0	12	3.5	10.0	13.0	36.5
BPL032 30	visi	701738 7	12	5.0	16.0	18.0	50.0
BPL042 40	visi	701283 2	12	6.0	20.8	21.0	59.0
BPL042L	visi	701740 0	6	6.0	22.8	51.0	89.0
BPL052 50	visi	701739 4	6	7.1	25.5	26.0	69.6
BPL402	visi	701741 7	6	2 x	40mm	n Keye	d Alike

Brass

222 HB C-Line

Tough cylinder padlock

- with long shackle
- solid brass body
- hardened steel shackle from size 30 mm
- double bolted from size 40 mm
- solid quality
- not available in suited versions (keyed alike, etc.)

ArtNo.		EAN	Pack	•	<u> </u>	(1)	1	7
		40 03482		mm	mm	mm	mm	
222HB 20 26	boxed	33590 1	5	3.5	10.0	26.0	50.0	45 L
222HB 30 45	boxed	33650 2	5	5.0	14.3	45.0	74.0	67 R
222HB 40 65	boxed	33680 9	5	6.0	20.0	65.0	103.0	68 R
222HB 20 26 SB	visi	33591 8	5	3.5	10.0	26.0	50.0	45 L
222HB 30 45 SB	visi	33651 9	5	5.0	14.3	45.0	74.0	67 R
222HB 40 65 SB	visi	33681 6	5	6.0	20.0	65.0	103.0	68 R
		50 1656						
BPL042L	visi	701740 0	12	6.0	20.8	51.0	89.0	01







 $oldsymbol{\downarrow}$ Padlock sets: Keyed alike padlocks with 4 keys per set $oldsymbol{\downarrow}$

			,			· .
ı	ArtNo.			EAN	Pack	keyed alike
				40 03482		
	Duo 222 HB 20 26	SB	visi	33631 1	10	2x 222 HB 20 26
	Duo 222 20	SB	visi	29911 1	10	2x 222 20
	Duo 222 30	SB	visi	06341 5	10	2x 222 30
	Duo 222 40	SB	visi	16501 0	5	2x 222 40
	Trio 222 20	SB	visi	29921 0	10	3x 222 20
	Trio 222 30	SB	visi	06371 2	5	3x 222 30
	Trio 222 40	SB	visi	29941 8	5	3x 222 40
	Quadro 222 15	SB	visi	16001 5	10	4x 222 15
	Quadro 222 30	SB	visi	29931 9	5	4x 222 30
	Quadro 222 40	SB	visi	29951 7	5	4x 222 40

Key blanks see page 425 for further information

T .	EAN Pack	Notes
	40 03482	
45 L	05220 4 20	Key blanks
67 R	00080 9 20	Key blanks
68 R	00130 1 20	Key blanks

Brass



500 Point

- simple quality
- with 3 keys
- not available in suited versions (keyed alike, etc.)

ArtNo.		EAN	Pack	•	•••	
		40 03482		mm	mm	mm
500 20	boxed	00500 2	10	3.0	10.5	11.0
500 30	boxed	00520 0	10	4.5	16.0	17.5
500 40	boxed	00540 8	10	5.5	22.5	22.5
500 50	boxed	00560 6	10	6.5	30.0	27.0
500 20	SB visi	00501 9	10	3.0	10.5	11.0
500 30	SB visi	00521 7	10	4.5	16.0	17.5
500 40	SB visi	00541 5	10	5.5	22.5	22.5
500 50	SB visi	00561 3	10	6.5	30.0	27.0

<u>=Sterling</u>

Economy brass padlocks

- 2 keys
- single locking shackle



ArtNo.		EAN	Pack	•	••	(‡)	1	
		50 1656		mm	mm	mm	mm	
BPL120 20	visi*	700077 8	12	2.8	10.7	12.0	41.5	
BPL125 25	visi*	700078 5	12	3.5	13.5	15.0	35.5	
BPL130 30	visi*	700001 3	12	4.5	16.3	17.0	41.5	
BPL140 40	visi*	700002 0	12	5.2	23.1	23.0	53.2	
BPL150 50	visi*	700003 7	12	6.0	29.0	27.0	63.0	
Multi-Pack		Pack Contents						
BPL220	visi*	702133 9	12	2 x 20mm brass padlocks				

^{*}Product supplied skin packed

Brass

Magno Safety Colour coded padlocks with brass shackles

- 40mm brass body with anti-spark brass shackle
- available in 5 colour coded bodies; each colour is keyed alike (each colour is on the same key), but differ between the colours
- double locking, can be used as a standard padlock

ArtNo.		EAN	Size	Colour
		40 03482		
410 40 Black	boxed	10372 2	40mm	black
410 40 Yellow	boxed	10374 6	40mm	yellow
410 40 Green	boxed	10376 0	40mm	green
410 40 Red	boxed	10378 4	40mm	red
410 40 Blue	boxed	10382 1	40mm	blue



T T		EAN	Notes
		40 03482	
68/R		00130 1	Key blanks
		50 1 656	
68/R	Specify colour	799018 5	Pre-cut key blanks




Sterling

Lock out padlocks

Health & Safety regulations sometimes require the use of colour coded padlocks. Used mainly in industry, colour coded padlocks isolate plant and machinery via lockout hasps until maintenance work is complete. 6 colours providing simple identification for maintenance teams and departments to operate.

- 40mm brass body with anti-spark brass shackle
- available in 6 colour coded bodies; each colour is keyed alike (each colour is on the same key), but differ between the colours
- double locking, can be used as a standard padlock
- lockout hasp: available in 2 sizes: 25mm & 38mm with 9mm hole diameters

ArtNo.		EAN	Pack	Key No.	Size	Colour			
		50 1656							
BL4BK [†]	boxed	701401 0	12	KA1	40mm	Black			
BL4BL [†]	boxed	701402 7	12	KA5	40mm	Blue			
BL4G [†]	boxed	701403 4	12	KA3	40mm	Green			
BL4R [†]	boxed	701405 8	12	KA4	40mm	Red			
BL40 [†]	boxed	701404 1	12	KA6	40mm	Orange			
BL4Y [†]	boxed	701406 5	12	KA2	40mm	Yellow			
	$oldsymbol{\downarrow}$ Lock out hasps $oldsymbol{\downarrow}$								
BL25 [†]	boxed	702152 0	10	·	25mm	Red			
BL38 [†]	boxed	701400 3	10		38mm	Red			







Brass, saltwater proof













217 F Ni Atlantic

Saltwater proof & absolutely rustproof!

- solid brass body
- protective plastic cover
- stainless steel shackle, double bolted
- rustproof interior

ArtNo.			EAN	Pack	•	<u>***</u>	(1)	1	P
			40 03482		mm	mm	mm	mm	
217 F 30 Ni		boxed	10000 4	5	5.0	16.0	13.0	49.0	64 R
217 F 40 Ni		boxed	10010 3	5	6.0	23.0	17.0	62.0	65 R/L
217 F 50 Ni		boxed	10020 2	5	8.0	28.0	19.5	72.0	66 R/L
217 F 30 Ni	SB	visi	10001 1	5	5.0	16.0	13.0	49.0	64 R
217 F 40 Ni	SB	visi	10011 0	5	6.0	23.0	17.0	62.0	65 R/L
217 F 50 Ni	SB	visi	10021 9	5	8.0	28.0	19.5	72.0	66 R/L
ullet with long shackle $ullet$									
217 F 40 45	Ni	boxed	10420 0	5	6.0	23.0	39.0	85.0	65 R/L
217 F 40 45 Ni	SB	visi	10421 7	5	6.0	23.0	39.0	85.0	65 R/L

Key suiting options see page 406 for further information

Notes	
Keyed alike – stocked	

Keys and key blanks see page 424 for further information

*	EAN	Pack	Notes
	40 03482		
	04040 9		Key cut as per no. or sample
	04044 7		Each additional key
64 R	15110 5	20	Key blanks
65 L	06380 4	50	Key blanks
65 R	06390 3	50	Key blanks
66 L	06440 5	50	Key blanks
66 R	06450 4	50	Key blanks

Cylinder padlocks Brass, saltwater proof

460 Yacht

Saltwater proof & absolutely rustproof!

- solid brass body
- protective plastic cover
- stainless steel shackle, double bolted (from size 30mm)
- rustproof interior



ArtNo.			EAN	Pack	•	6	(1)	1	7
			40 03482		mm	mm	mm	mm	
460 Ni 20		boxed	35450 6	10	3.5	10.0	11.0	35.0	45 L
460 Ni 30		boxed	35460 5	10	5.0	16.0	17.0	50.0	67 R
460 Ni 40		boxed	35470 4	5	6.5	22.0	23.5	65.0	68 R
460 Ni 50		boxed	35480 3	5	8.0	28.0	29.5	80.0	68 R
460 Ni 20	SB	visi	35451 3	10	3.5	10.0	11.0	35.0	45 L
460 Ni 30	SB	visi	35461 2	10	5.0	16.0	17.0	50.0	67 R
460 Ni 40	SB	visi	35471 1	5	6.5	22.0	23.5	65.0	68 R
460 Ni 50	SB	visi	35481 0	5	8.0	28.0	29.5	80.0	68 R



ArtNo.		EAN I	Pack	keyed alike
		40 03482		
Duo 460 Ni 40 SB	visi	35501 5	5	2x 460 Ni 40

↓ With 3 padlocks per pack ↓

ArtNo.		EAN Pack	keyed alike
		40 03482	
Trio 460 Ni 40 SB	visi	35491 9 5	3x 460 Ni 40

Key suiting options (not possible for 20 mm option) see page 406

Notes					
Keyed alike – stocked (from size 30 mm)					

Key blanks see page 425 for further information

•	EAN Pack	Notes
	40 03482	
45 L	05220 4 20	Key blanks
67 R	00080 9 20	Key blanks
68 R	00130 1 20	Key blanks











Aluminium



Splash 470 45

Tough outdoor lock available in three colours

- solid aluminium body
- weather-resistant
- with protective cover and protective cap
- extra protection against dirt and water
- rust resistant interior
- available in three colours: yellow, blue and black











ArtNo.			EAN P	ack 🔐	**	(1)	1	Î
			40 03482	mm	mm	mm	mm	
Splash 470 45 Yellow	SB	visi	39961 3	5 8.5	18.8	21.4	69.0	69 R
Splash 470 45 Blue	SB	visi	39971 2	5 8.5	18.8	21.4	69.0	69 R
Splash 470 45 Black	SB	visi	39981 1	5 8.5	18.8	21.4	69.0	69 R

Key blanks see page 427 for further information

*	EAN Pack	Notes
	40 03482	
69 R	00140 0 20	Key blanks









Sterling

Weatherproof padlocks

- corrosion resistant aluminium body
- protected hardened steel chrome plated shackle
- double locking
- thermoplastic weatherproof jacket
- protective keyhole cover
- brass cylinder


ArtNo.		EAN	ľ	Pack	••	•	(1)	1	T
		50 1656			mm	mm	mm	mm	KB0
WPL148	visi	701578	9	6	8.5	18.8	21.4	66.7	04C
WPL157	visi	701579	6	6	9.3	23.5	24.4	74.8	01D
LONG SHACKLE									
WPL248	visi	702012	7	6	8.5	18.8	50.0	95.3	04C

Cylinder padlocks Aluminium

770 Alutitan

- solid aluminium body
- double bolted shackle from size 30 mm, hard as steel
- rustproof interior

ArtNo.			EAN	Pack	•	<u>••</u>	(1)	1	f
			40 03482		mm	mm	mm	mm	
770 30		boxed	36020 0	10	5.0	16.0	17.0	51.0	67 R
770 40		boxed	36060 6	10	6.5	22.0	23.5	64.0	68 R
770 50		boxed	36100 9	5	8.0	28.0	29.5	79.0	68 R
770 60		boxed	36120 7	5	9.5	35.0	34.5	88.0	68 R
770 30	SB	visi	36021 7	10	5.0	16.0	17.0	51.0	67 R
770 40	SB	visi	36061 3	10	6.5	22.0	23.5	64.0	68 R
770 50	SB	visi	36101 6	5	8.0	28.0	29.5	79.0	68 R
770 60	SB	visi	36121 4	5	9.5	35.0	34.5	88.0	68 R



ArtNo.			EAN	Pack	keyed alike
			40 03482		-
Duo 770 30	SB	visi	36151 1	10	2x 770 30
Duo 770 40	SB	visi	36161 0	10	2x 770 40
Trio 770 40	SB	visi	362518	5	3x 770 40

Key suiting options see page 407 for further information

Notes	
Keyed alike – stocked	

Key blanks see page 425 for further information

•	EAN I	Pack	Notes
	40 03482		
67 R	00080 9	20	Key blanks
68 R	00130 1	20	Key blanks











Aluminium













770 HB Alutitan

- with long shackle
- solid aluminium body
- double bolted shackle from size 30 mm, hard as steel
- rustproof interior

ArtNo.		EAN	Pack	•	•	(1)	1	7
		40 03482		mm	mm	mm	mm	
770 HB 20 26	boxed	36010 1	10	3.5	11.0	23.0	50.0	45 L
770 HB 30 45	boxed	36040 8	5	5.0	16.0	45.0	79.0	67R
770 HB 40 65	boxed	36080 4	5	6.5	22.0	65.0	107.0	68 R
770 HB 20 26 SB	visi	360118	10	3.5	11.0	23.0	50.0	45 L
770 HB 30 45 SB	visi	36041 5	5	5.0	16.0	45.0	79.0	67 R
770 HB 40 65 SB	visi	36081 1	5	6.5	22.0	65.0	107.0	68 R

 $oldsymbol{\downarrow}$ Padlock sets: Keyed alike padlocks with 4 keys per set $oldsymbol{\downarrow}$

ArtNo.		EAN	Pack	keyed alike
		40 03482		
Duo 770 20 26 SB	visi	36141 2	10	2x 770 20 26

Key suiting options see page 407 for further information

Notes	
Keyed alike – stocked	

Key blanks see page 425 for further information

*	EAN	Pack	Notes
	40 03482		
45 L	05220 4	20	Key blanks
67 R	00080 9	20	Key blanks
68 R	00130 1	20	Key blanks


Aluminium

Sterling

Open shackle padlocks

- corrosion resistant aluminium body
- protective coloured sleeve
- brass cylinder plug and pins
- hardened steel chrome plated shackle
- supplied assorted in red and blue

ArtNo.		EAN	Pack	•	40	1	1	7	Colour
		50 1656		mm	mm	mm	mm	KB0	
APL022P	visi	701732 5	12	3.5	9.5	12.0	37.5	40	assorted
APL022PR	visi	701745 5	12	3.5	9.5	12.0	37.5	40	red
APL032P	visi	701733 2	12	5.0	15.0	13.5	47.5	41A	assorted
APL032PR	visi	701719 6	12	5.0	15.0	13.5	47.5	41A	red
APL032PBL	visi	701720 2	12	5.0	15.0	13.5	47.5	41A	blue
APL042P	visi	701734 9	12	6.3	21.0	22.0	61.3	41A	assorted
APL042PR	visi	701730 1	12	6.3	21.0	22.0	61.3	41A	red
APL042PBL	visi	701731 8	12	6.3	21.0	22.0	61.3	41A	blue
APL052P	visi	701736 3	6	7.1	25.0	25.0	69.1	42A	assorted
	$oldsymbol{ u}$ Padlock sets: Keyed alike padlocks $oldsymbol{ u}$								



All padlocks within a single multi-pack operate on the same key, however, the keys differ from pack to pack









402 LOOK

APL222P

APL442P

- solid aluminium body
- with coloured plastic cover

visi

visi

• brass cylinder

- assorted colours
- only suitable for inscribing

ArtNo.			EAN Pack	•	**	(1)	1	T
			40 03482	mm	mm	mm	mm	
402 30	SB	visi	33771 4 10	5.0	15.0	19.0	50.0	77 R
402 40	SB	visi	33791 2 10	6.3	20.7	22.6	62.0	78 R
402 50	SB	visi	33911 4 5	8.0	27.0	31.0	75.0	78 R

Key blanks see page 424 for further information

"	EAN Pack	Notes
	40 03482	
77 R	36300 3 20	Key blanks
78 R	36310 2 20	Key blanks





For engraving or inscribing





- solid aluminium body
- practical shackle height 32.5 mm
- hardened shackle, double-bolted
- rustproof interior


- available in 5 different colours
- neutral back, ample space for inscribing or engraving

















Key blanks see page 425 for further information

*	EAN	Pack	Notes
	40 03482		
68 R	00130 1	20	Key blanks



771 F 40 Berlin/London

- solid aluminium body
- in Berlin or London city design
- hardened shackle, double-bolted
- rustproof interior

ArtNo.			EAN	Pack	••	<u>••</u>	(\$)	1	f
			40 03482		mm	mm	mm	mm	
771 F 40 Berlin	SB	visi	36171 9	10	6.5	22.0	23.5	64.0	68 R
771 F 40 London	SB	visi	361818	10	6.5	22.0	23.5	64.0	68 R

Key blanks see page 425 for further information

1	EAN	Pack	Notes
	40 03482		
68 R	00130 1	20	Key blanks







Disc padlocks

Stainless steel

Circle 21

- stainless steel body
- chrome plated hardened shackle

ArtNo.			EAN	Pack	•	•		1	P
			40 03482		mm	mm	mm	mm	
21 60		boxed	37750 5	10	8.0	18.0	14.0	60	77 R
21 70		boxed	37760 4	5	9.0	21.0	16.0	70	78 R
21 60	SB	visi	37751 2	10	8.0	18.0	14.0	60	77 R
21 70	SB	visi	37761 1	5	9.0	21.0	16.0	70	78 R



Key suiting options

Notes	
Keyed alike – stocked	

Key blanks

P	EAN I	Pack	Notes
	40 03482		
77 R	36300 3	20	Key blanks
78 R	36310 2	20	Key blanks







Circle 23 C

- stainless steel body
- chrome plated shackle
- 4-digit, adjustable combination
- 10,000 different combinations
- optimum corrosion protection
- plastic buffer to protect against scratches

ArtNo.			EAN	Pack	•	<u>↔</u>	(1)	1
			40 03482		mm	mm	mm	mm
23 C 70	SB	visi	39901 9	5	9.0	24.5	16.5	71.0









Sterling

Combination disc padlock

- laser welded stainless steel body
- chrome plated shackle
- 4-digit, adjustable combination
- 10,000 different combinations
- optimum corrosion protection
- plastic buffer to protect against scratches

ArtNo.			EAN	Pack	•	↔	(1)	1
			50 1656		mm	mm	mm	mm
CPL170	SB	visi	701712 7	7 5	9.0	24.5	16.5	71.0
CPL170B		boxed	701623 6	5 5	9.0	24.5	16.5	71.0









Discus padlock

Stainless steel



Diskus 22

- stainless steel body
- 22 Ni 60: stainless steel shackle
- 22 70: hardened and chrome-plated shackle

ArtNo.			EAN	Pack	•	•	(1)	1	7
			40 03482		mm	mm	mm	mm	
22 Ni 60		boxed	28500 8	5	8.0	17.0	13.0	60.0	48 R
22 70		boxed	10270 1	5	10.0	20.0	17.0	70.0	48 R
22 Ni 60	SB	visi	28501 5	5	8.0	17.0	13.0	60.0	48 R
22 70	SB	visi	102718	5	10.0	20.0	17.0	70.0	48 R

Key suiting options see page 408 for further information

Notes	
Keyed alike – stocked series	



*	EAN Pack	Notes	
	40 03482		
48 R	10360 9 50	Key blanks	































Disc padlocks closed shackle

- laser welded stainless steel lock body
- hardened steel chrome plated closed shackle nickel plated brass keys
- anti-drill plate on cylinder (70mm)
- brass cylinder

- anti-pick mushroom pins
- key retained in unlocked position

ArtNo.		EAN P	ack	•	•	(1)	1	P
		50 1656		mm	mm	mm	mm	KB0
SPL100B 70	boxed	701298 6	6	9.5	22.0	17.5	70.0	01
SPL080 60	visi	701060 9	6	8.0	17.0	12.0	60.0	01
SPL100 70	visi	701076 0	6	9.5	22.0	17.5	70.0	01
$oldsymbol{\psi}$ Padlock sets: Keyed alike padlocks $oldsymbol{\psi}$								
SPL200	visi	701413 3	-	2 x 70)mm Di	sc Padl	ocks	

Key suiting options see page 408 for further information **Key blanks** see page 426 for further information

All padlocks within a single multi-pack operate on the same key, however, the keys differ from pack to pack

Discus padlock

Stainless steel

Sterling

Disc padlocks with bumper closed shackle


- soft protective bumper
- supplied in assorted colours, Red & Black

















Padlocks

Laminated steel







- laminated steel body
- hardened steel chrome plated shackle
- brass cylinder
- stainless steel springs
- protective bumper
- nickel plated brass keys
- standard section keyway

ArtNo.			EAN	Pack	•	••	(1)	1
			40 03482		mm	mm	mm	mm
111 30	SB	visi	01081 5	12	5.1	14.4	16.5	48.3
111 40	SB	visi	010914	12	6.4	20.3	23.1	63.0
111 50	SB	visi	01171 3	6	8.8	23.0	30.0	76.8
111 60	SB	visi	10111 7	6	9.6	28.4	32.0	85.6
111 40 45	SB	visi	01101 0	12	6.4	20.3	90.9	48.0
		J. Dadlack	sata Kayad	م داناده به	اء مااء ما	ا. م		

ullet Padlock sets: Keyed alike padlocks ullet

Trio 111 40 SB	visi	101216	4	3 x 30mm Laminated Padlocks









121 Sapphire Closed Shackle

- laminated steel body
- hardened steel chrome plated shackle
- double locking
- strong ABS plastic protective cover
- nickel plated brass keys

- large number of key combinations
- standard section keyway
- brass cylinder

ArtNo.		EAN	Pack	•	**	(1)	1	
		40 03482		mm	mm	mm	mm	
121 CS 40 SB	visi	10141 4	6	6.4	20.0	16.5	79.2	
121 CS 50 SB	visi	10151 3	6	8.7	24.0	22.0	96.3	








Padlocks

Laminated steel

Sterling

Laminated padlocks

- laminated steel body
- hardened steel chrome plated shackle
- brass cylinder
- stainless steel springs
- protective bumper
- nickel plated brass keys
- standard section keyway
- CPL146: resettable 4 dial combination













<u>=Sterling</u>

Laminated padlocks Closed shackle

- laminated steel body
- hardened steel chrome plated shackle
- double locking
- strong ABS plastic protective cover
- nickel plated brass keys

- large number of key combinations
- standard section keyway
- brass cylinder

ArtNo.		EAN Pack	•	•	(1)	1
		50 1656	mm	mm	mm	mm KE
LPL142C 45	visi	701714 1 6	6.4	20.0	16.5	79.2 01
LPL152C 55	visi	701715 8 6	8.7	24.0	22.0	96.3 01









Combination padlocks

Heavy duty



99 Ni 50

No. 99

- solid brass body
- shackle double-bolted, made of stainless steel
- ideal for strong weather influences
- combination can only be changed after key release. This prevents unintentional code changes.
- four combination dials
- long shackle available (99 Ni 50 HB 65)









ArtNo.			EAN	ľ	Pack	•	<u>€</u>	(1)	1	
			40 03482.			mm	mm	mm	mm	
99 Ni 50	SB	visi	37661	4	5	8.0	25.0	30.0	80.5	
99 Ni 50 HB 65	SB	visi	37491	7	5	8.0	25.5	57.0	107.5	



Sterling

Zinc combination padlock

- brass effect zinc body
- hardened steel chrome plated shackle
- resettable 4 dial combination
- double locking mechanism
- press shackle to release and open
- 10,000 resettable combinations



ArtNo.			EAN	Pack	•	••	(1)	1
			50 1656		mm	mm	mm	mm
CPL151	SB	visi	7012719	6	8.0	25.1	26.8	76.5

Combination padlocks All-round

Numero 97

- high quality corrosion protection
- shackle and locking mechanism hardened
- solid, heavy cast quality
- shackle extremely resistant to pull-attack
- four combination dials



ArtNo.			EAN I	Pack	•	€		1	
			40 03482		mm	mm	mm	mm	
97 40	SB	visi	39531 8	5	6.0	23.5	32.0	93.5	
97 50	SB	visi	39541 7	5	9.0	24.0	34.0	108.0	





Sterling

Zinc combination padlock

- durable Zinc Alloy Body
- double Locking
- hardened steel shackle
- re-settable 4 dial combination
- 10,000 possible combinations
- no keys to lose





CPL155

ArtNo.		EAN	Pack	•	••	(1)	1	
		50 1656		mm	mm	mm	mm	
CPL155	visi	702008 0	10	8.0	26.0	30.0	94.0	
CPL155C	visi	702009 7	10	8.0	23.0	35.0	126.0	





Combination padlocks TSA luggage locks



Travel Sentry® explained

Travel Sentry is the luggage security system officially recognised by:

- TSA (Transport Security Administration) at all US airports and Canada
- HMRC (Her Majesty's Revenue & Customs) in the UK

Designed to avoid luggage locks being cut off when security officers need to inspect your luggage. This Travel Sentry approved lock enables security personnel to open and re-close your luggage without damage to the lock.



TSA 74

Security combination padlock

- ideal for air travel
- protects luggage against theft
- US authority TSA can open the lock without force and check the luggage without damage
- three combination dials
- with flexible wire shackle, length: 131 mm
- closure Ø 4 mm





TSA 77 / 78

Security combination padlock

- ideal for air travel
- protects luggage against theft
- US authority TSA can open the lock without force and check the luggage without damage
- three combination dials

ArtNo.			EAN Pa	ack 💁	•	(1)	1
			40 03482	mm	mm	mm	mm
77 30	SB	visi	30961 2	10 3.5	14.5	21.0	59.0
78 30	SB	visi	32991 7	10 3.5	12.5	16.0	59.0



=Sterling

TSA Luggage padlock

- avoid damage by customs officers
- bright coloured body
- helps identify your luggage
- steel shackle
- resettable combination
- supplied in assorted colours

ArtNo.		EAN	Pack	•	<u>••</u>	(1)	1
		50 1656		mm	mm	mm	mm
CPL126	visi	701677 9	12	3.5	11.5	20.0	62.9

Combination padlocks Standard

Combi Lock 71

- chrome plated body and shackle
- three combination dials
- resettable combination



ArtNo.			EAN Pack	•	<u>••</u>	(1)	1
			40 03482	mm	mm	mm	mm
71 25	SB	visi	17981 9 10	3.5	11.0	17.5	61.0



Combi Lock 72

- chrome plated body and shackle
- three combination dials
- resettable combination



ArtNo.			EAN Pack	•	<u> </u>	(1)	1
			40 03482	mm	mm	mm	mm
72 25	SB	visi	17991 8 10	3.5	9.0	16.5	58.0



Combi Lock 73

- with flexible wire shackle, length: 70 mm
- closure Ø 4 mm
- three combination dials
- resettable combination







Combination padlocks

All-round



1 2 3

Combi Lock 80

- solid brass body
- resettable combination
- 80 15-30 M: three combination dials
- 80 40 M: four combination dials

ArtNo.			EAN Pack	•	••	(1)	1
			40 03482	mm	mm	mm	mm
80 20 M		boxed	02850 6 10	3.2	9.0	22.0	55.0
80 30 M		boxed	02470 6 10	5.0	12.0	27.0	75.0
80 40 M		boxed	02260 3 10	6.5	18.5	32.5	90.0
80 15 M	SB	visi	02861 2 10	3.0	6.5	16.0	44.0
80 20 M	SB	visi	02851 3 10	3.2	9.0	22.0	55.0
80 30 M	SB	visi	02471 3 10	5.0	12.0	27.0	75.0
80 40 M	SB	visi	02261 0 5	6.5	18.5	32.5	90.0



Combi Lock 88 Fun

- aluminium body
- resettable combination
- available in 4 colours assorted
- 88 20 Fun + 88 30 Fun: three combination dials, 88 40 Fun: four combination dials







ArtNo.			EAN Pack	•	••	(1)	1	
			40 03482	mm	mm	mm	mm	
88 20 Fun	SB	visi	15931 6 10	3.2	9.0	22.0	55.0	
88 30 Fun	SB	visi	15941 5 10	5.0	12.0	27.0	75.0	
88 40 Fun	SB	visi	15951 4 5	6.5	18.5	32.5	90.0	
ullet With 2 padlocks per packaging $ullet$								
Duo 88 20 Fun	SB	visi	15961 3 5	3.2	9.0	22.0	55.0	



Combi Lock 90 Chromo

- aluminium body
- chrome plated shackle
- resettable combination
- 90 20 + 90 30: three combination dials
- 90 40: four combination dials





ArtNo.			EAN	Pack	• •	•		. I <mark>↓</mark>
			40 03482		mm	mm	mm	mm
90 20 Chromo	SB	visi	03631 0	10	3.2	9.0	22.0	55.0
90 30 Chromo	SB	visi	03641 9	10	5.0	12.0	27.0	75.0
90 40 Chromo	SB	visi	03651 8	5	6.5	18.5	32.5	90.0

Combination padlocks All-round

Sterling

Aluminium combination padlocks

- anodised aluminium body
- resettable combination
- no keys to lose
- corrosion resistant
- steel shackle

- anti-feel tumblers
- supplied in assorted colours
- ideal for lockers





CPL141

ArtNo.		EAN Pa	ck 🕦	<u> </u>	(1)	1	
		50 1656	mm	mm	mm	mm	
CPL131	visi	701332 7	6 4.0	15.9	21.5	56.5	
CPL141	visi	701334 1	6 5.0	24.6	27.4	71.9	

Sterling

Brass combination padlocks

- solid brass body
- corrosion resistant
- resettable combination

ArtNo.		EAN	Pack	•	<u>••</u>	(\$)	1	
		50 1656		mm	mm	mm	mm	
CPL120	visi	701100 2	12	3.2	9.0	22.5	55.7	
CPL130	visi	701101 9	6	4.8	12.6	27.3	74.1	
CPL140	visi	701734 9	6	6.4	18.5	31.6	87.0	





CPL140

Sterling

Aluminium combination padlock

- solid aluminium body
- resettable combination
- corrosion resistant
- no keys to lose
- steel shackle



ArtNo.		EAN P	ack	•	•	(1)	1	
		50 1656		mm	mm	mm	mm	
CPL120A	visi	701333 4	12	3.2	9.0	22.5	55.7	



PT Heavy security hasp & staple

- hardened steel hasp and staple
- corrosion resistant
- tough steel construction
- for use with round shackleless padlock
- screws supplied
- zinc plated

ArtNo.			EAN P	Pack	length	width	loop
			40 03482		mm	mm	Ø mm
PT 188	SB	visi	10561 0	6	188	44	14.1



Heavy security



- corrosion resistant
- tough steel construction

• hardened steel hasp and staple

- for use with round shackleless padlock
- screws supplied
- zinc plated



ArtNo.		EAN Pa	ck length	width	loop
		50 1656	mm	mm	Ø mm
AHS188	visi	701272 6 6	188	44	14.1



PCD Heavy security for disc padlocks

- corrosion resistant zinc plating
- tough steel construction
- concealed hinge pin and fixings
- hardened steel horizontal staple
- hardened steel links
- high tensile bolts, screws and fixing plates supplied

Specially designed hasps & staples for use with 60mm & 70mm Disc Padlocks



ArtNo.		EAN Pag	k length	width	loop
		40 03482	mm	mm	Ø mm
PCD 120 SB	visi	10591 7 6	120	56	13





Heavy security for disc padlocks

- corrosion resistant zinc plating
- tough steel construction
- concealed hinge pin and fixings
- hardened steel horizontal staple
- hardened steel links
- high tensile bolts, screws and fixing plates supplied

Specially designed hasps & staples for use with 60mm & 70mm Disc Padlocks





Sterling

Heavy duty hasp for shackleless padlock

- bright nickel plated
- electrophoretic deposition (EPD) treated for corrosion resistance
- hardened steel hasp
- fixing nuts & bolts supplied



ArtNo.		EAN	Pack	length	width	loop		
		50 1656		mm	mm	Ø mm		
AHS210E	boxed	701421 8	1	210	114	16		
$oldsymbol{\downarrow}$ Hardened steel shackleless padlock $oldsymbol{\downarrow}$								
SSP173B	boxed	701663 2		see page 27 for details				
ullet Padlock & hasp solution pack $ullet$								
PHS104E	boxed	701424 9	8	van lock	k: hasp &	padlock set		







Solution Pack

Van lock set with heavy duty padlock and hasp





PMG Hasps & staples Heavier applications

- corrosion resistant zinc plating
- hardened steel horizontal staple
- hardened steel links
- links for use around corners and angles
- tough steel construction
- concealed fixings
- concealed hinge pins
- screws and coach bolts supplied











Sterling

Mid security Heavier applications

- corrosion resistant zinc plating
- hardened steel horizontal staple
- hardened steel links
- links for use around corners and angles
- tough steel construction
- concealed fixings
- concealed hinge pins
- screws and coach bolts supplied









ArtNo.		EAN Pa	ck length	width	loop
		50 1656	mm	mm	Ø mm
AHS155	visi	701096 8 6	155	45	12.2
AHS195	visi	701097 5 6	195	45	12.2
BHS190	visi	701275 7 6	190	56	13.0

Specially designed for use with Sterling Disc Padlocks

Heavy duty hasps & staples PK

- galvanised, all screw holes concealed
- heavy version with 1 double link

Note: Self-service packaged version includes screws.



ArtNo.			EAN	Pack	length	width	loop
			40 03482		mm	mm	Ø mm
PK 2		boxed	02170 5	10	130	40	12
PK 3		boxed	02180 4	- 5	165	49	14
PK 4		boxed	02190 3	5	210	60	13
PK 2	SB	visi	02171 2	5	130	40	12
PK 3	SB	visi	02181 1	5	165	49	14







Heavy duty hasps & staples PL

- galvanised, all screw holes concealed
- heavy version with 2 double links

 $\textbf{Note:} \ \mathsf{Self}\text{-}\mathsf{service} \ \mathsf{packaged} \ \mathsf{version} \ \mathsf{includes} \ \mathsf{screws}.$



ArtNo.			EAN	Pack	length	width	loop
			40 03482		mm	mm	Ø mm
PL 2		boxed	02210 8	5	180	40	12
PL 3		boxed	02220 7	5	225	49	14
PL 2	SB	visi	02211 5	5	180	40	12








Heavy duty hasps & staples PMG

• galvanised, all screw holes concealed

• with single link

Note: Self-service packaged version includes screws.

ArtNo.			EAN	Pack	length	width	loop
			40 03482		mm	mm	Ø mm
PMG 80		boxed	02150 7	10	120	31	8
PMG 100		boxed	02420 1	10	150	39	10
PMG 80	SB	visi	02151 4	10	120	31	8
PMG 100	SB	visi	02421 8	10	150	39	10

















Heavy duty hasps & staples PC


- galvanised, all screw holes concealed
- standard version

Note: Self-service packaged version includes screws.











Heavy duty hasps & staples PCC

- weatherproof galvanised
- all screw holes concealed
- hasps and staples also available in a set with a padlock (see page 70)

ArtNo.			EAN	Pack	length	width	loop	
			40 03482		mm	mm	Ø mm	
PCC 60	SB	visi	23841 7	10	60	24	6	
PCC 80	SB	visi	23851 6	10	80	32	8	
PCC 100	SB	visi	23861 5	10	100	40	10	
PCC 120	SB	visi	23871 4	5	120	48	11	
ullet Stainless steel heavy duty hasps & staples $ullet$								
PCC 80 Ni	SB	visi	23801 1	10	80	32	8	












Sterling

Mid security hasps & staples

- corrosion resistant black zinc plating
- hardened steel vertical staple
- concealed hinge pin and fixings
- screws supplied











Hasps & staples

PCU Hasps & staples

- corrosion resistant zinc plating
- hardened steel horizontal staple (80mm and above)
- hardened steel links
- concealed hinge pins and fixings

- screws supplied (PCU 60 and PCU 80)
- screws and bolts supplied (PCU 100)
- tough steel construction




ArtNo.			EAN	Pack	length	width	loop
			40 03482		mm	mm	Ø mm
PCU 60	SB	visi	10511 5	6	60	20	7
PCU 80	SB	visi	10521 4	6	80	27	9
PCU 100	SB	visi	10531 3	6	100	35	10



Mid security hasps & staples

- corrosion resistant zinc plating
- hardened steel horizontal staple (80mm and above)
- hardened steel links
- concealed hinge pins and fixings
- screws supplied (DHS060 and DHS080)
- screws and bolts supplied (DHS100)
- tough steel construction









Hasps & staples



General security hasps & staples PCC

- zinc plated
- corrosion resistant
- hardened steel staple
- concealed fixings
- screws supplied

ArtNo.		EAN	Pack	length	width	loop
		40 03482		mm	mm	Ø mm
PCC 75 SB	visi	10461 3	6	75	20	9
PCC 95 SB	visi	10471 2	6	95	39	13.4
PCC 115 SB	visi	10481 1	6	115	47	13.4
PCC 135 SB	visi	10491 0	6	135	47	13.4
PCC 155 SB	visi	10501 6	6	155	47	13.4













Sterling

General security hasp & staples

- zinc plated
- corrosion resistant
- hardened steel staple
- concealed fixings
- screws supplied

ArtNo.		EAN F	Pack	length	width	loop
		50 1656		mm	mm	Ø mm
EHS075	visi	701091 3	6	75	20	9
EHS095	visi	701092 0	6	95	39	13.4
EHS115	visi	701093 7	6	115	47	13.4
EHS135	visi	701094 4	6	135	47	13.4
EHS155	visi	701095 1	6	155	47	13.4

Hasps & staples

Locking hasp

- chrome plated
- corrosion resistant
- concealed fixings
- turn knob to lock
- key to unlock
- simple to operate
- screws supplied



ArtNo.			EAN	Pack	length	width	
			40 03482		mm	mm	
LGH100	SB	visi	10451 4	12	71	42	

<u>=Sterling</u>

General security locking hasp

- chrome plated
- corrosion resistant
- concealed fixings
- turn knob to lock
- key to unlock
- simple to operate
- screws supplied





Solution packs



Sterling

Van lock

- round shackleless steel padlock (SSP173)
- heavy security hasp (AHS210E)
- new EPD treatment increases corrosion resistance for hasp
- hardened steel padlock and hasp



ArtNo.		EAN	Pack	C Description
		50 1656		
PHS104E	boxed	701424 9	8	Van Lock Security Hasp & Padlock



Padlock and hasp & staple set

- hasps & staples with matching cylinder padlock
- blister-packed with fixing material

ArtNo.		EAN Pack	
		40 03482	
PCC 80 + SB	visi	37811 3 10	Hasps & staples PCC 80
222 30			Padlock 222 30
PCC 120 + SB	visi	37821 2 10	Hasps & staples PCC 120
222 40			Padlock 222 40

Solution packs

Sterling

40mm Standard brass padlock with 95mm hasp and staple

- padlock (BPL042)
- hasp and staple (EHS095)

ArtNo.		EAN Pac	k Description
		50 1656	
PHS002	visi	701678 6 12	40mm Brass Padlock with 95mm Hasp & Staple



Sterling

40mm Premium brass padlock with 100mm hasp and staple

- padlock (BPL142)
- hasp and staple (DHS100)

ArtNo.		EAN	Pack	Description	
		50 1656			
PHS101	visi	701273 3	6 40mm Bra	ass Padlock with 100mm Has	sp & Staple



<u>=Sterling</u>

70mm Disc padlock with 120mm hasp and staple

- padlock (SPL100)
- hasp and Staple (BHS120)



ArtNo.		EAN	Pack	c Description
		50 1656		
PHS200	visi	700605 3	6	70mm Disc Padlock with 120mm Hasp & Staple

Heavy duty bolts / lock bolts




Security locking bolts

- weatherproof galvanised
- all screw holes concealed
- version packed for self-service incl. screws









Stainless steel heavy duty bolts

- stainless steel
- all screw holes concealed
- incl. screws









ArtNo.		EAN P	ack lengtl	n width	loop
		40 03482	mm	mm	Ø mm
R 60 Ni SB	visi	23771 7	10 60	23	4.5
R 80 Ni SB	visi	23781 6	5 80	32.5	7.5
R 100 Ni SB	visi	23791 5	5 100	39	9.5



Lock bolt

- weatherproof galvanised
- incl. screws

ArtNo.			EAN Pac	k length	width	loop
			40 03482	mm	mm	Ø mm
SR 60	SB	visi	23731 1 10	60	25	5.4
SR 80	SB	visi	23741 0 10	80	34	7
SR 100	SB	visi	23751 9 10	100	42	9
SR 120	SB	visi	23761 8 10	120	50	10.8



Bolts and sets

Barrel bolts

- weatherproof galvanised
- incl. screws



ArtNo.			EAN Pac	k length	width	
			40 03482	mm	mm	
GR 50	SB	visi	23821 9 10	50	40	
GR 70	SB	visi	23831 8 10	70	60	



Combination locking bolt

- ideal for gates, sheds, doors and cupboards
- including security screws (tamper proof)
- adjustable combination code, 10,000 possibilities
- suitable for right and left-hand use
- corrosion-resistant zinc die-cast body



ArtNo.			EAN	Pack	length	width	
			40 03482		mm	mm	
RS 110 C	SB	visi	39400 7	5	112	50	
			50 1656				
RS 110 C		boxed	701718 9	8	112	50	







Chains Individual and with locks





- hardened square link chain
- high quality textile sleeve
- 6 or 8 mm squared
- Sold Secure bicycle silver (8mm)

	A	ArtNo.	EAN Pack	length	Ø	weight (approx.)
			40 03482	cm	mm	g
ENED		SKM 6/60	11060 7 1	60	6	475
		SKM 6/90	11070 6 1	90	6	725
		SKM 8/90	11100 0 1	90	8	1190





- hardened square link chain
- high quality textile sleeve
- 10 mm squared
- Sold Secure bicycle gold and motor scooter silver



ArtNo.	EAN	Pack	length	Ø	weight (approx.)
	40 03482		cm	mm	g
GKM 10/100	11110 9	1	100	10	2000
GKM 10/150	11120 8	3 1	150	10	2950
GKM 10/200	11130 7	' 1	200	10	3950



Chain combination

• hardened square link chain

• combined with padlocks

ArtNo.	EAN	Pac	k Notes
	40 03482		
SKM 6/60/Ni40	14100 7	' 5	Chain length 60 cm, 6 mm Ø with padlock 217 F/40Ni
SKM 6/90/Ni40	14150 2	2 3	Chain length 90 cm, 6 mm Ø with padlock 217 F/40Ni
SKM 8/90/Ni50	14160 1	3	Chain length 90 cm, 8 mm Ø with padlock 217 F/50Ni
GKM 10/150/700	28270 0) 1	Chain length 150 cm, 10 mm Ø with padlock 700

Chain locks

Chain with combination lock

- hardened square link chain
- high quality textile sleeve
- 6 mm squared
- resettable combination















ArtNo.	EAN Pack	length	Ø
	40 03482	cm	mm
280 C 90 Black	39010 8 5	90	6




Chain with cylinder lock

- hardened square link chain
- high quality textile sleeve
- 6 mm squared
- 2 designs




















Chains Individual and with locks



Sterling

Manganese steel square link chain

- special alloy steel chain
- case hardened steel
- flexible polyester sleeve
- sleeving riveted at each end
- hacksaw and bolt cropper resistant
- weather resistant
- zinc plated and passivated for maximum corrosion resistance



Chain only

12mm

ArtNo.	EAN	Pack	length	Internal Ø
8mm Chain	50 1656		cm	mm
809	701373 0	1	90	14.2
812	701374 7	1	120	14.2
815	701375 4	1	150	14.2
10mm Chain				
1010	701376 1	1	100	14.7
1015	701377 8	1	150	14.7
1020	701378 5	1	200	14.7
12mm Chain				
1213	701384 6	1	130	17

Chain and padlock

	•			
ArtNo.	EAN	Pack	Description	length
	50 1656			cm
1010CS	701263 4	1	10mm Case Hardened Square Link Chain and 70mm Closed Shackle Steel Padlock	100
1015CS	701264 1	1	10mm Case Hardened Square Link Chain and 70mm Closed Shackle Steel Padlock	150


Refer to page 28 for padlock specifications

Chains Individual and with locks

Sterling

Sold Secure approved square link chain

- special alloy case hardened steel
- flexible polyester black sleeve
- sleeving riveted at each end
- hacksaw and bolt cropper resistant
- weather resistant
- zinc plated and passivated for maximum corrosion resistance
- Sold Secure bicycle gold and motor scooter silver







Secured by Design

S O L D SECURE



ArtNo.	EAN 50 1656	Pack	Description	length cm
100ASP	701260 3	1	10mm Hardened Chain & 91mm Padlock	100
150ASP	701261 0	1	10mm Hardened Chain & 91mm Padlock	150
200ASP	701262 7	1	10mm Hardened Chain & 91mm Padlock	200

Refer to page 29 for steel padlock specifications



Heavy Duty Sold Secure Chain and Padlock

ArtNo.	EAN	Pack	Description	length
	50 1656			cm
100SSP	701284 9	1	10mm Hardened Chain & 50mm Hardened Steel Padlock	100
150SSP	701285 6	1	10mm Hardened Chain & 50mm Hardened Steel Padlock	150
106SSP	701999 2	1	10mm Hardened Chain & 60mm Hardened Steel Padlock	100
156SSP	702000 4	1	10mm Hardened Chain & 60mm Hardened Steel Padlock	150

Refer to page 26 for steel padlock specifications






Security anchors



Heavy duty security anchor

- wall or floor mounting
- 6mm hardened steel plate
- 10mm tamper resistant anchor bolts
- ball bearings for tamper resistant bolt heads
- ideal with Sterling security chains and cables
- Sold Secure bicycle diamond and motorcycle gold



Ideal for securing:

Motorcycles, Scooters, ATV's, Bicycles, Construction Tools, Lawn & Garden Equipment



Security anchor

- wall or floor mounting
- hardened steel anchor plate
- hardened shackle
- strong M6 anchor bolts
- cover to conceal and protect bolts from attack
- additional back plate for shed mounting
- Sold Secure domestic building silver





S O L D SECURE

Secured by Design

Police Preferred Specification





Protective cover

Ideal for securing:

Scooters, ATV's, Bicycles, Ladders, Wheelie Bins, Power Tools & Garden Equipment

ArtNo.		EAN	Pack	width	height	depth	Brand
		40 03482		mm	mm	mm	
SA1180 SB	visi	01181 2	3	108	55	53	BURG-WÄCHTER
		50 1656					
GA3	visi	701454 6	2	108	55	53	STERLING

Bicycle security Long shackle lock

1500 HB

- strong 'U' shackle lock
- hardened shackle, double bolted
- easy fit mounting bracket
- black plastic coated shackle
- plastic-coated body, assorted colours
- two shackle heights: 180 and 255 mm





ArtNo.	EAN P	ack	Shackle W x H	Shackle Ø	T
	40 03482		mm	mm	
1500 HB 170/180	27670 9	3	110 x 180	14.0	71 R
1500 HB 170/255	27690 7	3	110x255	14.0	71 R













1580 HB

- strong 'U' shackle lock
- special hardened steel shackle, double-bolted
- low weight, approx. 1050 gr.
- easy fit mounting bracket
- black plastic coated body and shackle
- covered keyhole
- Sold Secure bicycle gold





















Long shackle lock



1600 HB 170/210















1600 HB

- extremely robust long shackle lock
- hardened steel shackle and body
- double-bolted
- shackle and body covered with durable plastic
- easy fit mounting bracket
- covered keyhole
- 1600 HB kit includes 120cm self coiling cable
- Sold Secure bicycle gold





1600 HB KIT

ArtNo.	EAN	Pack	Shackle W x H	Shackle Ø	
	40 03482		mm	mm	
1600 HB 170/210	39890 6	3	106x210	16.0	
	50 1656				
1600 HB 170/280	701995 4	3	106×280	16.0	
1600 HB KIT	702504 7	3	106×210	16.0	



Heavy duty U - lock

- double bolted mechanism
- case hardened steel shackle and body
- protective rotating keyhole cover
- weather resistant
- strong disc locking mechanism
- large number of key differs
- Sold Secure bicycle diamond motorcycle gold















S O L D SECURE

ArtNo.		EAN	Pack	Shackle W x H	Shackle Ø	Brand
		40 03482		mm	mm	
1480 HB 100 60 SI	B Visi	10441 5	6	97 x 60.8	16.0	BURG-WÄCHTER
		50 1656				
100D	Visi	701707 3	6	97 x 60.8	16.0	STERLING

Cable locks Cable locks

720 200 Snap+Lock

- cable lock with solid body and resettable combination lock
- versatile use for bikes, luggage, garden furniture, sport equipment such as skis and snowboards, etc.
- resettable combination
- the cable of 2 m length can be drawn through different objects and can be tightened individually
- cable end diameter: 9 mm



ArtNo.	EAN Pack	length	Cable Ø	
	40 03482	cm	mm	
720 200	29830 5 10	200	4.5	











725 300 Snap+Lock

- cable lock with solid body and 3-digit combination lock
- resettable combination
- versatile use for bikes, luggage, garden furniture, sport equipment such as skis and snowboards, etc.
- the lock body can be completely removed for more flexibility in cable routing
- the cable of 3 m length can be easily drawn through different objects
- cable diameter: 6 mm















Coil cable locks



1650 180 Reflex

- pin cylinder lock
- easy fit mounting bracket
- covered keyhole
- coil cable with reflective stripe











ArtNo.	EAN Pac	k length	Cable Ø	1
	40 03482	cm	mm	
1650 180 Reflex	34110 0 5	180	15.0	71 R



1550

- extra strong coil cable lock
- easy fit mounting bracket
- covered keyhole
- pin cylinder lock
- automatic locking













ArtNo.	EAN Pack	length	Cable Ø	f	Brand
	40 03482	cm	mm		
1550 150	18060 0 5	150	15.0	71 R	BURG-WÄCHTER
	501656			KB0	
152K	701252 8 4	180	15.0	10	STERLING

Coil cable locks

1345 L

- strong coil cable lock with illuminated key
- easy fit mounting bracket
- automatic locking
- 4 modern assorted colours









ArtNo.	EAN	Pack	length	Cable Ø	
	40 03482		cm	mm	
1345 150 L	34280 0) 5	150	15	





340 L

- strong coil cable lock with illuminated key
- easy fit mounting bracket
- different colour combinations
- with turnable keyhole cover





















Coil cable locks



Locking cable

- braided steel cable for increased strength and flexibility
- weather resistant vinyl coating, avoids scratching
- ideal for general security and bicycles



ArtNo.	EAN Pa	ack length	Cable Ø	f	Brand
	501656	cm	mm	KB0	
1006K ⁺	701593 2	5 65	10.0	25	STERLING
101K	701247 4	5 150	10.0	10	STERLING
	40 03482	cm	mm		
1360 180	11050 8	5 180	10.0		BURG-WÄCHTER





- solid coil cable lock
- easy fit mounting bracket
- assorted colours
- two lengths: 100 and 150 cm







ArtNo.	EAN Pack	length	Cable Ø	ı <mark>†</mark>	Brand
	40 03482	cm	mm	KB0	
1260 100	11570 1 5	100	8.0	25	BURG-WÄCHTER
1260 150	11580 0 5	150	8.0	25	BURG-WÄCHTER
	501656	cm	mm		
0812K ⁺	701592 5 5	120	8.0	25	STERLING

[†] Whilst stocks last

Cable locks

570

- extra strong steel cable lock
- strong plastic coating offers protection against scratches
- locking head and steel cable consist of one component
- high number of key differs





Cable Ø

25.0

Pack length

120

11340 0 3





650 80 Reflex

Art.-No.

570 120

- covered keyhole
- cable with reflective stripe

















560

- strong cable lock
- easy fit mounting bracket
- pin cylinder lock
- covered keyhole

















Cable locks





- strong cable lock
- pin cylinder lock
- automatic locking
- covered keyhole
- in different colour combinations











ArtNo.	EAN	Pack	length	Cable Ø	Ť
	40 03482		cm	mm	
550 80	18050 1	5	80	15.0	71 R





- strong cable lock with illuminated key
- automatic locking
- 4 modern assorted colours









ArtNo.	EAN Pa	ack	length	Cable Ø
	40 03482		cm	mm
345 80 L	34270 1 1	10	80	12.0













340 L

- strong cable lock with illuminated key
- automatic locking
- in different colour combinations

ArtNo.	EAN Pack	length	Cable Ø	
	40 03482	cm	mm	
340 65 L	13080 3 10	65	12.0	

Cable locks

330 Fun

- extra strong steel cable lock
- pin cylinder lock
- translucent lock body
- automatic locking
- assorted colours















Sterling

Self coiling locking cable

- integrated lock
- easy fit mounting bracket
- snap locking action on key operated lock
- self coiling for easy storage
- protective keyhole cover



ArtNo.	EAN Pa	ck length	Cable Ø
	501656	cm	mm
1012K [†]	701710 3 6	120	10.0





† Whilst stocks last

260

- solid steel cable lock
- automatic locking
- assorted colours



ArtNo.	EAN Pack	length	Cable Ø
	40 03482	cm	mm
260 60	11700 2 10	60	8.0





Bicycle security Coil cable locks

Illuminated combination cables

- strong cable lock with illuminated combination
- resettable combination
- easy fit mounting bracket
- lock body in green and black



235 80 L Black







ArtNo.	EAN	PU	length	Cable Ø	
	40 03482		cm	mm	
235 80 L Black	07380 3	5	80	15.0	
235 80 L Green	39410 6	5	80	15.0	
1235 180 L Black	39090 0	5	180	15.0	
1235 180 L Green	39420 5	5	180	15.0	



1235 180 L Green















Illuminated combination cables


- strong cable lock with illuminated combination
- resettable combination







ArtNo.	EAN	Pack	length	Cable Ø	Brand
	40 03482		cm	mm	
230 65 L	07260 8	10	65	12.0	BURG-WÄCHTER
230 180 L	07280 6	5	180	12.0	BURG-WÄCHTER
	501656		cm	mm	
1218C ⁺	701709 7	5	180	10.0	STERLING













Coil cable locks

Combination cable

- integrated lock
- self coiling for easy storage
- resettable combination
- easy fit mounting bracket

















210 C 65

- plastic coated steel cable
- 4-digit, individually adjustable combination
- easy for children to use

• colour assortment:

210 C 65 KIDS: 1x light blue, 1x rose,

1x red, 2x green

210 C 65 BLUE: 5x light blue **210 C 65 ROSE:** 5x rose



ArtNo.	EAN	Pack	length	Cable Ø
	40 03482		cm	mm
210 C 65 KIDS	39530 1	5	65	10.0
210 C 65 BLUE	39540 0	5	65	10.0
210 C 65 ROSE	39590 5	5	65	10.0











Security cables



Double loop cables - self coiling

- self coil cable with loops
- total length: 2.5 m
- Sold Secure bicycle silver*















ArtNo.	EAN PU	length	Cable Ø	Brand
	40 03482	cm	mm	
750 250	11150 5 5	250	10.0	BURG-WÄCHTER
	501656			
121C*	701248 1 10	120	12.0	STERLING
122C*	701249 8 10	210	12.0	STERLING

^{*} Sold Secure approved





- extra long security cable with loops
- Sold Secure bicycle silver*















ArtNo.	EAN	PU	length	Cable Ø	Brand
	40 03482		cm	mm	
750 500	36950 0	3	500	10.0	BURG-WÄCHTER
750 1000	11440 7	3	1000	10.0	BURG-WÄCHTER
	501656				
825C	701595 6	10	250	8.0	BURG-WÄCHTER
850C	701596 3	10	500	8.0	BURG-WÄCHTER
124C*	701250 4	6	450	12.0	BURG-WÄCHTER
129C*	701259 7	6	900	12.0	BURG-WÄCHTER
152C*	701251 1	6	210	15.0	BURG-WÄCHTER

^{*} Sold Secure approved

Chains, ropes & accessories

Sterling

This range of chains, ropes and accessories has been designed to fit along side the Sterling security products and is proving to be very popular. Chains are supplied on reels so they can be cut to length by the retailer. Lighter chains for functional and decorative applications are available pre-cut, on hanging cards for easy selection. Accessories have been developed to complement the chains and ropes and are available in a choice of sizes and finishes.

The packaging has been designed to be both strong and have good environmental credentials.









Icons explained





Lifting

Sterling chains are not suitable for lifting



Diametei

Denotes the diameter of the chain, rope or accessory



Length

Shows the total length of the item




MRL

Maximum Recommended Load, which should not be exceeded. It is important to note that MRLs can only be applied to chains and accessories which are not damaged or twisted.

How to measure chain

Chain link sizes are shown in the product tables and are subject to manufacturing tolerances.



Testing

All products have been tested and are manufactured to exacting standards whilst maintaining Sterling's commitment to providing great value.

Steel security chain "extra long"

• case hardened chain

ArtNo.	EAN	Pack	Description	Length
	50 1656			
WZ60H10	701888 9	1	6mm Ø Round Link Case Hardened Chain	10 metre
WZ60H20	701889 6	1	6mm Ø Round Link Case Hardened Chain	20 metre



Chains on reel






Welded steel chains

Sterling's welded chain is manufactured from heavy gauge carbon steel wire, formed into links and then welded using precision specialist techniques. Every length of chain is tested to ensure it performs to the required specification. Available in three finishes with a multitude of uses and ideal for use with chain accessories and Sterling padlocks.









Black powder coated



Length Length (mm) Width (mm) 50 1656 . ø mm WBK2514 701858 2 2.5 14 5 30mtr 50kg Black 70kg WBK3021 701859 9 21 Black 30mtr 3 WBK4026 701860 5 4 26 9 18mtr 125kg Black WBK5028 7018612 5 28 11 12mtr 200kg Black WBK6033 701862 9 6 33 13 8mtr 280kg Black

Inside Link

MRL Finish

Pack Wire



Black chains

ArtNo.	EAN	Pack	Wire	Inside	Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm)	Width (mm)			
WG6033	701863 6	1	6	33	13	8mtr	280kg	HDG



Jack chain

Sterling jack chain is a lightweight chain with a variety of decorative and functional uses. It is typically used for hanging light fittings and suspended ceilings. The links can be opened and closed with pliers, making it easy to attach and adjust the length.

ArtNo.	EAN	Pack	Wire	Inside	Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm)	Width (mm)			
JZ20	701864 3	1	2	17	5	45mtr	3.5kg	BZP



Plastic chains

White plastic chain is ideal for decorating path edges and marking garden boundaries. Red and white chain is often used as a safety warning or for the demarcation of a restricted area. Both chains are manufactured from HDPE and are suitable for indoor and outdoor use. They are lightweight, easy to handle and can float on water.

ArtNo.	EAN	Pack	Wire	Inside	Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm)	Width (mm)			
PRW60	701865 0	4	6	38	7	25mtr	-	Red/White
PW60	701866 7	4	6	38	7	25mtr	-	White

Pre-cut chains

Supplied on hanging cards

Sterling

Clock chain

Often used for sink or bath plug chains, in clocks or for modelling. Ideal for decorative applications such as light fittings.

ArtNo.	EAN	Pack	Wire	Inside	Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm)	Width (mm	1)		
CLB15L2	701867 4	12	1.5	7	2.2	2mtr	5kg	BP
CLN15L2	701868 1	12	1.5	7	2.2	2mtr	5kg	NP



Curb chain

Often used for dog leads/collars and equestrian applications. It is also used for key chains, hanging pictures and in the fashion industry as decorative chain or for making jewellery.

ArtNo.	EAN	Pack	Wire	Inside	Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm)	Width (mm)			
CUB25L2	701869 8	12	2.5	12	4	2mtr	40kg	BP



Chandelier chain

Traditionally used for suspending light fittings or mirrors. It can also be used on high level toilet flushes as the pull chain. Also used in sash window frames as the links are flat.

ArtNo.	EAN	Pack	Wire	Inside	Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm)	Width (mm)			
CHC05L2	701871 1	12	0.5	16	6	2mtr	15kg	СР



Knotted chain

Knotted chain is the strongest unwelded chain. It is primarily used for hanging baskets or for hanging fluorescent lights or in many other hardware applications.

ArtNo.	EAN	Pack	Wire	Inside	Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm)	Width (mm))		
KZ24L2	701872 8	12	2.4	37	6	2mtr	40kg	BZP



Ball chain

Sterling ball chain is chrome plated brass and so will not rust. It is therefore ideal for use in sinks, basins or baths. Ball chain can also be used for ID tags, key chains and pull cords.

ArtNo.	EAN	Pack	Wire	Inside Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm) Width (mm))		
BC33L1	701874 2	12	3.3		1mtr	2.5kg	СР



Welded steel chain

The welded steel chain is ideal for general security applications and can be used with Sterling padlocks. Supplied pre-cut in 2 metre lengths.

ArtNo.	EAN	Pack	Wire	Inside	Link	Length	MRL	Finish
	50 1656		ø mm	Length (mm)	Width (mm)			
WZ4026L2	700330 4	12	4	26	9	2mtr	125kg	BZP



Accessories

Sterling



Snap hooks

A quick release hook for connecting chain or rope.

ArtNo.	EAN	Pack	Wire	Length	Width	Finish	Quantity
	50 1656		ø mm	(mm)	(mm)		per card
SNHZ4	701890 2	12	4	40	-	BZP	2
SNHZ6	701891 9	12	6	60	-	BZP	2
SNHZ8	701892 6	12	8	80	-	BZP	1



Quick links

A connection for joining lengths of chain or rope.

ArtNo.	EAN	Pack	Wire	Length	Width	Finish	Quantity
	50 1656		ø mm	(mm)	(mm)		per card
QLZ4	701893 3	12	4	38	12	BZP	2
QLZ6	701894 0	12	6	58	26	BZP	2
QLZ8	701895 7	12	8	74	33	BZP	1



D shackles

Dee coupling link for chain or rope.

ArtNo.	EAN	Pack	Wire	Length	Width	Finish	Quantity
	50 1656		ø mm	(mm)	(mm)		per card
DSZ5	701896 4	12	5	30	10	BZP	2
DSZ6	701897 1	12	6	37	13	BZP	2
DSZ8	701898 8	12	8	48	17	BZP	1



Welded rings

A coupling link for chain, rope and bungees.

ArtNo.	EAN	Pack	Wire	Length	Width	Finish	Quantity
	50 1656		ø mm	(mm)	(mm)		per card
WRZ7	701899 5	12	7	35	35	BZP	1
WRZ9	701900 8	12	9	40	40	BZP	1



S hooks

A permanent or temporary connection for joining lengths of chain or rope. Ideal for hanging baskets or attaching to a fixing anchor.

ArtNo.	EAN	Pack	Wire	Length	Width	Finish	Quantity
	50 1656		ø mm	(mm)	(mm)		per card
SHZ3	701913 8	12	3	30	-	BZP	2
SHZ4	701914 5	12	4	40	-	BZP	2
SHZ6	701915 2	12	6	60	-	BZP	2



Spring hook to swivel

A coupling link for chain or rope which allows items to rotate.

ArtNo.	EAN	Pack	Wire	Length	Width	Finish	Quantity
	50 1656		ø mm	(mm)	(mm)		per card
SHSZ75	701908 4	12	6	75	-	BZP	1

Accessories

Sterling

Simplex snap hook

Connection for joining lengths of light chain.

ArtNo.	EAN	Pack	Length	Finish	Quantity
	50 1656		(mm)		per card
SSHN60	701906 0	12	60	NP	2



Snap hook to swivel

General purpose coupling link for chain or rope. Also known as a hipster.

ArtNo.	EAN	Pack	Length	Finish	Quantity
	50 1656		(mm)		per card
SHSN78	701909 1	12	78	NP	1



Split ring

Ideal for joining accessories and small chains together. Also suitable for use as a key ring.

ArtNo.	EAN	Pack	Length	Finish	Quantity
	50 1656		(mm)		per card
SRN30	701911 4	12	30	NP	4





Ball chain accessories

Use with ball chain to terminate the chain ends or can be joined together using the connector. Often used for sink plugs.

ArtNo.	EAN	Pack	Length	Finish	Quantity
	50 1656		(mm)		per card
BCAC33	701903 9	12	-	СР	2 + 2 + 1











Accessories

Sterling

Supplied with 3 clamps and 1 thimble

Wire rope clamps and thimble

Clamps, also known as grips, are used to terminate wire ends.

The clamp body should sit along the main wire with the shackle positioned over the shorter tail. Clamps should all face the same way and the thimble provides protection to the loop.

ArtNo.	EAN	Pack	Wire	Length	Finish	Quantity
	50 1656		ø mm	(mm)		per card
WRAZ3	701904 6	12	3	-	BZP	3 + 1
WRAZ5	701905 3	12	5	-	BZP	3 + 1



Turnbuckle

Used for tensioning wire.

ArtNo.	EAN	Pack	Wire	Length	Finish	Quantity
	50 1656		ø mm	(mm)		per card
TBZ5	701916 9	12	5	50mm	BZP	1
TBZ8	701917 6	12	8	70mm	BZP	1



Single pulley

For use with ropes up to 8mm diameter.

ArtNo.	EAN	Pack	Wire	Length	Finish	Quantity
	50 1656		ø mm	(mm)		per card
PULZ8	701910 7	12	8	30mm	BZP	1



Fixing anchor

End fitting for mounting onto post or wall. Square back plate with 4 fixing holes.

ArtNo.	EAN	Pack	Wire	Length	Finish	Quantity
	50 1656		ø mm	(mm)		per card
ANZ55	701918 3	12	8	55mm	BZP	1



Plastic Accessories

S Hook - plastic

A permanent or temporary connection for joining lengths of plastic chain. Ideal for white and red/white chains.

ArtNo.	EAN	Pack	Wire	Length	Finish	Quantity
	50 1656		ø mm	(mm)		per card
SHPW6	701901 5	12	6	40mm	White	2



Quick link - plastic

A permanent or temporary connection for joining lengths of plastic chain. Ideal for white and red/white chains.

ArtNo.	EAN	Pack	Wire	Length	Finish	Quantity
	50 1656		ø mm	(mm)		per card
QLPW6	701902 2	12	6	60mm	White	2

Ropes

=Sterling

Steel wire rope


Sterling's general purpose galvanised steel wire rope is a 6x7 fibre core construction. Often used for stays, fencing, signage and other general engineering applications and is also suitable for use as a catenary wire.

ArtNo.	EAN	Pack	Wire	Length	MRL	Finish
	50 1656		ø mm	(mm)		
SWR3030	701919 0	12	3	30mtr	135kg	Galv
SWR5010	701920 6	12	5	10mtr	375kg	Galv



Polypropylene rope

One of the most commonly used ropes, Sterling's 3-strand twisted PP rope is durable, strong and highly versatile. It is lightweight, resistant to rot and mildew, waterproof and floats on water. The rope has a multitude of applications including domestic, DIY, industrial and agricultural.





ArtNo.	EAN	Pack	Wire	Length	MRL	Packaging
	50 1656		ø mm	(mm)		
PRB6020	701921 3	12	6	20mtr	70kg	Reel
PRB8020	701922 0	12	8	20mtr	130kg	Reel
PRB6020H	700229 1	12	6	20mtr	70kg	Hank



Braided nylon rope

Strong and long lasting, Sterling's braided nylon rope knots well, is flexible and has some shock absorbency. It does not absorb water, making it resistant to organic solvents and algae growth. Perfect for marine applications and ideal for camping, tying and lashing. Supplied on a handy dispenser which can be reused with an integrated grip for holding the loose end.

ArtNo.	EAN	Pack	Wire	Length	MRL	Packaging
	50 1656		ø mm	(mm)		
NRW430	701923 7	16	4	30mtr	30kg	Reel
NRW630	701924 4	10	6	30mtr	60kg	Reel

Supplied on reuseable hanging reel





Reuseable hanging reel

Straps & bungees



Sterling

Webbing straps

Sterling webbing straps can be used for safely securing loads during transit. The straps are high quality and come in 2.5m or 5m lengths. Manufactured using soft, hardwearing polyester, these straps are easy to use by wrapping the webbing around the item to be secured and pulling the strap through the buckle until the object is secure. Webbing straps are ideal for lighter loads such as bikes,roof racks and trailers or for fastening items in the boot of the car.

ArtNo.	EAN	Pack	Width	Length	Capacity	Quantity
	50 1656		mm			per card
WSB2525	701925 1	12	25	2.5mtr	250kg	2
WSB2550	701926 8	12	25	5.0mtr	250kg	1



Bungees

Elastic tie-downs are suitable for a variety of applications including holiday and recreational use. They can be linked together using a welded ring (WRZ7 and WRZ9) to form a multi-hook bungee and are supplied with a strong hook at each end.



ArtNo.	EAN	Pack	Diameter	Length	Quantity
	50 1656		ø mm		per card
BG860	701929 9	12	8	60cm	2
BG1090	701930 5	6	10	90cm	2

Ratchet straps

Sterling

Ratchet straps

Sterling ratchet straps are strong webbed polyester and come with high quality claw hooks. These ratchet straps are used to secure loads with the webbing wrapped around the object and the ends anchored. The ratchet is used to tension the strap and is quick and easy to release when required.

These straps are ideal for securing loads to roof racks and lorries. Boats, motorbikes and garden equipment can be secured to trailers. Straps are commonly used for lashing large items to the ground such as marquees, gazebos or portable equipment.



25mm Ratchet strap

ArtNo.	EAN	Pack	Width	Length	Capacity	Colour
	50 1656		ø mm			
RS2550	701927 5	12	25	5mtr	800kg	Blue

Supplied on hanging card



38mm Ratchet strap

ArtNo.	EAN	Pack	Width	Length	Capacity	Colour
	50 1656		ø mm			
RS3560	701928 2	12	38	6mtr	3000kg	Blue

Supplied on hanging card







ZBK 71





ZBK 72

ZBK 73





ZBK 74

ZBK 75





BK 92 Point

MBCL01



Spare cam-locks for post boxes

• loose: cylinders for cash boxes, post boxes, key boxes etc.

• BK: Replacement cam locks for BURG-WÄCHTER post boxes

ArtNo.			EAN	Pac	k For brands	1
			40 03482			
ZBK 70	loose		22360 4	4 5	JU	35 W
ZBK 71	loose		22370	3 5	Renz (until 2006), Deca- yeux amongst other things	34 W
ZBK 72	loose		22380 2	2 5	Rombi, Knobloch	34 W
ZBK 73	loose		22390	1 5	Brabantia (sheet metal)	34 W
ZBK 74	loose		22680	3 5	Brabantia (plastic)	34 W
ZBK 75	loose		36240 2	2 5	Renz, ME-FA (from construction year 2006)	34 W
ZBK 70	SB	visi	22361	1 5	JU	35 W
ZBK 71	SB	visi	22371 () 5	Renz (until 2006), Deca- yeux amongst other things	34 W
ZBK 72	SB	visi	22381 9	9 5	Rombi, Knobloch	34 W
ZBK 73	SB	visi	22391 8	3 5	Brabantia (sheet metal)	34 W
ZBK 74	SB	visi	22681 (5	Brabantia (plastic)	34 W
ZBK 75	SB	visi	36241 9	9 5	Renz, ME-FA (from construction year 2006)	34 W
		↓ BUR	G-WÄCHTER	post	boxes ↓	
BK 92 M	SB	visi	14111	3	Post boxes made of stainless steel	65 R
BK 92 K	SB	visi	14121 2	2	Post boxes made of plastic or casted models	65 R
BK 92 Point	SB	visi	30981 () 5	For Point post boxes	40 W L/R

↓ Sterling / G2 / BURG-WÄCHTER UK post boxes **↓**

		EAN		1		
		50 1656		KB0		
MBCL01 KA* MBCL01	bagged bagged	701947 3 702187 2	BURG-WÄCHTER UK / Sterling galvanised	09B		
MBCL02 KA* MBCL02	bagged bagged	701948 0 702188 9	BURG-WÄCHTER UK / Sterling stainless	09A		
MBCL03G	bagged	702189 6	BURG-WÄCHTER UK / G2 galvanised	09G		
MBCL01V	visi	702501 6	BURG-WÄCHTER UK / Sterling galvanised	09B		
MBCL02V	visi	702502 3	BURG-WÄCHTER UK / Sterling stainless	09A		
MBCL03GV	visi	702503 0	BURG-WÄCHTER UK / G2 galvanised	09G		
↓ Cylin	ullet Cylinders for cash boxes, post boxes, key boxes etc. $ullet$					

13880 9 1

please specify

model

⁶





^{*} Keyed Alike

Loose cylinders


All-round cam-locks ZS

- made of high-tensile, nickel-plated die-cast zinc
- disk cylinder with reversible key
- bolt adjustable in 90° angle
- ZS 76, 77, 77 H, 84-86: with mounting nut
- WS 80-82: with clamping spring
- all models come with 3 different cams (one straight and two cranked) with the exception ZS 77 H and ZS 84)





								Ζ
ArtNo.		EAN P	ack	Dimens	ions	Cams Included	T	
				Overall Max (mm)	Diameter (mm)			
ZS 76	loose	01270 3	10	5	16	1 Straight 2 x Cranked	33 W	
ZS 77	loose	03070 7	10	10	16	1 Straight 2 x Cranked	33 W	
ZS 77 H	loose	03080 6	10	18.8	16	1 Angled	33 W	
ZS 80	loose	01280 2	10	2	16	1 Straight 2 x Cranked	33 W	
ZS 81	loose	03110 0	10	2	16	1 Straight 2 x Cranked	33 W	Ζ
ZS 82	loose	01290 1	10	5	16	1 Straight 2 x Cranked	33 W	
ZS 84	loose	32530 8	10	12	19	1 Straight		
ZS 85	loose	26880 3	5	12	16	1 Straight 2 x Cranked	36 W	
ZS 86	loose	26890 2	5	24	19	1 Straight 2 x Cranked	36 W	
ZS 77	SB visi	03071 4	10	10	16	1 Straight 2 x Cranked	33 W	
ZS 77 H	SB visi	03081 3	5	18.8	16	1 Straight 2 x Cranked	33 W	
ZS 81	SB visi	031117	10	2	16	1 Straight 2 x Cranked	33 W	
ZS 84	SB visi	32531 5	10	12	19	1 Straight		Z









Information regarding all-round cam-locks

ArtNo.	Notes
ZS 77, ZS 81, ZS 85 and ZS 86	Keyed alike – stocked
ZS and ZBK*	Keyed alike or keyed alike as per sample
ZS 76-86*	Surcharge Master key
	Each additional key
	Key cut as per no. or sample
	Key blanks









Sterling




All-round cam-locks (formerly Sterling)

- 180° cam lock
- key removable in locked and unlocked position
- nickel plated
- additional cams available from 25.5mm to 51.5mm
- cranked cams available (35/5mm 40/5mm)
- non-removable fixed cam on 11mm only
- nickel plated brass keys

1	
21.4mm	18.6mm
	- - - - - - - - - - -

ArtNo.		EAN	Pack	Dimens	ions	Cams Included	4
				Overall Max (mm)	Diameter (mm)		KB0
C11	loose	701597 0	20	11	18.6	1 x Straight (fixed)	08
C16	loose	701625 0	20	16	18.6	1 x Straight	80
C20	loose	701626 7	20	20	18.6	1 x Straight	80
C27	loose	701627 4	20	27	18.6	1 x Straight	08
C32	loose	701628 1	20	32	18.6	1 x Straight	08
C11V	visi	701471 3	10	11	18.6	1 x Straight (fixed)	08
C16V	visi	701472 0	10	16	18.6	1 x Straight	08
C20V	visi	701473 7	10	20	18.6	1 x Straight	08
C27V	visi	701474 4	10	27	18.6	1 x Straight	08
C32V	visi	701475 1	10	32	18.6	1 x Straight	08

Additional straight & cranked cams



ArtNo.		EAN	Pack	Dimens	sions	Cam Type
				B (mm)	C (mm)	
CP25	loose	701934 3	20	25	33	Straight
CP29	loose	701935 0	20	30	38	Straight
CP36	loose	701936 7	20	35	43	Straight
CP40	loose	701937 4	20	40	48	Straight
CP45	loose	701938 1	20	45	53	Straight
CP51	loose	701939 8	20	50	58	Straight
CPC34	loose	701940 4	20	35/5	43	Cranked
CPC40	loose	701941 1	20	40/5	48	Cranked

Information regarding all-round cam-locks











ArtNo.	Notes		
C11, C16, C20,	Keyed alike – stocked		
C27, C32	KA1 & KA2		

Sterling

Garage T handle

- long handle
- handle deadlocked with key
- choice of spindle
- supplied with keys
- nickel plated
- supplied with extra long screws







Dimensions

\mathbf{A}	Spindle diameter	8mm
В	Spindle length	76mm
C	Bolt centres	51mm
D	Bolt stumps	18mm
Ε	Handle projection	43mm
F	Back plate	44mm
G	Back plate	76mm

ArtNo.		EAN	Pack	Description	7
		50 1656			KB0
GT01	boxed	701836 0	10	Garage Handle - Square Spindle	80
GT02	boxed	701847 6	10	Garage Handle - Diamond Spindle 🔷	80
GT01V	visi	701215 3	10	Garage Handle - Square Spindle	80
GT02V	visi	701216 0	10	Garage Handle - Diamond Spindle 🔷	80

<u>=Sterling</u>

Sliding glass door lock

- 125mm slide bar
- 21mm Ø diameter lock
- chrome plated
- can be locked in any position along the slide
- suitable for glass up to 8mm thick
- key blank: KB008



ArtNo.	EAN 50 1656	Description	Pa Boxed	cked Clam
C125	701512 2	Sliding Glass Door Lock	√	



Cylinder service box

- range of standard replacement cylinders for BURG-WÄCHTER letterboxes and many other brands
- incl. technical documentation
- perforation gauge
- various bolts + accessories

Contents:

- 5x ZBK 70
- 5x ZBK 71
- 3x ZBK 72
- 3x ZBK 74
- 3x ZS 76*
- 3x ZS 77*
- 3x ZS 80*
- 5x ZS 81*
- 4x ZS 85*
- 3x ZS 86*
- 3x cylinder 92 Point
- 3x cylinder 92 M
- * (with three different bolts)

ArtNo.	EAN Pack	
	40 03482	
ZS-Box	80601 2 1	



Cam lock MZ 26

- brass pin cylinder, nickel plated
- cylinder length 20 mm

ArtNo.	EAN Pack	Ø	*
	40 03482	mm	
MZ 26	05050 7 5	18.0	65 R

Furniture locks

Cylinder rim locks

- applicable in all fields
- brass pin cylinder
- backset adjustable from 15-40 mm
- cylinder length 25 mm
- suiting options: master keyed or keyed alike
- MZ 23: cylinder brass polished
- MZ 2320: cylinder brass, nickel-plated

OJALITI AD EN









ArtNo.			EAN Pa	ack Cylinder	Ø
			40 03482	mm	
MZ 23			04730 9	5 22	65 R
MZ 2320			04780 4	5 22	65 R
MZ 23	SB	visi	04731 6	5 22	65 R

Cylinder rim lock

- disk cylinder nickel-plated
- backset 25/30 mm.
- cylinder length 23 mm
- also available keyed alike

ArtNo.			EAN Pack	Cylinder Ø	f
			40 03482	mm	
MZ 83			05390 4 5	18	10 R
M7 83	SB	visi	05391 1 5	18	10 R









Information regarding furniture locks

ArtNo.	Notes
All MZ	Keyed alike – stocked
MZ 83	Keyed alike or keyed alike as per sample
MZ 23, MZ 2320 and MZ 26	Keyed alike as per sample
MZ 23, MZ 2320 and MZ 26	Master key
	Each additional key
All MZ	Key cut as per no. or sample
	Key blanks

Lock blocking keys



Cylinder lock blocking keys

- E 6/E 7: for mortice door locks
- E 700: with stopper, for mortice door locks
- ME: for furniture mortice locks
- Version "/2": with 2 keys
- Version "/3": with 3 keys



EAN	Pack	Key Ø	T
40 03482		mm	
04280 9	10	7	24
04283 0	10	7	24
04270 0	10	6	22
04300 4	10	7	26
04303 5	10	7	26
04340 0	10	6	14
04281 6	10	7	24
04481 0	10	7	24
04271 7	10	6	22
04301 1	10	7	26
04501 5	10	7	26
04341 7	10	6	14
	As per sa	mple or no.	
	04280 9 04283 0 04270 0 04300 4 04303 5 04340 0 04281 6 04481 0 04271 7 04301 1 04501 5	04280 9 10 04283 0 10 04270 0 10 04300 4 10 04303 5 10 04340 0 10 04281 6 10 04481 0 10 04271 7 10 04301 1 10 04341 7 10	40 03482 mm 04280 9 10 7 04283 0 10 7 04270 0 10 6 04300 4 10 7 04303 5 10 7 04340 0 10 6 04281 6 10 7 04481 0 10 7 04271 7 10 6 04301 1 10 7 04501 5 10 7

Security lock for guns

Gun trigger lock GL 345

Security lock for guns

- secures the firearm by blocking the trigger
- effective additional protection against unauthorised use of the gun
- consists of 2 parts which interlock each other via a secure locking system
- resettable combination
- attention! Please secure only unloaded guns with GUN LOCK



ArtNo.			EAN	Pack	
			40 03482		
Gun Lock GL 345	SB	visi	23670 3	5	









Electronic door locks

FORGETTING YOUR KEYS IS A THING OF THE PAST! AN ELECTRONIC DOOR LOCK MEANS YOU CAN OPEN AND CLOSE DOORS MORE CONVENIENTLY THAN EVER BEFORE.

Introduction	110
TSE HOME	111
secuENTRY easy	112
secuENTRY easy plus	114
secuENTRY accessories & software	116
secuENTRY	118
secuENTRY pro	122
Technical details	134





CONVENIENT LOCKING REDEFINED.

Ideal for residential, business and commercial applications, BURG-WÄCHTER secuENTRY and TSE Home combines state-of-the-art technology with maximum convenience.

Our electronic door cylinders can be operated by pin code, fingerprint, passive or active transponder and a smartphone for maximum convenience. Alongside standalone use, our software provides hotels and holiday homes an innovative solution for access to multiple doors without the cost and hardware requirements of traditional access control installations.







BURG-WÄCHTER has been awarded one of the highest distinctions of the Plus X Award! "Best brand of the year 2020" in the product category "Door locking systems". Additionally, secuENTRY easy was awarded the quality seal in the categories High Quality, Design, as well as for ease of use and functionality.

TSE HOME

Set

TSE HOME

Set 4001

Inexpensive entry solution for one door:

Complete set for front doors and interior doors

Contents: 1 electronic door cylinder, keypad/keyboard, batteries, operating & installation instructions, mounting hardware.

Secure

- 1 million codes possible
- up to 6 users can be programmed: one 6-digit code and up to 5 optional radio TSE E-keys
- without mechanical emergency lock

Compatible

- for all doors with a thickness of up to 120 mm (60/60)
- for front doors and interior doors
- lock blocking after 3 incorrect code entries

Wireless

 keypad must be fixed in a 4m range from the door

Simple

- assembly without cabling, drilling, etc.
- electronic TSE cylinder replaces mechanical euro profile cylinder
- existing fittings are retained (not for fittings with core pull protection)
- no drilling easy to replace









Art.-No. EAN do 03482... Colours TSE Set 4001 HOME W 54330 6 White TSE Set 4001 HOME MCR 55040 3 Matt chrome

Remote key TSE E-Key

TSE 5103 E-Key

- distance between the remote key and door lock up to 3m depending on ambient conditions
- low battery indicator, power supply: standard CR 2032 coin cell

ArtNo.	EAN
	40 03482
TSE 5103 E-KEY SB	55030 4





TSE stainless steel cover

Suitable for TSE HOME 4001

Stainless steel cover protects against weather vandalism and code spying. Can be refitted easily.

ArtNo.	EAN	
	40 03482	
TSE stainless steel cover EBL SB	54680 2	



secuENTRY easy pincode







secuENTRY easy

5601 Pincode

Complete set for front doors and interior doors:

Electronic secuEntry easy cylinder with wireless communication (Bluetooth 4.0 LE) to the keypad pincode.

Contents: 1 electronic secuENTRY easy cylinder, 1 keypad secuENTRY pincode, batteries, operating & installation instructions, 2 emergency keys, mounting accessories

Access

1. Mobile via smartphone

- app available from the App Store and Google Play Store
- app available for Android phones from Android 4.3 or later, Apple iPhone from iOS 9.3.5

2. Pincode via keypad

- illuminated keypad
- keypad operation via touchpad
- mechanical ON-button

3. Active transponder sE-Key (radio key)

available separately (see Page116)

Secure

- 6-digit user codes
- up to 50 codes can be programmed (incl. 1 administrator code)
- 1 million different codes possible (pincode)
- incl. mechanical emergency lock
- lock blocking after 3 incorrect code entries
- data transmissions AES encoded for safety
- keypad weatherproof, protection class IP65

Compatible

- suitable for door thicknesses up to 118 mm (59/59)
- for front doors and interior doors
- mounting distance of the keyboard up to 4m depending on the door configuration

Simple

- the electronic secuENTRY easy cylinder replaces the existing euro profile cylinder
- existing fittings remain unchanged*
- no drilling easy to replace

App

KeyApp

- cylinder unlocks via smartphone
- free download in the AppStore and Google Play Store
- fast installation and easy setup
- for installing updates on cylinder and keyboard
- to display opening history records

- optional PC software offers several additional functions such as:
 - user administration
 - assignment of rights
 - read out of history possible (without time function) etc.
- * If a cylinder protector is used, the mechanical emergency key is not accessible!



ArtNo.	EAN	
	40 03482	
ENTRY easy 5601 Pincode	56011 2	

secuENTRY easy fingerprint

secuENTRY easy 5602 fingerprint

Complete set for front doors and interior doors:

Electronic secuEntry easy cylinder with wireless communication (Bluetooth 4.0 LE) to the keypad fingerprint.

Contents: 1 electronic secuENTRY easy cylinder, 1 keypad secuENTRY fingerprint, batteries, operating & installation instructions, 2 emergency keys, mounting accessories

Access

1. Mobile via smartphone

- app available from the App Store and Google Play Store
- app available for Android phones from Android 4.3 or later, Apple iPhone from iOS 9.3.5

2. Pincode via keypad

- illuminated keypad
- keypad operation via touchpad
- mechanical ON-button

3. Fingerprint via keypad

- fake finger detection
- access with a swipe of a finger
- advanced sensor technology

4. Active transponder sE-Key (radio key)

• available separately (see Page116)

Secure

- 6-digit user codes
- up to 50 codes can be programmed (incl. 1 administrator code), up to max. 24 fingerprints
- 1 million different codes possible (pincode)
- lock blocking after 3 incorrect code entries
- incl. mechanical emergency lock
- data transmissions AES encoded for safety
- keypad in an area protected from weather, protection class IP55

Compatible

- suitable for door thicknesses up to 118 mm (59/59)
- for front doors and interior doors
- mounting distance of the keyboard up to 4m depending on the door configuration

Simple

- the electronic secuENTRY easy cylinder replaces the existing euro profile cylinder
- existing fittings remain unchanged*
- no drilling easy to replace

App

KeyApp

- cylinder unlocks via smartphone
- free download in the AppStore and Google Play Store
- fast installation and easy setup
- for installing updates on cylinder and keyboard
- to display opening history records

- our optional PC software offers several additional functions such as:
 - user administration
 - assignment of rights
 - read out of history possible (without time function) etc.















^{*} If a cylinder protector is used, the mechanical emergency key is not accessible!

secuENTRY easy plus pincode





secuENTRY *easy plus* 5651 pincode

Complete set for front doors and interior doors:

Electronic secuEntry easy cylinder with wireless communication (Bluetooth 4.0 LE) to the keypad pincode.

Contents: 1 electronic secuENTRY easy plus cylinder, 1 keypad secuENTRY pincode, 1 passive transponder, batteries, operating & installation instructions, 2 emergency keys, mounting accessories

Access

1. Mobile via smartphone

- app available from the App Store and Google Play Store
- app available for Android phones from Android 4.3 or later, Apple iPhone from iOS 9.3.5

2. Pincode via keypad

- illuminated keypad
- keypad operation via touchpad
- mechanical ON-button

3. passive transponder

- modern passive transponder
- 1 included as standard

4. Active transponder sE-Key (radio key)

• available separately (see Page116)

Secure

- 6-digit user codes
- up to 50 codes can be programmed (incl. 1 administrator code)
- 1 million different codes possible (pincode)
- incl. mechanical emergency lock
- lock blocking after 3 incorrect code entries
- data transmissions AES encoded for safety
- keypad weatherproof, protection class IP65

Compatible

- suitable for door thicknesses up to 120 mm (61/59)
- for front doors and interior doors
- mounting distance of the keyboard up to 4m depending on the door configuration

Simple

- the electronic secuENTRY easy plus cylinder replaces existing euro profile cylinder
- existing fittings remain unchanged*
- no drilling easy to replace

App

KeyApp

- cylinder unlocks via smartphone
- free download in the AppStore and Google Play Store
- fast installation and easy setup
- for installing updates on cylinder and keyboard
- to display opening history records

- our optional PC software offers several additional functions such as:
 - user administration
 - assignment of rights
 - read out of history possible (without time function) etc.
- * If a cylinder protector is used, the mechanical emergency key is not accessible!



ArtNo.	EAN
	40 03482
ENTRY easy plus 5651 Pincode	56511 7

secuENTRY easy plus fingerprint

secuENTRY *easy plus* 5652 fingerprint

Complete set for front doors and interior doors:

Electronic secuEntry easy cylinder with wireless communication (Bluetooth 4.0 LE) to the keypad fingerprint.

Contents: 1 electronic secuENTRY easy plus cylinder, 1 keypad secuENTRY fingerprint, 1 passive transponder, batteries, operating & installation instructions, 2 emergency keys, mounting accessories

Access

1. Mobile via smartphone

- app available from the App Store and Google Play Store
- app available for Android phones from Android 4.3 or later, Apple iPhone from iOS 9.3.5

2. Pincode via keypad

- illuminated keypad
- keypad operation via touchpad
- mechanical ON-button

3. Fingerprint via keypad

- fake finger detection
- access with a swipe of a finger
- advanced sensor technology

4. passive transponder

- modern passive transponder
- 1 included as standard

5. Active transponder sE-Key (radio key)

• available separately (see Page 116)

Secure

- 6-digit user codes
- up to 50 codes can be programmed (incl. 1 administrator code), up to max. 24 fingerprints
- 1 million different codes possible (pincode)
- lock blocking after 3 incorrect code entries
- incl. mechanical emergency lock
- data transmissions AES encoded for safety
- keypad in an area protected from weather, protection class IP55

Compatible

- suitable for door thicknesses up to 120 mm (61/59)
- for front doors and interior doors
- mounting distance of the keyboard up to 4m depending on the door configuration

Simple

- the electronic secuENTRY easy plus cylinder replaces the existing euro profile cylinder
- existing fittings remain unchanged*
- no drilling easy to replace

App


KeyApp

- cylinder unlocks via smartphone
- free download in the AppStore and Google Play Store
- fast installation and easy setup
- for installing updates on cylinder and keyboard
- to display opening history records

- our optional PC software offers several additional functions such as:
 - user administration
 - assignment of rights
 - read out of history possible (without time function) etc.
- * If a cylinder protector is used, the mechanical emergency key is not accessible!









secuENTRY

Accessories



secuENTRY radio key

5713 active transponder

- modern active transponder
- easily programmable access rights and validity periods via software and keyboard (all keyboards from model year 2018)
- high level of security by means of encrypted communication (AES encryption)
- open the door with the push of a button
- also ideal for hotel use or for limited access rights
- suitable for all secuENTRY products



ArtNo.	EAN
	40 03482
ENTRY 5713 sE-Key SB	57310 5



secuENTRY

5710 passive transponder

- modern passive transponder
- easily programmable access rights and validity durations via optional hardware
- high level of security via encrypted communication (MIFARE DESFire 128 bit encrypted)
- also ideal for hotel use or for limited access rights



ArtNo.		EAN	Quantity
		40 03482	
ENTRY 5710 Transpond	er	57100 2	1
ENTRY 5710 Duo	SB	57102 6	2

secuENTRY

Bridge, software

secuENTRY

5670 Bridge

- secuENTRY Bridge enables remote opening of secuENTRY locking cylinders via KeyApp
- an Internet connection is required: the bridge connects via WiFi (2.4 Ghz) and sends an encrypted Bluetooth signal to the secuENTRY locking cylinder
- family, friends & tradesmen can gain access - even when you are away from home
- upgrade set for secuENTRY access control systems
- supports the programming of timelimited guest codes for holiday homes or time-limited rental properties by means of the ENTRYpro cylinder

- a firmware update of the secuENTRY cylinder to the latest software version is required for the Bridge integration
- remote programming via the KeyApp in combination with the secuENTRY software Light or Pro
- low battery notification for the locking cylinder
- notification on successful database update
- easy installation and setup
- suitable for indoor use
- 5V-USB power supply unit with min. 1A required
- can be used in combination with the smart video doorbell Door eGuard 8500





ArtNo.	EAN
	40 03482
sE-Bridge 5670	56280 2

secuENTRY

5750 software light

Configuration and programming made easy

- user-friendly PC software for locking systems with up to 15 users and eight locks
- data transfer to BURG-WÄCHTER units via the supplied adapter or smartphone
- history readout
- battery level indication for cylinders
- system requirements Windows 7, Windows 8 or Windows 10 (Windows Tablets from version 8.1) in standard configuration, USB port
- no permanent radio connection between PC and lock unit required



ArtNo.	EAN
	40 03482
ENTRY 5750 Software Light	57500 0

secuENTRY pincode



Secu

For Approved Stockists only

secuENTRY

5701 pincode

Complete set for front doors, interior and exterior doors:

Electronic secuEntry cylinder with wireless communication (Bluetooth 4.0 LE) to the keypad pincode.

Contents: 1 electronic secuENTRY cylinder, 1 keypad secuENTRY pincode, 1 passive transponder, batteries, operating & installation instructions, mounting accessories.

Access

1. Mobile via smartphone

- app available from the App Store and Google Play Store
- app available for Android phones from Android 4.3 or later, Apple iPhone from iOS 9.3.5

2. passive transponder

- modern passive transponder
- 1 included as standard

3. Pincode via keypad

- illuminated keypad
- keypad operation via touchpad
- mechanical ON-button

4. Active transponder sE-Key (radio key)

• available separately (see Page 116)

Secure

- 6-digit user codes
- up to 50 codes can be programmed (incl. 1 administrator code)
- 1 million different codes possible (pincode)
- lock blocking after 3 incorrect code
- data transmissions AES encoded for safety
- keypad and cylinder weatherproof, protection class IP65

Compatible

- suitable for door thicknesses up to 130 mm (67.5/62.5)
- knob diameter 30 mm
- external knob adjusted to 30 mm, internal knob is supplied unassembled
- mounting distance of the keyboard up to 4m depending on the door configuration

Simple

- the electronic secuENTRY cylinder replaces existing euro profile cylinder
- existing fittings are retained (not for fittings with core pull protection)
- no drilling easy to replace
- low battery consumption due to use of Bluetooth 4.0 LE
- includes 1 CR123A Lithium battery (cylinder)

App

KeyApp

- cylinder unlocks via smartphone
- free download in the AppStore and Google Play Store
- for installing updates on cylinder and keyboard
- to display opening history records

- our optional PC software offers several additional functions such as:
 - user administration
 - assignment of rights
 - read out of history possible (without time function) etc.



ArtNo.	EAN
	40 03482
ENTRY 5701 Pincode	57010 4

secuENTRY

fingerprint

For Approved Stockists only

secuENTRY

5702 fingerprint

Complete set for front doors, interior and exterior doors:

Electronic secuEntry cylinder with wireless communication (Bluetooth 4.0 LE) to the keypad fingerprint.

Contents: 1 electronic secuENTRY cylinder, 1 keypad secuENTRY fingerprint, 1 passive transponder, batteries, operating & installation instructions, mounting accessories.

Access

1. Mobile via smartphone

- app available from the App Store and Google Play Store
- app available for Android phones from Android 4.3 or later, Apple iPhone from iOS 9.3.5

2. passive transponder

- modern passive transponder
- 1 included as standard

3. Pincode via keypad

- illuminated keypad
- keypad operation via touchpad
- mechanical ON-button

4. Fingerprint via keypad

- fake finger detection
- access with a swipe of a finger
- advanced sensor technology

5. Active transponder sE-Key (radio key)

• available separately (see Page 116)

Secure

- 6-digit user codes
- up to 50 codes can be programmed (incl. 1 administrator code), up to max. 24 fingerprints
- 1 million different codes possible (pincode)
- lock blocking after 3 incorrect code entries
- data transmissions AES encoded for safety
- keypad in an area protected from weather, protection class IP55
- cylinder weatherproof, protection class IP65

Compatible

- suitable for door thicknesses up to 130 mm (67.5/62.5)
- knob diameter 30 mm
- external knob adjusted to 30 mm, internal knob is supplied unassembled
- mounting distance of the keyboard up to 4m depending on the door configuration

Simple

- the electronic secuENTRY cylinder replaces existing euro profile cylinder
- the existing fittings are retained (not for fittings with core pull protection)
- no drilling easy to replace
- low battery consumption due to use of Bluetooth 4.0 LE
- includes 1 CR123A Lithium battery (cylinder)

App

KeyApp

- cylinder unlocks via smartphone
- free download in the AppStore and Google Play Store
- for installing updates on cylinder and keyboard
- to display opening history records

- our optional PC software offers several additional functions such as:
 - user administration
 - assignment of rights
 - read out of history possible (without time function) etc.











secuENTRY

Basic-Set



For Approved Stockists only

secuENTRY

5700 Basic-Set

Complete set for front doors, interior and exterior doors:

electronic secuENTRY cylinder

Contents: 1 electronic secuENTRY cylinder, 2 passive transponders, batteries, operating & installation instructions, mounting accessories.

Access

1. Mobile via smartphone

- app available from the App Store and Google Play Store*
- app available for Android phones from Android 4.3 or later, Apple iPhone from iOS 9.3.5

2. passive transponder

- modern passive transponder
- 2 included as standard

3. Active transponder sE-Key (radio key)

• available separately (see Page 116)

Secure

- up to 49 transponders possible
- manipulation protection (locking periods)
- additional transponders can only be programmed via software or keyboard
- Cylinder weatherproof, protection class IP65

Compatible

- suitable for door thicknesses up to 130 mm (67.5/62.5)
- knob diameter 30 mm
- external knob adjusted to 30 mm, internal knob is supplied unassembled

Simple

- the electronic secuENTRY cylinder replaces existing euro profile cylinder
- existing fittings remain unchanged
- no drilling easy to replace
- low battery consumption due to use of Bluetooth 4.0 LE
- includes 1 CR123A Lithium battery (cylinder)

App KeyApp

- cylinder unlocks via smartphone
- free download in the AppStore and Google Play Store
- for installing updates on cylinder and keyboard
- to display opening history records

- our optional PC software offers several additional functions such as:
 - user administration
 - assignment of rights
 - read out of history possible (without time function) etc.



ArtNo.	EAN
	40 03482
ENTRY 5700 Basic-Set	57000 5

secuENTRY HALF

For Approved Stockists only

secuENTRY

5705 HALF

- compatible with: Transponder and KeyApp (Smartphone)
- length 30/10 mm
- up to 50 users with history function and rights management via the optional secuENTRY software (without time function)
- battery: 1 CR123A Lithium battery (cylinder)
- additional transponders can only be programmed via software or keyboard
- includes 2 passive transponders, batteries, operating & installation instructions, mounting hardware





ArtNo.	EAN	Info
	40 03482	
ENTRY 5705 Half	57050 0	Half cylinder



Cylinder




For Approved Stockists only

secuENTRY pvo

Electronic cylinder for up to 2,000 transponders

• history trace: 2,000 events

Technical details



¹ Without permanent opening ² Applies to door thicknesses in which the profile cylinder does not protrude. Please enquire regarding other doors. ³ Optional accessories

Optional functions via secuENTRY 7083 software

- user or group administration
- time and calendar function
- assignment of rights
- history trace

Optional

- active transponder
- passive transponder

ArtNo.	EAN
	40 03482
ENTRYpro 7000 cylinder	57130 9

secu **ENTRY**

- up to 2,000 transponders programmable
- weatherproof cylinde protection class: IP 65
- Bluetooth received on the outside

Cylinder

For Approved Stockists only

secuENTRY pwo 7100

Electronic cylinder for up to 2,000 transponders

• history trace: 2,000 events

Technical details

Design	Mounting in PZ perforation (DIN 18252, EN 1303) Approval and certification: conformity to all applicable EC directives national laws must be checked individually
Power supply	2 x Mignon LR06 AA Alkaline
Allowed ambient conditions	-15 °C to +50 °C / up to 95 % rel. humidity (non-condensing)
Average battery life by set type:	PINCODE up to 40,000 openings ¹ FINGERPRINT up to 40,000 openings ¹
Cylinder length min./max.	Can be adjusted on site to door thicknesses up to 118 mm using a latching system: min. 30/30 mm, max. 59/59 mm (measured from the centre of the forend screw) Optional external extension using shaft extension
Backset	inward opening door² (standard knob): 30 mm outward opening door² (standard knob): 35 mm
Emergency unlocking	Mechanical emergency lock (optional re-keying)
Radio range	Up to 4m (AES encryption)
Protection class	-
External shaft	Stainless steel, pre-drilled
Internal shaft	Brass
Coupling time	7 seconds
Data transmission cylinder	Bluetooth 4.0 LE (AES encrypted)
Special features	Manipulation protection

 $^{^1}$ Without permanent opening 2 Applies to door thicknesses in which the profile cylinder does not protrude. Please enquire regarding other doors. 3 Optional accessories

Optional functions via secuENTRY 7083 software

- user or group administration
- time and calendar function
- assignment of rights
- history trace

Optional

• active transponder

ArtNo.	EAN
	40 03482
ENTRYpro 7100 cylinder	57240 5





- incl. mechanical emergency lock
- verv simple assembly

Cylinder




For Approved Stockists only

secuENTRY pvo 7116 DUO

Electronic cylinder for up to 2,000 transponders

• history trace: 2,000 events

Technical details



¹ Without permanent opening ² Applies to door thicknesses in which the profile cylinder does not protrude. Please enquire regarding other doors. ³ Optional accessories

Optional functions via secuENTRY 7083 software

- user or group administration
- time and calendar function
- assignment of rights
- history trace

Optional

- active transponder
- passive transponder

ArtNo.	EAN
	40 03482
ENTRYpro 7116 Duo	57150 7

secu **ENTRY**

- up to 2,000 transponders programmable
- incl. mechanical emergency lock
- simple installatior

secuENTRY pro Cylinder

For Approved Stockists only

secuENTRY pwo 7010 TWIN

Electronic cylinder for up to 2,000 transponders

• history trace: 2,000 events

Technical details

Design	Mounting in PZ perforation (DIN 18252, EN 1303) Approval and certification: • conformity to all applicable EC directives • national laws must be checked individually
Power supply	1 x CR123A lithium battery in the inside and outside knob
Allowed ambient conditions	-15 °C to +50 °C / up to 95 % rel. humidity (non-condensing)
Average battery life by set type:	PINCODE up to 55,000 openings ¹ FINGERPRINT up to 55,000 openings ¹ PASSIVE TRANSPONDER up to 65,000 openings ¹
Cylinder length min./max.	Door thickness 60 to 127.5 mm: min. 30/30 mm, max. 67.5/60 mm (measured from the centre of the forend screw)
Backset	inward opening door² (standard knob): 30 mm outward opening door² (standard knob): 30 mm
Active outside knob	reads passive transponder Bluetooth receiver
Active inside knob	reads passive transponder Bluetooth transmitter
Radio range	Up to 4m (AES encryption)
Protection class	IP65
External shaft	Plastic, brass³
Internal shaft	Galvanized hexagonal steel shaft
Coupling time	7 seconds
Data transmission cylinder	Bluetooth 4.0 LE (AES encrypted)
Special features	Manipulation protection

¹ Without permanent opening ² Applies to door thicknesses in which the profile cylinder does not protrude. Please enquire regarding other doors. ³ Optional accessories

Optional functions via secuENTRY 7083 software

- user or group administration
- time and calendar function
- assignment of rights
- history trace

Optional

- active transponder
- passive transponder

ArtNo.	EAN
	40 03482
ENTRYpro 7010 Twin	57140 8





- up to 2,000 transponders programmable
- cylinder protection class:
 IP 65
- clutch engages on or both sides
- identification from both sides required

Cylinder



For Approved Stockists only

secuENTRY pvo 7030 HALF

Electronic cylinder for up to 2,000 transponders

• history trace: 2,000 events

Technical details



¹ Without permanent opening ² Applies to door thicknesses in which the profile cylinder does not protrude. Please enquire regarding other doors. ³ Optional accessories

Optional functions via secuENTRY 7083 software

- user or group administration
- time and calendar function
- assignment of rights
- history trace

Optional

- with active transponder
- with passive transponder

ArtNo.	EAN
	40 03482
ENTRYpro 7030 Half	57160 6

secu **ENTRY**

- up to 2,000 transponders programmable
- cylinder protection class:

Adapter

For Approved Stockists only

secuENTRY pvo

Adapter

Technical details

Material	Brass
Assembly	Mounting on secuENTRY cylinder (inside and outside)
Intended use	Extension locking shafts for secuENTRY 7000, 7010, 7030 cylinders
Comment	Optional item to the standard plastic extensions



ArtNo.	EAN
	40 03482
Pro adapter 1: 5 mm	39200 3
Pro adapter 2: 10 mm	39210 2
Pro adapter 3: 15 mm	39220 1
Pro adapter 4: 20 mm	39230 0
Pro adapter 5: 25 mm	39240 9
Pro adapter 6: 30 mm	39250 8
Pro adapter 7: 35 mm	39260 7
Pro adapter 8: 40 mm	39270 6

secuENTRY pvo

DUO CH adapter 22 mm

Material	Plastic
Mounting	Swiss round cylinder adapters are clipped onto the cylinders



ArtNo.	EAN
	40 03482
DUO CH Adapter 22 mm	55500 2

Shaft extension



For Approved Stockists only

secuENTRY pvo Shaft extension for ENTRY easy and cylinder 7100

Material	Stainless steel
Mounting	The original shaft must be adjusted according to the door dimensions
Setting	For distances from 61 to 77 mm (measured from the centre of the forend screw) the standard shaft must be shortened by up to 16 mm
Maximum extension of the outside shaft	104 mm (measured from the centre of the forend screw) only for ENTRY easy and cylinder 7100

EAN
40 03482
56450 9

Identification media

For Approved Stockists only

secuENTRY pwo 5711 pincode

Cable-free touch sensitive keypad

• touch panel with mechanical power-on button

Technical details

Power supply	2 x Mignon LR06 AA Alkaline
Keypad	Touch sensitive panel
Code entry	6 digits
Blocking time	After 3 x incorrect code entry 1 minute, afterwards 3 minutes each
Display	12 languages preset (DE, EN, FR, NL, IT, ES, PL, PT, RO, CS, HU, SL); one additional language programm- able by software (TR, DK), others on request
Protection class	IP65
Radio range	Up to 4m (AES encryption)
Data transfer	Bluetooth 4.0 LE (AES encrypted)

ArtNo.	EAN
	40 03482
ENTRY 5711 KP Pincode	57110 1





secuENTRY pro 5712 fingerprint

Cable-free touch sensitive keypad with fingerprint reader

• touch panel with mechanical power-on button

Power supply	2 x Mignon LR06 AA Alkaline
Keypad	Touch sensitive panel
Code entry	6 digits
Locking period	After 3 x incorrect code entry 1 minute, afterwards 3 minutes each
Display	12 languages preset (DE, EN, FR, NL, IT, ES, PL, PT, RO, CS, HU, SL); one additional language programm- able by software (TR, DK), others on request
Protection class	IP55
Radio range	Up to 4m (AES encryption)
Data transfer	Bluetooth 4.0 LE (AES encrypted)

ArtNo.	EAN	
	40 03482	
ENTRY 5712 KP Fingerprint	57120 0	





Add-on Module





For Approved Stockists only

secuENTRY pwo 7071 RELAY

Control unit for activating external electrical devices (operation of shutters, barriers, light sources etc.)

- integration in the secuENTRY pro locking plan
- relay for up to 2,000 identification medias (pincode, fingerprint etc.)
- passive transponder (in conbination with secuENTRY 7074 Transponder Extender)
- history readout 2,000 events
- functions via optional software:
 - user or group administration
 - time and calendar function
 - assignment of rights
 - history function
 - hotel mode
 - relay timer

Power supply	Power supply unit ¹ 6-12V DC voltage 500 mAh
Installation conditions	Install in an area protected against weather and manipulation
Compatibility	Compatible with secuENTRY 7074, 5710, 5711 (pincode), 5712 (fingerprint), 5713 and KeyApp
Radio range	Up to 4m (AES encryption)
Connections	 6V to 12V DC 500 mAh GND COM NC potential-free normally closed contact (max. 24V, 1A) NO potential-free normally open contact (max. 24V, 1A)
Coupling time	1 sec. bis 17:59:59 hrs.
Data transfer	Bluetooth 4.0 LE (AES encrypted)
Important!	A voltage of 230V must not be switched via the relay! (max. 24V)

¹ Power supply not included.

ArtNo.	EAN
	40 03482
ENTRYpro 7071 Relay	57180 4

Add-on Module

For Approved Stockists only

secuENTRY pwo 7072 REMOTE

Switching unit for the integration of external components into the secuENTRY locking system (e.g. time recording, alarm systems and identification media)

- remote functions as "remote control"
- the secuENTRY pro 7072 Remote can only be integrated into the software via the QR code

Technical details

Power supply	Stabilised power supply¹ 5V-12V
Installation conditions	Install in an area protected against weather and manipulation
Reverse polarity protection	Available
Switching contact	Pulse duration 0.5-1 sec.
Radio range	Up to 4m (AES encryption)
Activation	Switching level max. 12V



¹ Power supply not included.

ArtNo.	EAN
	40 03482
ENTRYpro 7072 Remote	57190 3

secuENTRY pvo 7073 ENROLMENT

USB programming device for biometric storage of fingerprints and passive transponders into the secuENTRY pro administration software

- high level of convenience in the administration of user rights (e.g. for companies and authorities with different user rights and visitors)
- use with PC software 7083 Software Pro
- verification of the stored fingerprint data record

Power supply	Via USB
Connections	Micro USB cable - plug type A





ArtNo.	EAN
	40 03482
ENTRYpro 7073 Enrolment	57200 9

Add-on Modul, Software



secuENTRY pvo 7074 TRANSPONDER EXTENDER

Wall reader for opening doors

- the secuENTRY 7074 Transponder Extender reads the secuENTRY 5710 passive transponder and transmits the opening signal to the cylinder or relay e.g. suitable for the integration of barriers and garage doors
- maximum radio range (AES encrypted) between wall reader and secuENTRY per door lock: approx. 4m
- audible feedback



Technical details

Power supply	CR123 A	
Protection class	IP65	
Radio range	Up to 4m (AES encryption)	



ArtNo.	EAN	
	40 03482	
ENTRY 7074 Transponder Extender	56820 0	



secuENTRY pro 7083 SYSTEM SOFTWARE

Up to 1,000 doors and 2,000 users can be managed effectively using the secuENTRY pro 7083 software

- naming of users, time functions, assignment of rights permanent opening function
- import/export functions, password protection, backup functions
- programming the passive transponders secuENTRY pro 5710 via QR code and secuENTRY pro 7073 Enrolment
- scanning of fingerprints via secuENTRY pro 7073 Enrolment
- calendar function incl. public holidays; readout of the history
- user timer/timer sets: 24/50; permanent timer/timer sets 16/50
- display when programming is required
- free updates at www.burg.biz
- system requirements: Windows 7, 8, 10
- compatible with all secuENTRY products

ArtNo.	EAN
	40 03482
ENTRY 7083 Software PRO	57215 3

Software

secuENTRY pro

7094 AbFeWo SOFTWARE

Owners can assign temporary codes for their holiday rental property directly from their homes using the secuENTRY AbFeWo software

- creation of access codes with time limited access rights for holiday apartment or holiday home
- handing over the keys is not necessary: Code is generated at home and can be used worldwide
- secure code generation through special algorithm
- no synchronisation between software and secuENTRY door lock required
- creation of locking plans for up to eight doors and 15 users (also in different properties
- code automatically becomes invalid at end of the holiday period
- software compatible with the secuENTRY pro 5711 keypad and electronic door cylinders secuENTRY pro 7100 / secuENTRY pro 7116 Duo
- system requirements: Windows 7, 8, 10



ArtNo.	EAN	
	40 03482	
ENTRY 7094 AbFeWo software PRO	84340 6	

secuENTRY pvo

7090 HOTEL SOFTWARE

The secuENTRY pro 7090 Hotel software generates codes with time-limited validity for hotel guests

- cable-free electronic locking system for guest codes
- guest code with six digits is also suitable for communal doors, barriers and garage doors
- setting the check-out time
- suitable for hotels and holiday resorts with up to 500 doors
- maximum booking time of 29 nights
- does not require networking with the locks
- basic requirement: secuENTRY pro 7083 System Software (additional functions of the software can be used)
- software can be setup to work with the hotel structure
- logging function within the software
- compatible with automatic check-in machines and booking software
- system requirements: Windows 7, 8, 10 in standard configuration
- compatible with: secuENTRY pro 7000, 7100, 7116, 7071 and 5711





Technical details secuENTRY

For Approved Stockists only	6		
The secuENTRY product range:			
Everything at a glance!	0	THE CO.	THE CO.
	0	0	0
Possible code combinations	-	1 million	1 million
Number of digits in the pincode	-	6 digits	6 digits
Maximum number of administrator codes	1	1	1
Maximum number of locking options	50	50	50
Number of possible codes	-	50	50
Number of possible fingerprints	-	-	24
Number of possible passive transponders	49	49	49
Number of possible active transponders (sE-Key 5713)	49	49	49
Safe AES encryption	✓	✓	✓
Menu-controlled user interface	-	✓	✓
Multilingual menu interface	-	✓	✓
Protection class Keypad		IP65	IP55
Backset	30 mm	30 mm	30 mm
Max. wireless range of keypad	-	4 m	4 m
Master key function with user administration	Vid	a secuEntry software possik	ole
Programming via keypad	_	✓	✓
Programming via software	✓	✓	✓
Timer functions	-	-	-
History readout	Possible via secuEN	JTRY software or app (with	out date and time)
Stored historical events	Last 60	00 entries (without date an	d time)
Power supply			
Keypad	-	2x LR06	2x LR06
Cylinder	1x CR 123A	1x CR 123A	1x CR 123A
Battery replacement warning	✓	✓	✓
Memory protection without battery voltage	✓	✓	✓
Mech. emergency opening	-	-	-

secuENTRY 5701 Pincode

Fingerprint

Technical details secuENTRY easy

	5601 pincode	5602 fingerprint	plus 5651 pincode	plus 5652 fingerprint			
The secuENTRY easy poduct range: Everything at a glance!		- Total					
Possible code combinations		1 m	nillion				
Number of digits in the pincode	6 digits						
Maximum number of adminstrator codes	1						
Maximum number of locking options		!	50				
Number of possible codes	50						
Number of possible fingerprints	-	24	-	24			
Number of possible passive transponders		_	2	19			
Number of possible active transponders (sE-Key 5713)	49						
Safe AES encryption	✓						
Menu-controlled user interface	✓						
Multilingual menu interface		1	/				
Protection class keypad	IP65	IP55	IP65	IP55			
Backset		30	mm				
Max. wireless range of keypad		up t	.o 4 m				
Locking system function with user administration		Via secuEntry s	oftware possible				
Programming via keypad		,	/				
Programming via software		,	/				
Timer functions			_				
History readout	Possible via	secuENTRY softwar	e or app (without da	ite and time)			
Stored historical events		Last 600 entries (w	ithout date and time)			
Power supply							
Keypad	2x LR06						
Cylinder	2x LR06 Inner: 2x LR06, outer: 1x CR123A						
Battery replacement warning	✓						
	✓						
Memory protection without battery voltage		,	/				

Technical details secuENTRY pro

	secuENTRYpro 7000 cylinder	secuENTRYpro 7100 cylinder	secuENTRYpro 7116 cylinder
For Approved Stockists only			
The secuENTRY pro cylinder: Everything at a glance!		CO	
Maximum number of administrator codes	1	1	1
Maximum number of locking codes	2000	2000	2000
Number of possible codes	2000	2000	2000
Number of possible fingerprints	200-300	200-300	200-300
Number of possible passive transponders	2000	-	2000
Number of possible active transponders (sE-Key 5713)	2000	2000	2000
Safe AES encryption	✓	✓	✓
Backset	30 mm	30 mm	30 mm
Master key function with user administration	✓	✓	✓
Programming via keypad	✓	✓	✓
Programming via software	Vi	a secuEntry software possil	ole
Timer functions	✓	✓	✓
History readout	Possible via secul	ENTRY software or app (wi	th date and time)
Stored historical events	2000	2000	2000
Power supply	1x CR 123A	2x LR06	1x CR 123A and 2x LR06
Battery replacement warning	✓	✓	✓
Memory protection without battery voltage	✓	✓	✓
Mech. emergency opening	_	✓	✓

Mistakes, changes and further technical developments reserved.



Window / door security, door systems

PRACTICAL AND EASY TO RETROFIT SECURITY FOR EVERYDAY LIFE: BURG-WÄCHTER WINDOW AND DOOR SECURITY SYSTEMS

Nightlatches & rim cylinders	140
Rim locks	142
Mortice locks - 5 lever	143
Mortice locks - 3 lever	144
Digital door locks	145
Euro cylinders	147
3-Star Euro cylinders	148
1-Star Euro cylinders	150
5-Pin Euro cylinders	152
Cylinders	156
Tubular latches & door bolts	157
WinSafe window & door locks	158
Door chains	167
uPVC door & window handles	168
Window & door alarms	170
Video doorbell	172
Door eGuard viewer	173
WinProtec security grills	174
Door closers	177
Door stops	182



Window / door security, door systems

Nightlatches





Deadlocking nightlatches

- standard and narrow options
- bolt can be held withdrawn with snib
- nightlatch supplied with 5 pin cylinders:
 Brass latch with brass plated cylinder
 Silver & Grey latches with satin chrome cylinder
- standard section keyway

- brass keys
- for doors 35 60mm thick
- left and right hand opening doors
- bolt and knob can be deadlocked from the outside by a full turn of the key



ArtNo.		EAN	Pack	Size	Colour	7
		50 1656				KB0
NLB101	visi	700291 8	5	Standard	brass	03B
NLC101	visi	700612 1	5	Standard	silver	03B
NLG101	visi	701106 4	5	Standard	grey	03B



Narrow (40mm Backset)

ArtNo.		EAN	Pack	Size	Colour	Ť
		50 1656				KB0
NLB201	visi	700290 1	5	Narrow	brass	03B
NLG201	visi	701107 1	5	Standard	grey	03B



5 Pin rim cylinders

- zinc body with brass cylinder plug
- 3 brass keys

ArtNo.		EAN	Pack	Pins	Colour	Ť
		50 1656				KB0
RCB100	visi	700059 4	6	5	brass	03
RCS100	visi	701105 7	6	5	stainless	03
RCB600B	boxed	d 700537 7	6	5	brass	03
RCC600B	boxed	700539 1	6	5	chrome	03
RCB600KA	boxed	700538 4	6	5	brass	03

^{*} KA = Keyed Alike



6 Pin rim cylinders

- brass body and plug
- Increased number of key differs for greater security
- 2 brass keys

ArtNo.	EAN	Pack	Pins	Colour	
	50 1656				
RCB200B	boxed 700535 3	6	6	brass	
RCN200B	boxed 700536 0	6	6	nickel	

Door security Traditional nightlatch

Sterling

Traditional nightlatch (premium)

- pin tumbler mechanism
- bolt can be locked from inside
- standard section keyway
- brass 5 & 6 pin cylinder options
- finish: Traditional green
- left & right hand opening doors
- direct replacement #77



ArtNo.		EAN	Pack	Size	Cylinder	Colour	P
		50 1656					KB0
NLS401B	boxed	700616 9	6	Standard	5 Pin	traditional green	03
NLS401	visi	701265 8	6	Standard	6 Pin	traditional green	03

Do O

Sterling

Traditional range

- standard and narrow options
- bolt can be locked from inside
- 5 pin cylinders
- left & right hand opening doors
- pin tumbler mechanism
- standard section keyway

Standard (60mm Backset)

	EAN	Pack	Size	Colour	1
	50 1656				KB0
boxed	701540 6	12	Standard	champagne	03
visi	700070 9	6	Standard	champagne	03
visi	701513 0	6	Standard	satin chrome	03
visi	700609 1	6	Standard	champagne	03
	visi visi	boxed 701540 6 visi 700070 9 visi 701513 0	boxed 701540 6 12 visi 700070 9 6 visi 701513 0 6	boxed 701540 6 12 Standard visi 700070 9 6 Standard visi 701513 0 6 Standard	boxed 701540 6 12 Standard champagne visi 700070 9 6 Standard champagne visi 701513 0 6 Standard satin chrome



Sterling

Narrow (40mm Backset)

ArtNo.		EAN	Pack	Size	Colour	· ·
		50 1656				KB0
NLS201B	boxed	701541 3	12	Narrow	champagne	03
NLS201	visi	700069 3	6	Narrow	champagne	03
NLS204	visi	701514 7	6	Narrow	satin chrome	03



Rim locks

=Sterling



Rim sashlock

- reversible latch
- key operated deadbolt
- knob operated latchbolt
- 2 keys and fixings supplied
- suitable for wooden doors
- for inward and outward opening doors
- ideal for sheds and outbuildings

ArtNo.		EAN	Pack	Size	Colour	T
		50 1656				KB0
SRL002	visi	701013 5	6	152 x 101mm	grey	34
SRL004	visi	701274 0	6	152 x 101mm	black	34

Sterling



Rim deadlock

- key operated deadbolt
- 2 keys and fixings supplied
- suitable for inward and outward opening doors
- ideal for sheds and outbuildings

ArtNo.		EAN	Pack	Size	Colour	Ť
		50 1656				KB0
SRL001	visi	7010128	6	101 x 75mm	grey	34

Sterling



Rim knob sets

- manufactured from steel
- powder coated black or brass plated

ArtNo.		EAN	Pack	Size	Colour
		50 1656			
SRL8BK	visi	701444 7	8	Ø 45mm	black

Sterling



Sashlock & knob sets


- convenient solution pack
- features rim lock SRL004 and knob set SRL8BK

ArtNo.	EAN	Pack	Colour	7
	50 1656			KB0
SRL004KN visi	701671 7	5	black	34

5 Lever mortice lock

5 Lever sashlocks


- brass or chrome plated box strike
- anti-pick curtain
- steel keys
- reversible latch without opening lock case
- anti-saw deadbolt
- suitable for bolt through fixings (A)



ArtNo.		EAN	Pack	Size	Finish	
		50 1656				KB0
MLS525N	visi	701115 6	5	2½" 65mm	chrome	32D
MLS530N	visi	701118 7	5	3" 76mm	chrome	32D
MLS525	visi	700062 4	5	2½" 65mm	brass	32D
MLS530	visi	700650 3	5	3" 76mm	brass	32D

5 Lever deadlocks

- brass or chrome plated box strike
- anti-saw deadbolt
- anti-pick curtain
- escutcheons included
- steel keys



ArtNo.		EAN	Pack	Size	Finish	1
		50 1656				KB0
MLD525N	visi	701124 8	5	2½" 65mm	chrome	32D
MLD530N	visi	701117 0	5	3" 76mm	chrome	32D
MLD525	visi	700060 0	5	2½" 65mm	brass	32D
MLD530	visi	700649 7	5	3" 76mm	brass	32D



3 Lever mortice lock





3 Lever sashlocks

- easy reversible latch without opening lock case
- suitable for sprung furniture with 8mm spindle
- UK backset
- suitable for bolt through fixings (A)




ArtNo.		EAN	Pack	Size	Finish	f
		50 1656				KB0
MLS325N	visi	701112 5	5	2½" 65mm	chrome	23
MLS330N	visi	701113 2	5	3" 76mm	chrome	23
MLS325	visi	700064 8	5	2½" 65mm	brass	23
MLS330	visi	700065 5	5	3" 76mm	brass	23



3 Lever deadlocks

- key withdraws the deadbolt from both sides
- UK backset




	EAN	Pack	Size	Finish	*
	50 1656				KB0
visi	701111 8	5	2½" 65mm	chrome	23
visi	701116 3	5	3" 76mm	chrome	23
visi	700249 9	5	2½" 65mm	brass	23
visi	701108 8	5	3" 76mm	brass	23
	visi	visi 701111 8 visi 701116 3 visi 700249 9	visi 701111 8 5 visi 7011116 3 5 visi 700249 9 5	visi 701111 8 5 2½" 65mm visi 701116 3 5 3" 76mm visi 700249 9 5 2½" 65mm	visi 701111 8 5 2½" 65mm chrome visi 701116 3 5 3" 76mm chrome visi 700249 9 5 2½" 65mm brass

Sterling



Bathroom lock

- easy reversible latch without opening lock case
- suitable for bolt through fixings (A)
- thumbturn operated deadbolt



ArtNo.		EAN	Pack	Size	Finish
		50 1656			
MLB325N	visi	701286 3	5	2½" 65mm	nickel
MLB330N	visi	701287 0	5	3" 76mm	nickel
MLB325	visi	700610 7	5	2½" 65mm	brass
MLB330	visi	700611 4	5	3" 76mm	brass

Digital door lock

Standard door lock

- resettable combination
- weather resistant
- no keys to lose
- nold back option enables latch to be held in open position
- 60mm standard backset
- independently tested to 100,000 cycles
- suitable for internal and external applications
- for door thicknesses 35mm 65mm



Reversible handle for left or right handed opening doors



Polished Chrome

Standard

ArtNo.		EAN	Pack	Finish
		50 1656		
S2230	boxed	700922 1	1	satin chrome
S2230PC	boxed	701277 1	1	polished chrome
S2230V	visi	701463 8	1	satin chrome
S2230PCV	visi	701465 2	1	polished chrome

Standard with hold back

ArtNo.		EAN	Pack	Finish
		50 1656		
S2235	boxed	700923 8	1	satin chrome
S2235PC	boxed	701278 8	1	polished chrome
S2235V	visi	701466 9	1	satin chrome
S2235PCV	visi	701468 3	1	polished chrome

Replacement latch


ArtNo.		EAN	Pack		Finish
		50 1656			
SL60	bagged	7021568	1	60mm Replacement Latch	satin chrome
SL70	bagged	701277 1	1	70mm Replacement Latch	satin chrome


Sterling



46

Back





Mounting Gasket

Digital door lock


Sterling





Compact door lock

- simple code change
- ideal for low traffic areas
- suitable for internal and external applications
- can be used on cupboard doors



ArtNo.		EAN	Pack	Finish	
		50 1656			
S2200V	visi	701462 1	1	satin chrome	





Key override door lock

- to unlock enter code or use key override
- resettable combination
- code free entry via key

Standard with key override

ArtNo.		EAN	Pack	Finish	The state of the s
		50 1656			KB0
S2240	boxed	701279 5	1	satin chrome	17

All Digital Door Locks suitable for low traffic areas within: Offices, Banks, Schools, Flats, Apartments and Restricted Areas.

Cylinders





5 Pin Euro-profile cylinders are ideal for the contract market or internal doors where certified locks are not a requirement. A cost effective and high quality lock with additional anti-pick pins added for greater security.





DoorMinder 1 star Kitemark cylinders are perfect for customers upgrading or replacing cylinders and are ideally paired with 2 star door handles to achieve BSi approved 3 star security meeting TS007.





DoorMinder 3 star Kitemark cylinders offer maximum security and are an all in one solution with no additional hardware required. They offer superior attack protection and a patented locking cam system that locks the cam in place when the key is removed for additional attack protection.

Key Suiting Services

Sterling cylinders offer locksmiths flexibility with a wide choice of in-house and self-pinning options available across the ranges.

5-Pin:

- Zero bitted cylinders
- Stocked keyed alike
- Keyed alike, master key & grand master
- Self-service pinning kit available

6-Pin 1 & 3 Star:

- Zero bitted cylinders (1 Star only)
- Keyed alike, master key & grand master
- Self-service pinning kit available

Range Name	DoorMinder 3 Star	DoorMinder 1 Star	5 Pin Cylinder
Certification / Tests			
Standard	TS007:2014 3* Kitemarked	TS007:2014 1* Kitemarked	-
Test Authority	BSi	BSi	-
Corrosion Test	240 Hours	-	-
Key Features			
No of pins	6	6	5
Key differs	100,000	48,000	12,000
Standard section keyway	✓	✓	✓
Durability cycle tested	100,000	100,000	50,000
Anti-Pick	//	\ \	✓
Anti-Bump	✓	✓	-
Anti-Drill	✓	✓	-
Snap-Safe	✓	✓	-
Protected cam	✓	-	-
Pinning Options			
Keyed to differ	From stock (page 149)	From stock (page 151)	From stock (page152)
Keyed alike from stock	-	-	KA1 Suite (page 419)
Non stock suites keyed alike	To order	To order	To order
Master keyed	To order	To order	To order
Key & cylinder etching	✓	✓	✓
Locksmith self suite product*	With grub screw seal pins**	Zero Bit (Page416)	Zero Bit (Page418)
Pinning kit / parts	PK003 (Page 415)	PK002 (Page 417)	PK002 (Page 417)
Key blank	KB037	KB027	KB007
Additional keys	Cut to code in- house	Cut to code in- house	Cut to code in- house


DoorMinder 3 Star cylinders



The new Sterling 3 star Euro-profile DoorMinder cylinders are independently tested and certified by BSi. They are designed to provide maximum protection and have innovative patented features to give greater security and peace of mind to the consumer. The cylinders are ideal for residential doors but are equally suited for commercial buildings.

Features include anti-drill hardened pins to resist drilling and cylinder plug extraction, anti-pick mushroom pins to resist attack from picking and manipulation, anti-bump mechanism to stop attack from bumping and have a snap-safe feature to further delay attacks on the cylinder. In addition, a patented cam protection system locks the cam and stops it from turning.

- solid brass body & plug
- snap-safe shear line
- anti-drill hardened pins
- anti-bump mechanism
- anti-pick mushroom pins
- chambers sealed with grub screws for easy re-pinning
- secondary cam protection system
- 100,000 key differs
- 240 Hours Salt spray tested
- 30° offset cam





Enhanced security

DoorMinder 3 star cylinder has an innovative patented cam protection mechanism and is engaged as soon as the key is removed. Even after an attack this secondary protection system stops the cam rotating and unlocking the door without the key.

Thumbturn has a push mechanism to release the cam protection.



Dual finish

Doorminder 3 star cylinders feature a brass plug with satin nickel finish body. This dual finish makes them ideal for both brass and chrome door hardware. Dual finish removes the requirement for stocking the same sized cylinders in two different colour finishes.



Independently tested in accordance with: BS EN1303:2015, TS007:2014 & A2 2018 BSi Certified TS007:2014 3 Star BSi Kitemarked Licence No.KM673833 Classification:1 6 0 1 0 C 6 D



The 3 star DoorMinder cylinder is perfect for upgrading or replacing existing cylinders and do not require additional security hardware to protect the cylinder. The shear line should always be placed on the external side of the door.

- KD Cylinders are supplied with 3 nickel plated brass keys on the popular standard section keyway.
- Available Keyed to Differ (KD) as standard, Keyed Alike (KA) and Master Key (MK) to order. (See page 413)
- There is a choice of packaging for KD cylinders, Boxed or Visi-pack when the product needs to be displayed.

Doorminder 3-Star cylinders





Boxed Double Euro Cylinders - Dual Finish

DOGDIC EGI	o cymnac	2 3 3 1 11 11 3 1 1			
ArtNo.	EAN	PU	Di	mensions	T
	501656		Overall	Internal x External	KB0
BS3 EPD3636 [†]	700852 1	10	72mm	36 x 36mm	37
BS3 EPD3640	700886 5	10	76mm	36 x 40mm	37
BS3 EPD3645	700887 2	10	81mm	36 x 45mm	37
BS3 EPD4036	700853 8	10	76mm	40 x 36mm	37
BS3 EPD4040 [†]	700856 9	10	80mm	40 x 40mm	37
BS3 EPD4045	700888 9	10	85mm	40 x 45mm	37
BS3 EPD4050	700889 6	10	90mm	40 x 50mm	37
BS3 EPD4055	700890 2	10	95mm	40 x 55mm	37
BS3 EPD4060	700891 9	10	100mm	40 x 60mm	37
BS3 EPD4536 [†]	700854 5	10	81mm	45 x 36mm	37
BS3 EPD4540 [†]	700857 6	10	85mm	45 x 40mm	37
BS3 EPD4545 [†]	700861 3	10	90mm	45 x 45mm	37
BS3 EPD4550	700892 6	10	95mm	45 x 50mm	37
BS3 EPD5040 [†]	700858 3	10	90mm	50 x 40mm	37
BS3 EPD5045 [†]	700862 0	10	95mm	50 x 45mm	37
BS3 EPD5050 [†]	700864 4	10	100mm	50 x 50mm	37
BS3 EPD5536 [†]	700855 2	10	91mm	55 x 36mm	37
BS3 EPD5540 [†]	700859 0	10	95mm	55 x 40mm	37
BS3 EPD5545 [†]	700863 7	10	100mm	55 x 45mm	37
BS3 EPD6040 [†]	700860 6	10	100mm	60 x 40mm	37

^{*} Call 01274 395333 to order Keyed alike or Master Key

Thumbturn Euro Cylinders - Dual Finish

ArtNo	0.	EAN	PU	Di	Dimensions	
		501656		Overall	Internal x External	KB0
BS3 ETC)3636 [†]	700865 1	10	72mm	36 x 36mm	37
BS3 ETC	3645	700916 0	10	81mm	36 x 45mm	37
BS3 ETC)4040 [†]	700866 8	10	80mm	40 x 40mm	37
BS3 ETC)4050	700895 8	10	90mm	40 x 50mm	37
BS3 ETC	04060	700893 4	10	100mm	40 x 60mm	37
BS3 ETE)4536	700917 7	10	81mm	45 x 36mm	37
BS3 ETC)4545	700894 1	10	90mm	45 x 45mm	37
BS3 ETC)5040 [†]	700867 5	10	90mm	50 x 40mm	37
BS3 ETE	5050	700896 5	10	100mm	50 x 50mm	37

^{*} Call 01274 395333 to order Keyed alike or Master Key

Single / Half Euro Cylinders - Dual Finish

	= = = = = = = = = = = = = = = = = = = =					
ArtNo.	EAN	PU	Dimensions		7	
	501656		Overall	Internal x External	KB0	
BS3 ESD1136	700897 2	10	47mm	11 x 36mm	37	
BS3 ESD1140	700898 9	10	51mm	11 x 40mm	37	
BS3 ESD1145	700899 6	10	56mm	11 x 45mm	37	
BS3 ESD1150	700900 9	10	61mm	11 x 50mm	37	

^{*} Call 01274 395333 to order Keyed alike or Master Key

Visi-pack Double Euro Cylinders - Dual Finish

ı)				
	ArtNo.	EAN	PU	Diı	mensions	T
		501656		Overall	Internal x External	KB0
	BS3 EPD3636 V [†]	700869 9	10	72mm	36 x 36mm	37
	BS3 EPD3640 V	7009016	10	76mm	36 x 40mm	37
	BS3 EPD3645 V	700902 3	10	81mm	36 x 45mm	37
	BS3 EPD4036 V	700870 5	10	76mm	40 x 36mm	37
	BS3 EPD4040 V [†]	700873 6	10	80mm	40 x 40mm	37
	BS3 EPD4045 V	700903 0	10	85mm	40 x 45mm	37
	BS3 EPD4050 V	700904 7	10	90mm	40 x 50mm	37
	BS3 EPD4055 V	700905 4	10	95mm	40 x 55mm	37
	BS3 EPD4060 V	700906 1	10	100mm	40 x 60mm	37
	BS3 EPD4536 V [†]	700871 2	10	81mm	45 x 36mm	37
	BS3 EPD4540 V [†]	700874 3	10	85mm	45 x 40mm	37
	BS3 EPD4545 V [†]	700878 1	10	90mm	45 x 45mm	37
	BS3 EPD4550 V	700907 8	10	95mm	45 x 50mm	37
	BS3 EPD5040 V [†]	700875 0	10	90mm	50 x 40mm	37
	BS3 EPD5045 V [†]	7008798	10	95mm	50 x 45mm	37
	BS3 EPD5050 V [†]	700881 1	10	100mm	50 x 50mm	37
	BS3 EPD5536 V [†]	700872 9	10	91mm	55 x 36mm	37
	BS3 EPD5540 V [†]	700876 7	10	95mm	55 x 40mm	37
	BS3 EPD5545 V [†]	700880 4	10	100mm	55 x 45mm	37
	BS3 EPD6040 V [†]	700877 4	10	100mm	60 x 40mm	37
ı						

Visi-pack

Thumbturn Euro Cylinders - Dual Finish

ArtNo.	EAN	PU	Dimensions		-
	501656		Overall	Internal x External	KB0
BS3 ETD3636 V [†]	7008828	10	72mm	36 x 36mm	37
BS3 ETD3645 V	700918 4	10	81mm	36 x 45mm	37
BS3 ETD4040 V [†]	700883 5	10	80mm	40 x 40mm	37
BS3 ETD4050 V	700884 2	10	90mm	40 x 50mm	37
BS3 ETD4060 V	700908 5	10	100mm	40 x 60mm	37
BS3 ETD4536 V	700919 1	10	81mm	45 x 36mm	37
BS3 ETD4545 V	700909 2	10	90mm	45 x 45mm	37
BS3 ETD5040 V [†]	700885 9	10	90mm	50 x 40mm	37
BS3 ETD5050 V	7009115	10	100mm	50 x 50mm	37

Visi-pack

Single / Half Euro Cylinders - Dual Finish

ArtNo.	EAN	PU	Dimensions		
	501656		Overall	Internal x External	KB0
BS3 ESD1136 V	700912 2	10	47mm	11 x 36mm	37
BS3 ESD1140 V	700913 9	10	51mm	11 x 40mm	37
BS3 ESD1145 V	700914 6	10	56mm	11 x 45mm	37
BS3 ESD1150 V	700915 3	10	61mm	11 x 50mm	37

[†] Cylinder may be temporarily supplied in nickel only finish

DoorMinder 1 Star cylinders



The Sterling 1 Star Euro-profile DoorMinder cylinders are independently tested and certified by BSi. They are designed to be an exceptional quality secure rated cylinder for the commercial and residential markets and have enhanced security features.

Features include anti-drill hardened pins to resist drilling and cylinder plug extraction, anti-pick mushroom pins to resist attack from picking and manipulation, anti-bump mechanism to stop attack from bumping.

The cylinder also has a snap-safe feature to further delay and hinder attacks.

- solid brass body & plug
- snap-safe shear line
- anti-drill hardened pins
- anti-bump mechanism
- anti-pick mushroom pins
- 48,000 key differs
- 30° offset cam





Enhanced security

7 anti-drill hardened pins:

- cylinder body x 2
- cylinder plug x 4
- No.4 pin x 1



TS007: 2014 KM 673833 Independently tested in accordance with: BS EN1303:2015, TS007:2014 & A2 2018 BSi Certified TS007:2014 1 Star BSi Kitemarked Licence No. KM 673833

Classification: 1 6 0 0 0 C 5 D



The 1 star DoorMinder cylinder is perfect for upgrading or replacing existing cylinders and in accordance with best practice Sterling recommend the cylinders are paired with 2 star hardware and handles to provide the maximum protection to the cylinder and door.

- KD Cylinders are supplied with 3 nickel plated brass keys on the popular standard section key way
- Available Keyed to Differ (KD) as standard and Keyed Alike (KA) and Master Keyed (MK) to order
- There is a choice of packaging for KD cylinders, Boxed or Visi-pack when the product needs to be displayed
- Zero bitted cylinders are ideal for speeding up re-pinning with No.1 pins installed in all chambers (see page 416)

Door security DoorMinder 1 Star cylinders



Boxed

Double Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Di	mensions	P
	501656		Overall	INT x EXT (Reversible)	KB0
BS1 EPN3535	700801 9	10	70mm	35 x 35mm	27
BS1 EPN3540	700802 6	10	75mm	35 x 40mm	27
BS1 EPN3545	700803 3	10	80mm	35 x 45mm	27
BS1 EPN3555	700804 0	10	90mm	35 x 55mm	27
BS1 EPN4040	700805 7	10	80mm	40 x 40mm	27
BS1 EPN4045	700806 4	10	85mm	40 x 45mm	27
BS1 EPN4050	700807 1	10	90mm	40 x 50mm	27
BS1 EPN4055	700808 8	10	95mm	40 x 55mm	27
BS1 EPN4060	700809 5	10	100mm	40 x 60mm	27
BS1 EPN4545	700810 1	10	90mm	45 x 45mm	27
BS1 EPN4550	7008118	10	95mm	45 x 50mm	27
BS1 EPN4555	700812 5	10	100mm	45 x 55mm	27
BS1 EPN5050	700813 2	10	100mm	50 x 50mm	27

Boxed

Thumbturn Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Dimensions		1
	501656		Overall	Internal x External	KB0
BS1 ETN3535	700814 9	10	70mm	35 x 35mm	27
BS1 ETN4040	700815 6	10	80mm	40 x 40mm	27
BS1 ETN4050	700816 3	10	90mm	40 x 50mm	27
BS1 ETN4060	700817 0	10	100mm	40 x 60mm	27

Boxed

Single Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Di	mensions	-
	501656		Overall	Internal x External	KB0
BS1 ESN1130*	700977 1	10	41mm	11 x 30mm	07
BS1 ESN1135	700978 8	10	46mm	11 x 35mm	27
BS1 ESN1140	700979 5	10	51mm	11 x 40mm	27
BS1 ESN1145	700980 1	10	56mm	11 x 45mm	27
BS1 ESN1150	7009818	10	61mm	11 x 50mm	27

Visi-pack

Double Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Dii	mensions	-
	501656		Overall	INT x EXT (Reversible)	KB0
BS1 EPN3535 V	700818 7	10	70mm	35 x 35mm	27
BS1 EPN3540 V	700819 4	10	75mm	35 x 40mm	27
BS1 EPN3545 V	700820 0	10	80mm	35 x 45mm	27
BS1 EPN3555 V	700821 7	10	90mm	35 x 55mm	27
BS1 EPN4040 V	700822 4	10	80mm	40 x 40mm	27
BS1 EPN4045 V	700823 1	10	85mm	40 x 45mm	27
BS1 EPN4050 V	7008248	10	90mm	40 x 50mm	27
BS1 EPN4055 V	700825 5	10	95mm	40 x 55mm	27
BS1 EPN4060 V	700826 2	10	100mm	40 x 60mm	27
BS1 EPN4545 V	700827 9	10	90mm	45 x 45mm	27
BS1 EPN4550 V	700828 6	10	95mm	45 x 50mm	27
BS1 EPN4555 V	700829 3	10	100mm	45 x 55mm	27
BS1 EPN5050 V	700830 9	10	100mm	50 x 50mm	27

Visi-pack

Thumbturn Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Dimensions		
	501656		Overall	Internal x External	KB0
BS1 ETN3535 V	7008316	10	70mm	35 x 35mm	27
BS1 ETN4040 V	700832 3	10	80mm	40 x 40mm	27
BS1 ETN4050 V	700833 0	10	90mm	40 x 50mm	27
BS1 ETN4060 V	700834 7	10	100mm	40 x 60mm	27

Visi-pack

Single Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Di	mensions	1
	501656		Overall	Internal x External	KB0
BS1 ESN1130 V*	700982 5	10	41mm	11 x 30mm	07
BS1 ESN1135 V	700983 2	10	46mm	11 x 35mm	27
BS1 ESN1140 V	700984 9	10	51mm	11 x 40mm	27
BS1 ESN1145 V	700985 6	10	56mm	11 x 45mm	27
BS1 ESN1150 V	700986 3	10	61mm	11 x 50mm	27

^{*} ESN1130 enhanced security 5-pin cylinder with additional hardened and anti-pick pins. Cylinder is not BSI Kitemarked.

See page 416 for our Zero Bitted BS1 cylinders and other locksmiths products.

Door security 5 Pin cylinders - nickel finish

The Sterling 5 pin Euro-profile cylinders provide an affordable and dependable cylinder for the commercial and consumer markets. The large number of key differs and anti-pick mushroom pins are ideal for use as a standard lock.



Boxed

Double Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Dii	mensions	P
	501656		Overall	INT x EXT (Reversible)	KB0
EPN3030	700384 7	10	60mm	30 x 30mm	07
EPN3035	700402 8	10	65mm	30 x 35mm	07
EPN3040	700403 5	10	70mm	30 x 40mm	07
EPN3045	700404 2	10	75mm	30 x 45mm	07
EPN3050	700405 9	10	80mm	30 x 50mm	07
EPN3060	700407 3	10	90mm	30 x 60mm	07
EPN3131	700408 0	10	62mm	31 x 31mm	07
EPN3535	700385 4	10	70mm	35 x 35mm	07
EPN3540	700410 3	10	75mm	35 x 40mm	07
EPN3545	700411 0	10	80mm	35 x 45mm	07
EPN3550	700412 7	10	85mm	35 x 50mm	07
EPN3555	700386 1	10	90mm	35 x 55mm	07
EPN4040	700389 2	10	80mm	40 x 40mm	07
EPN4045	7003908	10	85mm	40 x 45mm	07
EPN4050	700388 5	10	90mm	40 x 50mm	07
EPN4055	700417 2	10	95mm	40 x 55mm	07
EPN4060	700418 9	10	100mm	40 x 60mm	07
EPN4545	700387 8	10	90mm	45 x 45mm	07
EPN4550	700420 2	10	95mm	45 x 50mm	07
EPN4555	700391 5	10	100mm	45 x 55mm	07
EPN5050	700392 2	10	100mm	50 x 50mm	07

Boxed

Thumbturn Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Di	mensions	7
	501656		Overall	Internal x External	KB0
ETN3030	700423 3	10	60mm	30 x 30mm	07
ETN3040	700424 0	10	70mm	30 x 40mm	07
ETN3045	700425 7	10	75mm	30 x 45mm	07
ETN3535	701622 9	10	70mm	35 x 35mm	07
ETN3540	700427 1	10	75mm	35 x 40mm	07
ETN3545	700428 8	10	80mm	35 x 45mm	07
ETN4040	700429 5	10	80mm	40 x 40mm	07
ETN4050	700430 1	10	90mm	40 x 50mm	07
ETN4060	7004318	10	100mm	40 x 60mm	07
ETN4535	700432 5	10	80mm	45 x 35mm	07
ETN4545	700433 2	10	90mm	45 x 45mm	07
ETN4555	700434 9	10	100mm	45 x 55mm	07
ETN5050	700435 6	10	100mm	50 x 50mm	07
ETN5545	700436 3	10	100mm	55 x 45mm	07

Call 01274 395333 to order Keyed alike or Master Key

Visi-pack

Double Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Diı	mensions	P
	501656		Overall	INT x EXT (Reversible)	KB0
EPN3030V	700553 7	10	60mm	30 x 30mm	07
EPN3035V	701336 5	10	65mm	30 x 35mm	07
EPN3040V	700555 1	10	70mm	30 x 40mm	07
EPN3045V	701338 9	10	75mm	30 x 45mm	07
EPN3050V	701340 2	10	80mm	30 x 50mm	07
EPN3060V	701344 0	10	90mm	30 x 60mm	07
EPN3131V	701346 4	10	62mm	31 x 31mm	07
EPN3535V	700557 5	10	70mm	35 x 35mm	07
EPN3540V	700595 7	10	75mm	35 x 40mm	07
EPN3545V	700559 9	10	80mm	35 x 45mm	07
EPN3550V	700561 2	10	85mm	35 x 50mm	07
EPN3555V	700563 6	10	90mm	35 x 55mm	07
EPN4040V	700575 9	10	80mm	40 x 40mm	07
EPN4045V	700577 3	10	85mm	40 x 45mm	07
EPN4050V	700567 4	10	90mm	40 x 50mm	07
EPN4055V	700569 8	10	95mm	40 x 55mm	07
EPN4060V	700571 1	10	100mm	40 x 60mm	07
EPN4545V	700565 0	10	90mm	45 x 45mm	07
EPN4550V	701348 8	10	95mm	45 x 50mm	07
EPN4555V	701350 1	10	100mm	45 x 55mm	07
EPN5050V	701352 5	10	100mm	50 x 50mm	07

Visi-pack

Thumbturn Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Di	mensions	P
	501656		Overall	Internal x External	KB0
ETN3030V	700579 7	10	60mm	30 x 30mm	07
ETN3040V	701354 9	10	70mm	30 x 40mm	07
ETN3045V	701356 3	10	75mm	30 x 45mm	07
ETN3535V	700581 0	10	70mm	35 x 35mm	07
ETN3540V	700583 4	10	75mm	35 x 40mm	07
ETN3545V	701358 7	10	80mm	35 x 45mm	07
ETN4040V	700597 1	10	80mm	40 x 40mm	07
ETN4050V	701360 0	10	90mm	40 x 50mm	07
ETN4060V	701362 4	10	100mm	40 x 60mm	07
ETN4535V	701364 8	10	80mm	45 x 35mm	07
ETN4545V	701368 6	10	90mm	45 x 45mm	07
ETN4555V	701369 3	10	100mm	45 x 55mm	07
ETN5050V	701370 9	10	100mm	50 x 50mm	07

Door security 5 Pin cylinders - nickel finish



All 5-pin euro cylinders feature:

- solid brass body & plug
- 5 pin tumbler locking mechanism
- anti-pick mushroom pins
- 12,000 key differs
- 30° offset cam
- standard section keyway

Boxed

Single Euro Cylinders - Satin Nickel Finish

ArtNo.	EAN	Pack	Dimensions		P
	501656		Overall	Internal x External	KB0
ESN3011	700393 9	10	41mm	11mm x 30mm	07
ESN3511	700438 7	10	46mm	11mm x 35mm	07
ESN4011	700439 4	10	51mm	11mm x 40mm	07
ESN4511	700440 0	10	56mm	11mm x 45mm	07
ESN5011	700441 7	10	61mm	11mm x 50mm	07

Visi-pack

Single Euro Cylinders - Satin Nickel Finish


ArtNo.	EAN	Pack	Dimensions		-
	501656		Overall	Internal x External	KB0
ESN3011V	700585 8	10	41mm	11mm x 30mm	07
ESN3511V	700587 2	10	46mm	11mm x 35mm	07
ESN4011V	700589 6	10	51mm	11mm x 40mm	07
ESN4511V	700591 9	10	56mm	11mm x 45mm	07
ESN5011V	700593 3	10	61mm	11mm x 50mm	07

Call 01274 395333 to order Keyed alike or Master Key

See page 418 for our Zero Bitted 5 pin cylinders and other locksmiths products.

See page 419 for stocked keyed alike suites.

Keyed Alike



Keyed alike

All door cylinders can be opened with the same key. Ideal for both residential (front and back door share same key) and commercial applications (multiple doors opened via same key).

Door security 5 Pin cylinders - brass finish

The Sterling 5 pin Euro-profile cylinders provide an affordable and dependable cylinder for the commercial and consumer markets. The large number of key differs and anti-pick mushroom pins are ideal for use as a standard lock.

Double Euro Cylinders - Polished Brass Finish **P** Art.-No. EAN Pack Dimensions INT x EXT (Reversible) KB0 501656 EPB3030 7003403 60mm 30 x 30mm 07 10 7003410 10 65mm 30 x 35mm 07 EPB3035 EPB3040 700342 7 10 70mm 30 x 40mm 07 FPB3045 700343 4 10 75mm 30 x 45mm 07 30 x 50mm EPB3050 700344 1 10 80mm 07 30 x 55mm EPB3055 7003458 10 85mm 07 30 x 60mm 07 EPB3060 700346 5 10 90mm EPB3131 700347 2 10 62mm 31 x 31mm 07 EPB3535 7003816 10 70mm 35 x 35mm 07 7003496 35 x 40mm EPB3540 75mm 07 10 35 x 45mm 07 EPB3545 700350 2 10 80mm 07 85mm 35 x 50mm EPB3550 7003519 10 90mm EPB3555 7003526 10 35 x 55mm 07 40 x 40mm 07 EPB4040 700383 0 10 80mm 07 7003540 10 85mm 40 x 45mm EPB4045 7003823 40 x 50mm 07 EPB4050 10 90mm 40 x 55mm 07 EPB4055 7003564 10 95mm EPB4060 700357 1 10 100mm 40 x 60mm 07 EPB4545 7003588 10 90mm 45 x 45mm 07 EPB4550 7003595 10 95mm 45 x 50mm 07 FPB4555 700360 1 10 100mm 45 x 55mm 07 7003618 10 100mm 50 x 50mm

Boxed Thumbturn Euro Cylinders - Polished Brass

EPB5050

	,				
ArtNo.	EAN	Pac	k Di	mensions	7
	501656		Overall	Internal x External	KB0
ETB3030	700362 5	10	60mm	30 x 30mm	07
ETB3040	700363 2	10	70mm	30 x 40mm	07
ETB3045	700364 9	10	75mm	30 x 45mm	07
ETB3535	701621 2	10	70mm	35 x 35mm	07
ETB3540	700366 3	10	75mm	35 x 40mm	07
ETB3545	700367 0	10	80mm	35 x 45mm	07
ETB4040	700368 7	10	80mm	40 x 40mm	07
ETB4050	700369 4	10	90mm	40 x 50mm	07
ETB4060	700370 0	10	100mm	40 x 60mm	07
ETB4535	700371 7	10	80mm	45 x 35mm	07
ETB4545	700372 4	10	90mm	45 x 45mm	07
ETB4555	700373 1	10	100mm	45 x 55mm	07
ETB5050	700374 8	10	100mm	50 x 50mm	07
ETB5545	700375 5	10	100mm	55 x 45mm	07



Double Euro Cylinders - Polished Brass Finish

Sterling

Double Laio	Cymracis i	011311	CG D1G55		
ArtNo.	EAN	Pac	k Dii	mensions	f
	501656		Overall	INT x EXT (Reversible)	KB0
EPB3030V	700552 0	10	60mm	30 x 30mm	07
EPB3035V	701335 8	10	65mm	30 x 35mm	07
EPB3040V	700554 4	10	70mm	30 x 40mm	07
EPB3045V	701337 2	10	75mm	30 x 45mm	07
EPB3050V	701339 6	10	80mm	30 x 50mm	07
EPB3055V	701341 9	10	85mm	30 x 55mm	07
EPB3060V	701343 3	10	90mm	30 x 60mm	07
EPB3131V	701345 7	10	62mm	31 x 31mm	07
EPB3535V	700556 8	10	70mm	35 x 35mm	07
EPB3540V	700594 0	10	75mm	35 x 40mm	07
EPB3545V	700558 2	10	80mm	35 x 45mm	07
EPB3550V	700560 5	10	85mm	35 x 50mm	07
EPB3555V	700562 9	10	90mm	35 x 55mm	07
EPB4040V	700574 2	10	80mm	40 x 40mm	07
EPB4045V	700576 6	10	85mm	40 x 45mm	07
EPB4050V	700566 7	10	90mm	40 x 50mm	07
EPB4055V	700568 1	10	95mm	40 x 55mm	07
EPB4060V	700570 4	10	100mm	40 x 60mm	07
EPB4545V	700564 3	10	90mm	45 x 45mm	07
EPB4550V	701347 1	10	95mm	45 x 50mm	07
EPB4555V	701349 5	10	100mm	45 x 55mm	07
EPB5050V	701351 8	10	100mm	50 x 50mm	07

Visi-pack

07

Thumbturn Euro Cylinders - Polished Brass

ArtNo.	EAN	Pacl	k Dir	mensions	T
	501656		Overall	Internal x External	KB0
ETB3030V	700578 0	10	60mm	30 x 30mm	07
ETB3040V	701353 2	10	70mm	30 x 40mm	07
ETB3045V	701355 6	10	75mm	30 x 45mm	07
ETB3535V	700580 3	10	70mm	35 x 35mm	07
ETB3540V	700582 7	10	75mm	35 x 40mm	07
ETB3545V	701357 0	10	80mm	35 x 45mm	07
ETB4040V	700596 4	10	80mm	40 x 40mm	07
ETB4050V	701359 4	10	90mm	40 x 50mm	07
ETB4060V	701361 7	10	100mm	40 x 60mm	07
ETB4535V	701363 1	10	80mm	45 x 35mm	07
ETB4545V	701365 5	10	90mm	45 x 45mm	07
ETB4555V	701366 2	10	100mm	45 x 55mm	07
ETB5050V	701367 9	10	100mm	50 x 50mm	07

Door security 5 Pin cylinders - brass finish





All 5-pin euro cylinders feature:

- solid brass body & plug
- 5 pin tumbler locking mechanism
- anti-pick mushroom pins
- 12,000 key differs
- 30° offset cam
- standard section keyway

Boxed

Single Euro Cylinders - Polished Brass Finish

ArtNo.	EAN Pa		Pack Dimensions		P
	501656		Overall	Internal x External	KB0
ESB3011	700376 2	10	41mm	11mm x 30mm	07
ESB3511	700377 9	10	46mm	11mm x 35mm	07
ESB4011	700378 6	10	51mm	11mm x 40mm	07
ESB4511	700379 3	10	56mm	11mm x 45mm	07
ESB5011	700380 9	10	61mm	11mm x 50mm	07

Visi-pack

Single Euro Cylinders - Polished Brass Finish


ArtNo.	No. EAN Pa		Pack Dimensions		
	501656		Overall	Internal x External	KB0
ESB3011V	700584 1	10	41mm	11mm x 30mm	07
ESB3511V	700586 5	10	46mm	11mm x 35mm	07
ESB4011V	700588 9	10	51mm	11mm x 40mm	07
ESB4511V	700590 2	10	56mm	11mm x 45mm	07
ESB5011V	700592 6	10	61mm	11mm x 50mm	07

Call 01274 395333 to order Keyed alike or Master Key

See page 418 for our Zero Bitted 5 pin cylinders and other locksmiths products.

See page 419 for stocked keyed alike suites.

Keyed Alike



Keyed alike

All door cylinders can be opened with the same key. Ideal for both residential (front and back door share same key) and commercial applications (multiple doors opened via same key).

Cylinders

=Sterling

Scandinavian oval cylinders

Anti-drill on external cylinder




Brass


ArtNo.		EAN	Pack	Length		f
		50 1656				KB0
SCB04	boxed	700506 3	10	31mm	6 Pin External Cylinder	19
SCB05	boxed	700507 0	10	31mm	6 Pin Internal Cylinder	19
SCB06	boxed	700508 7	10		Double Set (int & ext)	19
Chrome F	Plated					
SCN04	boxed	700509 4	10	31mm	6 Pin External Cylinder	19
SCN05	boxed	700510 0	10	31mm	6 Pin Internal Cylinder	19
SCN06	boxed	700511 7	10		Double Set (int & ext)	19



Screw In Cylinder with Security Ring







ArtNo.		EAN	Pack	Pins		P
		50 1656				KB0
SCN02	boxed	700504 9	10	5 Pin	Satin Nickel Keyed Alike Pair	02
SCN03	boxed	700505 6	10		Satin Nickel Thumbturn	02



Thumbturn Screw In Cylinder

Sterling




Bullet locks

• available in keyed alike sets

Threaded cylinders

for use with metal door lock casesreversible spacer security ringkeyed cylinder supplied in KA pairs

- sprung locking pin
- key removes in locked position only
- pin tumbler locking mechanism
- polished brass cylinder
- deadlocking pin



ArtNo.	EAN	Pack		7
	50 1656			KB0
BL01 KA boxed	702184 1	10	Keyed Alike - KA Assorted Suites	15B
BL01 KA7 boxed	702185 8	10	Keyed Alike - KA7 Repeatable Suite	15B
BL01 KA8 boxed	702186 5	10	Keyed Alike - KA8 Repeatable Suite	15B
BL02 KA visi	701701 1	10	Keyed Alike - Pair	15B

Accessories

Sterling

Tubular mortice latches

- supplied with strike plate
- tested to 100,000 cycles
- available brass or nickel plated

ArtNo.		EAN	Pack	Size	Finish	
		50 1656				
TML125	visi	700074 7	6	(2½") 63mm	brass plated	
TML125N	visi	701213 9	6	(2½") 63mm	nickel plated	
TML130	visi	700075 4	6	(3.0") 75mm	brass plated	
TML130N	visi	701214 6	6	(3.0") 75mm	nickel plated	



Sterling

Security door bolts

• ideal for securing wooden doors top and bottom



ArtNo.		EAN	Pack	Description	Colour
		50 1656			
SBB260	visi	700030 3	12	2 x Rack Bolts and Key	brass
SBC260	visi	7014188	12	2 x Rack Bolts and Key	chrome
SBW260	visi	700029 7	12	2 x Rack Bolts and Key	white
SBK200	visi	700031 0	12	2 x Universal Security Bolt	Keys



WinSafe



WinSafe WS 11

Window security for single-leaf windows

- VdS-approved security for windows made of wood and aluminium
- with a stable swivel bolt
- possible mounting positions: bottom, top and handle side
- simple self-installation
- easy to close
- fold thickness: 15-25 mm
- technical details: Page 162











ArtNo.		EAN	Pack	Colours	The state of the s
		40 03482			
WS 11 W SB	visi	38231 8	3	white	79 W
WS 11 BR SB	visi	38241 7	3	grey-brown	79 W
WS 11 F1 KA* W	boxed	38252 3	1	white	79 W
WS 11 F1 KA* BR	boxed	38262 2	1	grey-brown	79 W

^{*} No surcharge for keyed alike option.



WinSafe WS 22

Window security for single and double sash windows

- VdS-approved security for windows made of wood and aluminium
- with two sturdy swivel bolts
- possible mounting positions: bottom, top and handle side
- simple self-installation
- easy to close
- fold thickness: 15-25 mm
- technical details: Page 162











ArtNo.		EAN	Pack	Colours	T I
		40 03482			
WS 22 W SB	visi	38271 4	3	white	79 W
WS 22 BR SB	visi	38281 3	3	grey-brown	79 W
WS 22 F1 KA*W	boxed	38292 9	1	white	79 W
WS 22 F1 KA* BR	boxed	38302 5	1	grey-brown	79 W

^{*} No surcharge for keyed alike option.

Accessories

=Sterling

uPVC locking sash jammer

- for use on all uPVC windows and doors
- supplied with a selection of packers for different frame thicknesses
- supplied complete with a comprehensive range of fixings

ArtNo. EAN Pack		Description	Finish		
		50 1656			
SJ2W	visi	701704 2	5	Sash Jammer, Lock & Fixings	white
SJ2WB	bagged	701706 6	10	Sash Jammer, Lock & Fixings	white



Sterling

Window lock

- suitable for hinged wooden windows
- locks window tight to frame
- secures with key
- simple to operate
- easy to fit

ArtNo.		EAN	Pack	Description	Finish
		50 1656			
LWL101	visi	701673 1	12	Window Lock	white



WinSafe



WinSafe WS 33

Window protection for the handle side

- VdS approved protection for inward opening windows and French windows
- VdS approved for windows made of wood, aluminium or plastic with metal insert
- simple to fit and operate
- once the cylinder lock is in the open position, it can be opened without a key
- no assembly required, supplied ready to fit
- durable cast housing
- easy to identify when in the locked position




- convenient sliding mechanism
- fold thickness: 9-25 mm
- technical details: Page 162












^{*} No surcharge for keyed alike option.



WinSafe WS 44

Window protection for the hinge side

- VdS approved protection for inward opening windows and French windows
- VdS approved for windows made of wood, aluminium or plastic with metal insert
- simple to fit and operate
- no assembly required, supplied ready to fit
- durable cast housing
- easy to identify when in the locked position
- convenient sliding mechanism
- fold thickness: 3-31 mm
- technical details: Page 162











ArtNo.			EAN	Pack	Colours
			40 03482		
WS 44 W	SB	visi	38561 6	3	white
WS 44 BR	SB	visi	38571 5	3	grey-brown
WS44W		boxed	38560 9	1	white
WS 44 BR		boxed	38570 8	1	grey-brown

WinSafe

WinSafe WR60/WZ60

Luxury bolt for doors and windows

- solid steel housing
- suitable for right or left surface mounting
- simple installation
- basic model WR 60 without cylinder lock
- for doors, gates, windows, skylights, lifting/sliding doors, caravans, boats, etc.
- fold thickness: 15-29 mmtechnical details: Page 162







ArtNo.		EAN	Pack	Colours	
		40 03482			
WR60W SB	visi	38351 3	3	white	
WR 60 BR SB	visi	38361 2	3	grey-brown	
WR 60 W	boxed	38350 6	1	white	
WR 60 BR	boxed	38360 5	1	grey-brown	
WZ60W SB	visi	38311 7	3	white	79 W
WZ 60 BR SB	visi	38321 6	3	grey-brown	79 W
WZ 60 F1 KA* W	boxed	38332 2	1	white	79 W
WZ 60 F1 KA* BR	boxed	38342 1	1 grey-brown		79 W

^{*} No surcharge for keyed alike option.

Template set

- metal template set
- easy handling
- for safe and precise assembly of WinSafe products







For WS 22



For WS 33



For WS 44

ArtNo.	EAN Pack Suitable f	or
	40 03482	
Template WS 11-44	84270 6 1 WinSafe WS	11-44

WinSafe replacement cylinder



WinSafe replacement cylinder

Suitable for the entire WinSafe series


- easy assembly and disassembly of the existing cylinder by changing key
- universally applicable for WS 11, WS 22, WS 33, WR 60 and WZ 60
- 4 different closures available
- replacement of the cylinder can only be done in the open position
- each package with 10 cylinders includes a change key




ArtNo.	EAN	Pack
	40 03482	
Key blank D 79 W	38450 3	20
WS ZS 79 F2 KA*	38382 7	10
WS ZS 79 F3 KA*	38392 6	10
WS ZS 79 F4 KA*	38402 2	10
WS ZS 79 F5 KA*	38412 1	10

^{*} No surcharge for keyed alike option.

Technical details








- WinSafe WS 11
 WinSafe
- WinSafe WS 33

WS 22

- WinSafe WS 44
- WinSafe WR/WZ60







WinSafe

WinSafe WD3

Window security for single or double sash windows

- with 2 sturdy swivel bolts
- assembly only onto the frame, no damage of the window leaf
- usable for left or right opening windows
- bolts automatically engage
- technical details: Page 165





ArtNo.		EAN	Pack	Colours	7
		40 03482			
WD3W SB	visi	30251 4	3	white	12 R
WD 3 BR SB	visi	30261 3	3	grey-brown	12 R
WD 3 ANT SB	visi	30253 8	3	anthracite	12 R
WD3W Z1 KA*	boxed	43812 1	1	white	12 R
WD3BRZ1KA*	boxed	43832 9	1	grey-brown	12 R





WinSafe WX4

- extremely solid
- with secure hinge function
- hardened steel claw bolts
- very high resistance to leverage tested pressure load: 600 kg
- close the window it is automatically protected
- for all inward opening windows
- can be used all around on four window sides, not for balcony doors (risk of locking out)
- opening angle for assembly on the hingeside: 95°
- easy assembly with the included professional drilling template



- up to 23 mm height difference (sash/frame)
- technical details: Page 165

ArtNo.			EAN	Pack	Colours	
			40 03482			
WX4W	SB	visi	30181 4	3	white	
WX4BR	SB	visi	30171 5	3	brown	



BlockSafe



BlockSafe B1

Solid window lock

- also offers extra protection for doors
- solid steel bolt
- solid cast housing
- precise bolt guide
- deep bolt insertion
- high protection against leverage
- with precision cylinder locking mechanism
- technical details: Page 165





ArtNo.			EAN	Pack	Colours	Y
			40 03482			
B1W	SB	visi	30311 5	3	white	65 R
B1BR	SB	visi	30301 6	3	brown	65 R
B 1 W Z1	KA*	boxed	46812 8	1	white	65 R
B 1 BR Z1 KA*		boxed	46712 1	1	brown	65 R

^{*} No surcharge for keyed alike option.



BlockSafe BS 2

Solid door lock

- also suitable for windows
- solid steel bolt
- solid cast housing
- precise bolt guide
- deep bolt insertion
- high protection against leverage
- with precision cylinder locking mechanism
- for tilted / slit open windows / doors, the extra-sturdy locking bar offers VdS-certified occupancy protection
- technical details: Page 165




ArtNo.			EAN	Pack	Colours	The state of the s
			40 03482			
BS2W	SB	visi	30331 3	3	white	65 R
BS 2 BR	SB	visi	30321 4	3	brown	65 R
BS 2W Z1	KA*	boxed	48612 2	1	white	65 R
BS 2 BR Z1 KA*		boxed	46912 5	1	brown	65 R

^{*} No surcharge for keyed alike option.


Door and window security


Data and accessories

Technical details



- WinSafe WD3
- WinSafe WX4
- 3 BlockSafe B1
- BlockSafe BS 2







MA 99 Duo

Assembly anchor for all VdS approved BURG-WÄCHTER door and window locks

- easy assembly
- high protection against burglary
- best leverage results on window profiles of plastic, wood or aluminium



ArtNo.		EAN	Pack	
		40 03482		
MA 99 DUO SB	visi	30291 0	5	

Door & window security

Accessories



Sterling

Patio door & window locks

- universal lock for patio doors
- suitable for most windows, hinged and sliding doors
- push to lock, key to unlock
- security fixing screws included
- surface mounting




ArtNo.		EAN	Pack	Description	Colour	7
		50 1656				KB0
PDL100	visi	700040 2	12	Press Lock	satin nickel	18
PLB100	visi	700015 0	12	Press Lock	brass	18
PLW100	visi	700013 6	12	Press Lock	white	18



Sterling

Multi-purpose door bolts

- locking bolt for increased door security
- optional ventilation position
- suitable for metal or wood hinged and sliding doors
- reversible bolt
- concealed fixings
- surface mounted
- simple to use



Single Pack

ArtNo.	EAN	Pack	Description	Colour	P
	50 1656				KB0
PDL200 visi	701416 4	6	Door Bolt	satin chrome	18
PLW200 visi	701425 6	6	Door Bolt	white	18
PLB200 visi	701417 1	6	Door Bolt	brass	18

Available keyed alike

Multi-Pack keyed alike pairs

PLW202 visi	701537 6	6	2 x Door Bolts	white	18



Strike plates for surface or flush mounting

Door security Door chains

VTK 910

- lockable door chain
- hardened chain
- can be operated from both inside and outside
- safety ring for door handle: no drilling required in door leaf or door frame
- edge protection for doors and door frames
- ideal for rented apartments, entrance doors and glass doors
- for doors with right/hand and left-hand hinge
- safety ring can be fixed in the lock part



ArtNo.			EAN	Pack	Colour
			40 03482		
VTK 910	SB	visi	40231 3	3	nickel-plated

Sterling

Door chains







DCC100

Heavy duty door chain suitable for timber and uPVC doors

ArtNo.		EAN	Pack	Туре	Finish
		50 1656			
DCB100	visi	700034 1	12	Standard	brass plated
DCC100	visi	700035 8	12	Standard	chrome plated
DCB200	visi	701446 1	10	Heavy Duty	brass plated
DCC200	visi	701447 8	10	Heavy Duty	chrome plated


uPVC



Sterling

uPVC lever door handles

- replacement handles for multi-point locks
- reversible for right or left handed doors
- sprung handles
- suitable for uPVC, Composite and Wooden doors



suitable for the most popular door locks with 92mm lock centres and 122mm fixing centres



Strong spring cassette

Single Pack

ArtNo.		EAN	Pack	Description	Colour
		50 1656			
DH10W	visi	701699 1	5	uPVC Universal Door Handle	white

Window security uPVC

Sterling

uPVC locking window handle

- direct replacement for all uPVC window handles
- ergonomic and contemporary design
- inline and offset options
- inline white handle available in durable aluminium
- push button release
- locking button
- 45mm spindle to fit all window profiles


Single Pack

ArtNo.		EAN	Pack	Description	Colour
		50 1656			
LWH10W	visi	701679 3	10	Inline Window Handle	white



(cut to size)

- available left handed
- offsets provide greater space for hand when opening



Endurance cycle tested: 25,000 operations

Salt spray tested: Corrosion resistant

Offset Left Handed

ArtNo.		EAN	Pack	Description	Colour
		50 1656			
LWH2W	visi	701692 2	10	Offset Window Handle	white

Inline







Window & door security



PA 2006

Personal alarm

- ideal for joggers, seniors, children, single persons...
- fits into pocket and key rings
- 100dB high-performance alarm
- incl. 3 button cells 1.5 V LR44

ArtNo.			EAN	Pack	Colours	
			40 03482			
PA 2006	SB	visi	14191 5	10	Assorted	



Magnetic door contact alarm with keypad

- activated when magnetic contact is separated
- keypad to arm and disarm
- choice of 256 different code options
- auto reset after 35 seconds
- loud 100dB alarm
- door mounting
- magnetic contact can be placed either side of unit
- battery operated: (4 x AAA batteries not included)

EA301 SB visi 702080 6 6 white	ArtNo.			EAN	Pack	Colours	
EA301 SB visi 702080 6 6 white				50 1656			
	EA301	SB	visi	702080 6	6	white	



PIR Motion sensor alarm with 2 remotes

- PIR detects motion up to 7mtrs
- infrared remote control key fobs
- key fobs arm and disarm up to 5mtrs
- auto reset after 30 seconds
- loud 102dB alarm
- wall mounting
- battery operated: (3 x AA batteries not included) 3 x LR44 (included in remote)

ArtNo.			EAN	Pack	Colours	
			50 1656			
EA501	SB	visi	702081 3	6	white	

Window, door and personal alarm

FSA 2020

Window security with alarm

- loud 110 dB alarm
- with a stable swivel bolt
- simple self-installation
- minimum width for mounting: 23 mm
- for windows made of steel, plastic, aluminium or wood





ArtNo.			EAN	Pack	Colour	
			40 03482			
FSA 2020	SB	visi	14182 3	5	white	

FTA 2005

Window and door alarm

- suitable for all windows and doors with hinge or sliding function
- 100dB high-performance alarm
- high quality plastic housing
- low battery consumption
- simple installation, self-adhesive no damage to window or door frames





ArtNo.			EAN	Pack		Colour
			40 03482			
FTA 2005	SB	visi	14181 6	5		white
			50 1656			
EA306	SB	visi	702079 0	6	Triple pack	white

Electronic door security

Video doorbell










WiFi Video Doorbell: Door eGuard 8500

- WiFi operation*** for maximum flexibility during installation
- upgrade set for existing 2-wire doorbell systems*
- the existing doorbell/chime can still be used*
- 160° live view with video and audio on demand
- brilliant HD video quality**
- · doorbell activation notification
- motion-controlled notifications
- two-way audio with noise reduction
- · easy installation and setup
- integrated infrared night vision LEDs
- integrated passive infrared (PIR) motion detector
- hard wiring with an extensive voltage range ~8 to 20 V-AC
- sun/rain canopy provides protection from the elements
- suitable for indoor and outdoor areas (IP55)
- battery operated 433 MHz radio chime for flexible use with an extensive range (up to 30 m) and 16 different ringtones offering 5 volume levels***





- Requires a minimum upload speed of 250 kbps, however, 1 Mbps is recommended for optimal performance.
- *** All ranges subject to ambient conditions.

12v Power supply















• optional power supply available for installations where existing door bell wiring is not present or unsuitable




ArtNo.	EAN	Pack	HxWxD
	40 03482		mm
DG 8500	48500 2	1	130×62×31 137×66×48 115×80×61
UK 12v 2A power supply	501656 760006 0	1	

Electronic door security

Door eGuard viewer

Electronic door spyhole Door eGuard 8100

- simple installation (door thickness 38 – 110 mm)
- clear, sharp image even in low light
- image displayed after one second
- installation only indoors
- incl. batteries






















ArtNo.	EAN	Pack	HxWxD
	40 03482		mm
DG 8100	37360 6	1	68 x 125 x 15



Electronic door spyhole Door eGuard 8200

- with doorbell function
- simple installation (door thickness 38 110 mm)
- up to 25 images can be stored on the internal memory (capacity can be extended with an 8 GB micro SD card)
- clear and sharp image, day and night (due to IR LED)
- clear image quality, even during low lighting conditions
- image displayed after one second
- easy operation with power button
- after pressing the power button, depending on the setting, the image is displayed for 10, 15 or 20 seconds
- installation only in weather protected outdoor areas
- incl. batteries

























ArtNo.	Colours	EAN	Pack	HxWxD
		40 03482		mm
DG 8200 W	white	37370 5	1	77 x 139 x 16
DG 8200 Si	silver	39310 9	1	77 x 139 x 16

WinProtec — Security grills Grills

WinProtec

Custom made window grills

WP MS 101 SB:

- heavy-duty cast cross piece with assembly template
- vertical and horizontal profile guide
- non-detachable fittings for the aluminium profiles

2 WP MS 102 SB:


- hardened steel wall anchor for non-detachable fittings
- cover caps for several assembly possibilities

3 WP MP 103/104 SB:

 if you wish to assemble onto houses with an overhanging window sill: Specially designed extension plates are available

4 WP SK 107/110 SB:

 hardened round steel core (nickel-plated) increases burglary protection: rotating steel bolts with hardened surface prevent sawing through





If the distance between the rungs is within a maximum of 245 mm, the security grills are VdS-certified.

Make use of the various assembly possibilities of winPROTEC:



Assembly onto the reveal



Assembly onto the house front



Assembly onto the window frame



Assembly onto the window or door frame

WinProtec — Security grills Grills


Ready-made grills in four sizes

- completely assembled security grills incl. accessories
- fits common window sizes
- non-detachable fittings
- ready assembled with installation materials
- colour: RAL 9003 Signal white

Clearance dimensions in mm


Security grill S

- for windows up to 50 x 70 cm
- grill dimension 70 x 90 cm
- composed of:
 - 1x WP MS 101 mounted
 - 2x WP MS 102 SB
 - 2 linear metre WP profil with steel bolts




Security grill M

- for windows up to 60 x 80 cm
- grill dimension 80 x 100 cm
- composed of:
 - 2x WP MS 101 mounted
 - 3x WP MS 102 SB
 - 3 linear metre WP profil with steel bolts



Security grill L

- for windows up to 80 x 100 cm
- grill dimension 100 x 120 cm
- composed of:
 - 4x WP MS 101 mounted
 - 4x WP MS 102 SB
 - 5 linear metre WP profil with steel bolts



Security grill XL

- for windows up to 100 x 120 cm
- grill dimension 120 x 140 cm
- composed of:
 - 6x WP MS 101 mounted
- 5x WP MS 102 SB
- 7 linear metre WP profil with steel bolts

ArtNo.	EAN	Grill dimension (W x H)	
	40 03482	cm	
Security grill S	83220 2	70×90	
Security grill M	83230 1	80 x 100	
Security grill L	83240 0	100 x 120	
Security grill XL	83250 9	120×140	

WinProtec — Security grills Grills

Assembled grills built to order

- ready to install security grill
- made to measure
- non-detachable fittings
- additional information and how to order can be found in product brochure or on www.burg.biz

ArtNo.	EAN	Notes
	40 03482	
Linear metre WP Profil with WP-SK	30820 2	Aluminium profile bars with hardened steel bolts
Linear metre WP Profil without WP-SK	30830 1	Aluminium profile bars without hardened steel bolts
WP-MS 101 assembled	30480 8	Cross piece ready assembled
Special packaging	30810 3	To ensure damage does not occur during delivery
Special packaging	300103	To crisure darriage does not occur during delivery

Accessories

- individually adjustable
- simple self-installation













WP MS 101

WP MS 102

WP MS 103

WP MS 104

WP SK 107/110


WP Profil 100/150

ArtNo.	EAN	Notes
	40 03482	
WP Profil 100	30410 5	Profile guide 1000 mm
WP Profil 150	30400 6	Profile guide 1500 mm
WP MS 101	30391 7	Cross piece
WP MS 102	30381 8	2 end pieces
WP MP 103	30371 9	Extension plate 1 slope 15°
WP MP 104	30361 0	Extension plate 2 16-25° slope
WP SK 107	30351 1	7 hardened steel inserts for WP Profi I 100
WP SK 110	30421 1	10 hardened steel inserts for WP Profile

Door closers

TS 1500

- compact rack-door-closer in size 3/4 for doors widths of 95 to 110 cm
- force and grade of closing easily adjustable through adjusting the gear block
- speed and final latching adjustable





ArtNo.		EAN I	Pack	HxWxD	Colours
		40 03482		mm	
TS 1500 S SB	visi	19751 6	2	50 x 177 x 40	silver
TS 1500 W SB	visi	19771 4	2	50 x 177 x 40	white












TS 2000 V

- closing force variable by offset mounting (size 3/4/5)
- according to DIN EN 1154 for door widths up to 95, 110 and 125 cm
- simple installation
- closing speed adjustable from the front
- final latching and closing speed adjustable
- suitable for outdoor use
- accessories: Page 181





ArtNo.		EAN	Pack	HxWxD	Colours
		40 03482		mm	
TS 2000 V S	boxed	15120 4	1	60x226x50	silver
TS 2000 V W	boxed	15140 2	1	60x226x50	white
TS 2000 V S SB	visi	15121 1	2	60x226x50	silver












Door closers



TS 4000 V

- 1 closer for 6 sizes: size 1-6 according to DIN EN 1154 for doors up to 75, 85, 95, 110, 125 and 140 cm
- closing force, closing speed and hydraulic damping adjustable from the front
- easy control of the closing force thanks to optical indicator
- simple installation
- final latching and closing speed adjustable
- approved for fire doors (with mounting plate TZB 4035)
- suitable for outdoor use
- accessories: Page 181













ArtNo.		EAN	Pack	HxWxD	Colours
		40 03482		mm	
TS 4000 V S	boxed	17480 7	1	60x288x47	silver
TS 4000 V W	boxed	18020 4	1	60×288×47	white

Door closers

TS 500

- reliable and efficient
- hydraulically steered
- speed and final latching adjustable
- incl. assembly instructions, template and fixing material

ArtNo.	Door width	Door weight
501	up to 75 cm	up to 20 kg
503	up to 95 cm	up to 60 kg
504	up to 110cm	up to 80 kg



ArtNo.			EAN	Pack	HxWxD	Colour
			40 03842		mm	
TS 501 S		boxed	17500 2	1	45 x 190 x 34	silver
TS 503 S		boxed	17510 1	1	50x196x37	silver
TS 504 S		boxed	17520 0	1	50x200x41	silver
TS 501 S	SB	visi	17501 9	2	45 x 190 x 34	silver
TS 503 S	SB	visi	17511 8	2	50x196x37	silver
TS 504 S	SB	visi	17521 7	2	50x200x41	silver





GTS 510

- door closers with guide rail
- hydraulic door closer
- speed and final latching adjustable
- hold-open arm included
- guide rails: 425 mm x 20 mm x 30 mm (LxHxD)

ArtNo.	Door width	Door weight
513	up to 95 cm	up to 60 kg
514	up to 110 cm	up to 80 kg



ArtNo.			EAN	Pack	HxWxD	Colour
			40 03482		mm	
GTS 513 S		boxed	18510 0	1	50x196x37	silver
GTS 514 S		boxed	18520 9	1	50x200x41	silver
GTS 513 S	SB	visi	18511 7	2	50x196x37	silver
GTS 514 S	SB	visi	18521 6	2	50x200x41	silver







Door closers

Sterling


Surface mounted door closers

- helps reduce heat loss and draughts
- suitable for left and right handed doors
- spring loaded
- adjustable tension
- closes doors up to 68kg
- strong zinc die-cast body











DCBK271 Black*



DCSC217 Satin Chrome



DCPC215B Polished Chrome



ArtNo.		EAN	Pack	Finish
		50 1656		
DCW207	visi	701000 5	10	white
DCBK271	visi	701007 4	10	black*
DCB209	visi	701001 2	10	polished brass
DCW207B	boxed	702272 5	10	white
DCBK271B	boxed	702268 8	10	black*
DCSC217B	boxed	702266 4	10	satin chrome
DCPC215B	boxed	702270 1	10	polished chrome

^{*} Suitable for outdoor use

Door closers and accessories

TR 86

- suitable for internal doors
- realiable operation: with nylon rope and spring balancer
- discreet









Accessories for TS 2000

* and TS 4000.

ArtNo.		EAN	Description	Colours
		40 03482		
TZB 2010 S	boxed	17470 8	Standard linkage*	silver
TZB 2010 W	boxed	17150 9	Standard linkage*	white
TZB 2035 S	boxed	17400 5	Fixing plate	silver
TZB 2033 S	boxed	17410 4	Door lintel bracket	silver
TZB 2036 S	boxed	17430 2	Glass door mount	silver
TZB 2060 S	boxed	17460 9	Hold-open arm*	silver
TZB 2060 W	boxed	18490 5	Hold-open arm*	white



Accessories for TS 4000

ArtNo.		EAN	Description	Colours
		40 03482		
TZB 4035 S	boxed	14790 0	Assembly plate DIN	silver
TZB 4035 W	boxed	15970 5	Assembly plate DIN	white

Accessories for TR 86

ArtNo.		EAN	Designation	Colours
		40 03482		
SZH + S 86 BR	boxed	28410 0	Spare rope with support for cable pull	brown
SZH + S 86 W	boxed	28400 1	Spare rope with support for cable pull	white

Doorstop



TF Ni

- stainless steel effect
- TF 125 Ni: Stroke 28 mm TF 165 Ni: stroke 36 mm
- with screws

ArtNo.			EAN	Pack	Colour
			40 03482		
TF 125 Ni	SB	visi	15741 1	5	stainless steel appearance
TF 165 Ni	SB	visi	15731 2	5	stainless steel appearance



TF 2

- solid construction
- stroke 30 mm
- with screws
- GST = Replacement rubber ring

ArtNo.			EAN	Pack	Colours
			40 03482		
TF 2	SB	visi	14521 0	3	silver
GST 2 W		boxed	28450 6	1	white



TF 3 W

- solid construction
- stroke 35 mm
- with screws

ArtNo.			EAN	Pack	Colour
			40 03482		
TF 3 W	SB	visi	14451 0	3	white

Holds door in any open position

TH

- stroke height adjustable from 9-16 mm
- with screws
- max. door weight: approx. 70 kg



ArtNo.			EAN	Pack	Colour
			40 03482		
TH 68	SB	visi	05431 4	5	nickel-plated

TSB 2585

- chromium steel rustproof
- no screwing necessary
- base and cap made of hard rubber to protect door from damage
- height of stainless steel base 30 mm, height of hard rubber cone 32 mm
- due to its design and the particularly high rubber cone, the doorstop is well suited for balcony doors which have a high distance to the floor or sill.



ArtNo.		EAN	Pac	k Colour	ØxH	Weight
		40 03482			mm	g
TSB 2585 CR	boxed	15920 0	1	chrome steel	85 x 62	1050

Solid doorstop



TSW

- wall door stop
- stainless steel
- incl. fixing material

ArtNo.			EAN	Pack	Colour	ØxL
			40 03482			mm
TSW 2365 Ni	SB	visi	15521 9	5	stainless steel	51x65
TSW 2390 Ni	SB	visi	155318	5	stainless steel	51x90



TWM

- for wall mounting
- stops and holds the door
- stainless steel effect

• wall bracket length: 95 mm

• holding force: approx 6-7 kg

• incl. fixing material

ArtNo.		EAN I	Pack	Colour	ØxL
		40 03482			mm
TWM 2495 Ni SB	visi	15721 3	3 s	tainless steel	33/45 x 95



TBM

- for floor fixing
- stainless steel effect
- holding force: approx 6-7 kg
- incl. fixing material

ArtNo.			EAN Pack	Colour	Height
			40 03482		mm
TBM 2430 Ni	SB	visi	15861 6 5	stainless steel	30



TSB 2140

- for floor fixing
- stainless steel effect
- varnished
- incl. fixing material

ArtNo.			EAN	Pac	k Colour	ØxH
			40 03482			mm
TSB 2140 Ni	SB	visi	15661 2	5	stainless steel	40x26

Solid doorstop

TSB 2145

- varnished stainless steel effect
- incl. fixing material

ArtNo.			EAN	Pack	Colour	ØxH
			40 03482			mm
TSB 2145 Ni		boxed	15650 6	5 10 s	tainless steel	45 x 25
TSB 2145 Ni	SB	visi	15651 3	3 5 s	tainless steel	45 x 25



TSB 2230 Ni

- varnished stainless steel effect
- incl. fixing material

ArtNo.			EAN Pack Colour	ØxH
			40 03482	mm
TSB 2230 Ni	SB	visi	15701 5 5 stainless stee	l 30x41



TWB 2230 Ni

- varnished stainless steel effect
- wall and floor fixing
- double buffered
- incl. fixing material

ArtNo.		EAN Pack Colour	ØxH
		40 03482	mm
TWB 2230 Ni	boxed	15710 7 10 stainless steel	30 x 44
TWB 2230 Ni SB	visi	15711 4 5 stainless steel	30x44



TSB 2235 Ni

- aluminium body, lacquered stainless steel effect
- incl. fixing material

ArtNo.			EAN F	Pack	Colour	ØxH
			40 03482			mm
TSB 2235 Ni	SB	visi	15681 0	5	stainless steel	35 x 37



Solid doorstop



Doorman 2195

- stops heavy doors
- protects delicate surfaces against damage
- assorted colours

ArtNo.		EAN F	Pack	Colours
		40 03482		
Doorman 2195	boxed	15840 1	10	Blue, orange, green



TPF 2050 Duo

- door bumper
- plastic, self-adhesive
- packed in pairs

ArtNo.		EAN Pack	Colour	ØxH
		40 03482		mm
TPF 2050 Duo	boxed	15430 4 50	white	50 x 14



TSB 2040

• plastic

ArtNo.		EAN Pag	k Colours	ØxH
		40 03482		mm
TSB 2040 GR	boxed	15410 6 60) Grey	40x25
TSB 2040 W	boxed	15420 5 60) white	40x25



TSB 2025

• plastic

ArtNo.		EAN Pack	Colours	ØxH
		40 03482		mm
TSB 2025 BG	boxed	15390 1 80	beige	25 x 30
TSB 2025 W	boxed	15400 7 80	white	25 x 30

Door wedges and window clips

TKL 2155

- door wedge
- stainless steel



ArtNo.			EAN	Pac	k Colour	HxWxD
			40 03482			mm
TKL 2155	SB	visi	14491 6	3	stainless steel	32 x 66 x 153

TKL

- door wedge
- transparent plastic
- in two sizes

ArtNo.		EAN Pack Colour	HxWxD
		40 03482	mm
TKL 2010 T	boxed	15450 2 80 transparent	16x35x100
TKL 2016 T	boxed	15460 1 40 transparent	20x35x160



FKL

- window clip
- transparent plastic
- prevents the slamming of an open window





Measuring tools

IDEAL FOR TRADESPERSONS AND DIY ENTHUSIASTS, OUR MEASURING INSTRUMENTS MAKE DAY-TO-DAY WORKING LIFE EASIER AND MORE CONVENIENT.

Multimeter	190
Moisture meter	191
Digital calliper	191
Detectors	192
Infrared thermometer	193
Laser angle	193
Digital hand balance	194
Tyre pressure dauge	195



Multimeter Multi



Multimeter

Multi PS 7455

Measurement of voltage, current, resistance, continuity test, temperature, diodes, battery voltage

- measures electrical devices such as computers, televisions and electrical household appliances with auto range function
- digital display for easy reading

Max. voltage between terminals and earth	600 V DC or AC rms
Fuse	μ A/mA range: FF 400 mA H 600 V 10 A range: FF 10 A H 600 V
Operating height	Max. 2000 m (7000 ft)
Max. display values	1999 (3 1/2)
Polarity indicator	"-" indicates negative polarity
overload limit	"OL" display
Measuring range selection	Automatic and manual
Power supply	1x 9 V block battery
Operating temperature	0°C to +40°C
Storage temperature	-10°C to +60°C
Relative humidity	In operation: < 80 % during storage: < 70 %
Display	20 mm LCD
Dimensions	148x73.5x50mm















ArtNo.	EAN	Info
	40 03482	
MULTI PS 7455	74550 2	batteries included

Moisture meter, digital calliper Dry, Precise

Moisture meter

Dry PS 7400

Detects damp in a variety of materials

• with two electrodes, measures moisture e.g. in firewood, walls and cement screed etc.

Measuring range	Wood: 4-60 % Solid materials: 0.2-3.0 %
Resolution	Wood: 1 % Solid materials: 0.1 %
Accuracy	Wood: <30 %: ±2 %; ≥30 %: ±4 % Solid materials: <1.4 %: ±0.1 %; ≥1.4 %: ±0.2 %
Power supply	4 x 1.5 V (e. g. LR44)
Optimum ambient conditions	0°C to +40°C, air humidity < 85 %
Storage temperature	-10°C to +50°C, air humidity < 85 %
Dimensions	90x50x20mm





ArtNo.	EAN	Info
	40 03482	
DRY PS 7400	74000 2	incl. battery and bag





Digital calliper

Precise PS 7215

Measure fine distances and diameters conveniently and easily

- with ZERO/ABS function for setting a relative zero point
- display adjustable: mm or inch

Accuracy	0.01 mm
Measuring range	0 – 150 mm
Operating temperature	0 to +40°C
Relative air humidity	< 40 %
Storage temperature	-10 to +60°C
Power supply	1 button cell 1.5 V AA (e.g. LR 44)
Dimensions	245 X 90 x 28 mm (plastic box)





ArtNo.	EAN	Info
	40 03482	
PRECISE PS 7215	72150 6	incl. battery and box









Detectors Locate



Multifunction detector

Locate M PS 7300

Reliably detects obstacles!

- **detects** metal pipes, electricity cables, stud frame walls (joists/cavities), with visual and acoustic signal
- automatic calibration

Typical measuring depths	Wooden beams: 30 x 30 mm ≤ 30 mm Metal pipes Ø 20 mm: ≤ 50 mm Power supply: For 220-260 V at 50-60 Hz ≤ 50 mm
Operating temperature	-7°C to +40°C, air humidity < 75 %
Storage temperature	-20°C to +50°C, air humidity < 85 %
Power supply	9 V battery (e.g. 6LR61)
Dimensions	175x80x60mm











ArtNo.	EAN	Info
	40 03482	
LOCATE M PS 7300	73000 3	incl. battery and bag



Multifunction detector

Locate S PS 7320

Provides safety when drilling

• detects: pipes, power lines

• checks: light bulbs, fuses and batteries

• sensitivity manually adjustable

Metal sensor	for metal objects with a diameter of 20 mm
Max. detection depth	30 mm
Alternating current voltage	70 to 660 VAC
Current flow test	0-50 ΜΩ
Direct current polarity test	6-36 VDC
Operating temperature	-10°C to +40°C
Storage temperature	-10°C to +50°C
Power supply	9 V battery (e.g. 6LR61)
Dimensions	170x34x29mm











ArtNo.	EAN	Info
	40 03482	
LOCATE S PS 7320	73200 7	incl. battery and bag

Infrared thermometer, Laser angle Energy, Cross

Temperature meter

Energy PS 7420

Measures at a distance using infrared technology and laser pointer:

- heat leaks in homes and apartments
- operating temperatures
- air conditioning performance

31	
Measuring range	-20°C to +330°C (0°F to 626°C)
Accuracy	≤ 0 °C to -20 °C: ±4 % 0 °C to +180 °C: ± (2 %+2 °C) ≥+180 °C to +330 °C: ±3%
Response time	≤ 1 second
Working environment	0°C to +50°C
Power supply	9V battery (e.g. 6LR61)
Distance to spot ratio	5:1
Dimensions	160 x 100 x 45 mm



















Laser angle Cross PS 7510

Projects 2 laser lines at an angle of 90°

- vacuum cups fix the device to the floor
- built-in levels assist in alignment
- by means of a graduated scale, diagonal operations in 5° steps are possible

Length of laser line	max. 8 m (depending on light conditions)
Accuracy	± 0.1°
Laser output	< 1 mW
Laser wavelength	650 nm
Operating temperature	0°C to +40°C
Power supply	3 batteries 1.5 V AA (e.g. LR6)
Dimensions	150 x 150 x 51 mm





ArtNo.	EAN	Info
	40 03482	
CROSS PS 7510	75100 8	batteries included





Digital hand balance

Tara



Digital hand balance

Tara PS 7600

Accurately determines the weight, up to 40 kg!

- weighs suitcases, packages and much more
- tare function
- practical for travelling, light and handy
- adjustable from kg to lbs

Measuring range	200 g to 40 kg
Units of weight	g, oz, kg and lb
Accuracy	to 10 kg -> +/- 100 g from 10 kg -> +/- 1 %
Operating temperature	0°C to +40°C
Storage temperature	-10°C to +55°C
Power supply	2 pc. 1.5 V AAA Micro (e.g. LR03)
Weight	180 g (incl. batteries)
Dimensions	120x59x30mm (incl. handle)











ArtNo.	EAN	Info
	40 03482	
TARA PS 7600	76000 0	incl. battery and bag



Digital hand balance

Tara PS 7610

Accurately determines the weight, up to 50 kg!

- weighs suitcases, packages and much more
- tare function
- very convenient when travelling
- adjustable from kg to lbs

Measuring range	Max. 50 kg	
Units of weight	g, oz, kg and lb	
Accuracy	to 20kg -> +/- 300g from 20kg to 50kg -> +/- 600g	
Operating temperature	0°C to +40°C	
Storage temperature	-10°C to +55°C	
Power supply	1 pc. CR 2032 lithium button cell	
Weight	180 g (incl. batteries)	
Dimensions	150 x 30 x 35 mm (excl. hooks)	









ArtNo.	EAN	Info
	40 03482	
TARA PS 7610	76100 7	batteries included

Digital hand balance, tyre pressure gauge Tara, Tyre

Digital hand balance

Tara PS 7620

Accurately determines weight up to 40 kg

- for suitcases, packages ...
- tare function

Art.-No.

TARA PS 7620

- convenient when travelling
- adjustable from kg to lbs

Measuring range	200 g to 40 kg	
Units of weight	g, oz, kg, lb and jin	
Accuracy	to 20kg -> +/- 100g from 20kg to 40kg -> +/- 250g	
Operating temperature	0°C to +40°C	
Storage temperature	-10°C to +55°C	
Power supply	2 pc. 1.5 V AAA Micro (e.g. LR03)	
Weight	180 g (incl. batteries)	
Dimensions	115 x 70 x 25 mm (excl. hooks)	











Tyre pressure gauge Tyre PS 7470

With tread depth gauge.

- measurement of tyre pressure for cars and bicycles
- includes adapter for French valves
- flashlight function

Measuring range	0-14 bar
Accuracy	± 1 %
Pressure measurement unit	0-200 psi 0-14 kgF/cm ² 0-1400 kPa
Measuring range Profile depth	0-22 mm
Power supply	1 button cell battery CR 2032



Info

batteries included

EAN

76200 4

40 03482.



ArtNo.	EAN	Info
	40 03482	
TYRE PS 7470	74700 1	batteries included











Cash boxes and key cabinets

WE OFFER A BROAD RANGE OF PRACTICAL CASH BOXES AND SPACIOUS KEY CABINETS FOR BOTH DOMESTIC AND COMMERCIAL APPLICATIONS.

Premium cash boxes	198
Standard cash boxes	200
Euro cash boxes	203
Coins & notes trays	204
Cigarette bins	206
Keyboards	207
Stainless key boxes	208
Motif key boxes	209
Heavy duty key cabinets	210
Standard key cabinets	214
Key tags & accessories	217
Key security safes	218
Key safes	219
SafeCan	222



Cash boxes and key cabinets

Premium



Fire protective cash box FireProtect FP 22 K

- document box with key lock (max. DIN A4, 297 x 210 mm)
- protects your documents against fire and theft
- double-walled
- solid plastic material filled completely with fire protection material
- certified fire protection #UL 72. maximum measured internal temperature after 30 minutes at up to 1,093° C: €90°
- optimal protection for your documents

- prepared for floor fixing (for screws up to max. 6 mm and corresponding washers), fixing materials not included
- weight 10,5 kg
- foldable carrying handle
- includes two keys





ArtNo.	EAN	HxWxD
	40 03482	mm (inner/outer)
FP 22 K	39850 0	85×225×315/ 155×280×410



Deed boxes

- for the storage of important documents
- available in 2 sizes:
 DB01 for A4 documents
 DB02 for folders and documents
- strong black powder coated steel box
- lock and carry handle

ArtNo.	EAN	HxWxD	Colour
	50 1656	mm	
DB01 12"	701516 1	90 300 240	Black
DB02 141/2"	701517 8	90 370 280	Black

Premium

Royal

Strong sheet steel housing, seamlessly welded and made in Germany

- inset double-walled lid
- brass cylinder lock
- tray



ArtNo.	EAN	HxWxD
	40 03482	mm
Royal 300	05930 2	118x300x235

Royal A

Strong sheet steel housing, seamlessly welded with secure base

- with additional screw-on base for additional safety
- inset double-walled lid
- brass cylinder lock
- tray



ArtNo.	EAN	HxWxD
	40 03482	mm
Royal 300 A	06000 1	120x300x240

Standard



Office Line

- brass pin cylinder
- fold-down handle
- includes cash tray

• Additional info:

The Money 5012 cash box replaces the Office 2127 cash box

ArtNo.	EAN	HxWxD	Colours
	40 03482	mm	
Office 2167 W	28790 3	73 x 173 x 130	white
Office 2167 BL	29800 8	73 x 173 x 130	blue
Office 2207	28700 2	75 x 202 x 157	red
Office 2257	28710 1	75x255x200	white
Office 2307	28720 0	75x330x235	blue



Universa CKS

low profile

- brass pin cylinder
- includes cash tray
- fold-down handle

- concealed hinge
- low profile fits perfectly into drawers

ArtNo.	EAN	HxWxD	Colours
	40 03482	mm	
Universa CKS 167	23100 5	75 x 165 x 130	blue
Universa CKS 207	23110 4	75x205x160	silver
Universa CKS 257	23120 3	75x255x205	blue
Universa CKS 307	23130 2	75x310x235	silver



Universa CKS

extra height

- brass pin cylinder
- includes cash tray
- fold-down handle
- concealed hinge
- extra height design

ArtNo.	EAN	HxWxD	Colours
	40 03482	mm	
Universa CKS 200	23140 1	90x205x160	blue
Universa CKS 250	23150 0	100x255x205	silver
Universa CKS 300	23160 9	110x310x235	blue

Standard

Money 5012

- small cash box with coin slot
- Includes coin tray
- with fold-down handle
- available in the colours red, blue and white

• Additional info.: The Money 5012 cash box replaces the Office 2127 cash box



ArtNo.	EAN	HxWxD	Colours
	40 03482	mm	
Money 5012 red	40090 6	60 x 125 x 95	red
Money 5012 blue	40100 2	60 x 125 x 95	blue
Money 5012 white	40110 1	60 x 125 x 95	white

Money Code

Cash box with combination lock

- three dial combination lock
- resettable combination
- rotary knob protrudes approx. 15 mm
- includes cash tray
- fold-down handle

		EAN	HxWxD	Colours
		40 03482	mm	
Money Code 5020 / CB02C red	8"	10692 1	90x200x160	red
		50 1656	mm	
Money Code 5020 / CB02C blue	8"	701979 4	90x200x160	blue
Money Code 5020 / CB02C black	8"	701721 9	90x200x160	black
		40 03482	mm	
Money Code 5025 / CB03C blue	10"	10702 7	90x250x180	blue
		50 1656	mm	
Money Code 5025 / CB03C red	10"	701984 8	90x250x180	red
Money Code 5025 / CB03C black	10"	701749 3	90x250x180	black





Money 5015 - 5030

- secure lock supplied with 2 keys
- removable partitioned tray
- strong recessed metal handle
- matt finish and rounded corners

ArtNo.		EAN	HxWxD	Colours
		40 03482	mm	
Money 5015 / CB01 red	6"	40040 1	80 x 150 x 120	red
Money 5015 / CB01 green	6"	10670 9	80 x 150 x 120	green
		50 1656	mm	
Money 5015 / CB01 blue	6"	701973 2	80 x 150 x 120	blue
Money 5015 / CB01 black	6"	700623 7	80 x 150 x 120	black
		40 03482	mm	
Money 5020 / CB02 blue	8"	10690 7	90 x 200 x 160	blue
Money 5020 / CB02 grey	8"	40050 0	90 x 200 x 160	grey
		50 1656	mm	
Money 5020 / CB02 red	8"	701975 6	90 x 200 x 160	red
Money 5020 / CB02 black	8"	700624 4	90 x 200 x 160	black
		40 03482	mm	
Money 5025 / CB03 red	10"	40060 9	90 x 250 x 180	red
Money 5025 / CB03 black	10"	10700 3	90 x 250 x 180	black
		50 1656	mm	
Money 5025 / CB03 blue	10"	701982 4	90 x 250 x 180	blue
		40 03482	mm	
Money 5030 / CB04 grey	12"	10710 2	90 x 200 x 160	grey
		50 1656	mm	
Money 5030 / CB04 blue	12"	701991 6	90 x 300 x 240	blue
Money 5030 / CB04 red	12"	701990 9	90 x 300 x 240	red
Money 5030 / CB04 black	12"	700626 8	90 x 300 x 240	black



Coin tray cash box

- sterling (GBP) coin and note trays
- integral coin counter
- recessed handle
- strong steel construction
- matt finish and rounded corners

ArtNo.	EAN	HxWxD	Colours
	50 1656	mm	
CB03GB BK 10"	701722 6	90 x 250 x 185	Black
CB03GB BL 10"	701988 6	90 x 250 x 185	Blue
CB03GB R 10"	701987 9	90 x 250 x 185	Red

EURO cash boxes

with trays

Office

Cash box with cash & coin trays

- EURO tray for notes and coins
- tray for coins can be placed into the open lid
- tray can be removed from the box
- low profile fits perfectly into drawers



ArtNo.	EAN	HxWxD
	40 03482	mm
ZK 2257 EURO	28730 9	75x255x200
ZK 2307 EURO	28740 8	75 x 330 x 235

Cash box Money

Cash box with cash & coin trays

- EURO tray for notes and coins
- coin insert extends when the cash box is opened
- foam material padding secures the coins during transport
- fold-down handle



ArtNo.	EAN	HxWxD
	40 03482	mm
ZK Money 5030 EURO	40080 7	90x300x240

EURO cash trays

Coin trays



EURO cash trays

- cash boxes and drawer trays
- for notes and coins
- ZE 250 EURO: For cash box Office 2257
- ZE 300 EURO: For cash box Office 2307

ArtNo.	EAN	HxWxD
	40 03482	mm
ZE 250 EURO	24660 3	65 x 253 x 194
ZE 300 EURO	24670 2	65x326x228



EURO coin trays

- drawer trays
- for coins only

ArtNo.	EAN	HxWxD
	40 03482	mm
ZE 251 EURO	24680 1	50x249x146
ZE 301 EURO	24690 0	50x326x167



division coins: ZK 2257 EURO ZE 250/251 EURO

piece



division notes: ZK 2257 EURO ZE 250 EURO



division coins: ZK 2307 EURO ZE 300/301 EURO



division ZK 2307 EURO ZE 300 EURO

Cash boxes trays

Travs

made of shock-resistant high quality plastic



Tray 14

ArtNo.	Compartments	EAN	HxWxD	suitable for
		40 03482	mm	
Tray 3	5	07040 6	32 x 287 x 202	Royal 300
Tray 7	5	07080 2	31 x 190 x 123	Office 2207
Tray 8	5	07090 1	32 x 240 x 168	Office 2257
Tray 14	2	08810 4	39x151x115	Universa CKS 167 Office 2167
Tray 15	5	08820 3	44 x 192 x 142	Universa CKS 200, 207
Tray 16	5	08830 2	45 x 242 x 188	Universa CKS 250, 257
Tray 17	5	08840 1	45x296x218	Universa CKS 300, 307 Office 2307



Tray 3 – 17 (except 14)

Cigarette bins



Cigarette bins

- wall mounting
- sloping top design
- removable collection box

ArtNo.	EAN	HxWxD	Colours
	50 1656	mm	
CIG2 ST Stainless Stee	701644 1	320 x 255 x 75	Stainless Steel



ArtNo.	EAN	HxWxD	Colours
	50 1656	mm	
CIG2 BK Galvanised Steel	701643 4	320 x 255 x 75	Black



ArtNo.	EAN	HxWxD	Colours
	50 1656	mm	
CIG1 BK Galvanised Steel	701642 7	323 x 147 x 60	Black

Key boards

stainless steel

Nuvola

- stainless steel
- cloud shaped design
- concealed fixing
- hook spacing: 76 mm



ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6400/6 Ni	09430 3	170x332x31	6



Varese

- stainless steel
- sweeping wave design
- hook spacing: 42 mm



ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6400/8 Ni	09440 2	208 x 150 x 81	8



stainless steel



Como

- stainless steel body and door
- $\bullet\,$ door DIN left, opening angle approx. 180 $^\circ$
- hook spacing: 34 mm



ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6401/22 Ni	09410 5	250x235x57	22



Slot

- magnetic lock with adjustable strength
- stainless steel door
- black sheet metal housing
- opening angle approx. 90°
- hook spacing: 33 mm



ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6220/10 Ni	33530 7	240x210x70	10



Quad

- magnetic lock with adjustable strength
- stainless steel door
- black sheet metal housing
- opening angle approx. 90°
- hook spacing: 33 mm



ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6204/10 Ni	33520 8	240x210x70	10

with motif design

Motif key box

Key box with high quality printed stainless steel door

- magnetic lock with adjustable strength
- black steel case
- large selection of designs
- opening angle approx. 90°
- hook spacing: 33 mm

• Additional info.:

Collection subject to change. The current range of products can be found at www.burg.biz



Dandelion



Skyline NY



Paris Metro



Berlin Night



Tour Eiffel



Big Ben



Manhattan

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6204/10 Ni	20040.2	240 240 70	10
Big Ben	38840 2	240×210×70	10
6204/10 Ni	20020.2	24021070	10
Manhattan	38830 3	240×210×70	10
6204/10 Ni	20050 1	240 - 210 - 70	10
Tour Eiffel	38850 1	240×210×70	10
6204/10 Ni	20010.2	24021070	1.0
Skyline NY	38910 2	240x210x70	10
6204/10 Ni	20050.0	240 240 70	1.0
Dandelion	38950 8	240x210x70	10
6204/10 Ni	20060.7	24021070	10
Paris Metro	38960 /	240×210×70	10
6204/10 Ni	20070.6	24021070	10
Berlin Night	38970 6	240×210×70	10



Key cabinets from 300 to 3000 hooks



Large key cabinet

- with fold-out inner key board
- cylinder lock
- light grey (RAL 7035)

- - hook spacing: 30 mm adjustable hook strips

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6800/300	11590 9	800x905x220	312
6800/400	11600 5	800x905x220	420
6800/500	11610 4	800x905x220	494
6800/600	11620 3	800x905x220	598
6800/700	11630 2	800x905x220	702
6800/800	11640 1	1300x905x220	780

Version V-PZ

- prepared for profile half-cylinders, not included
- hook spacing: 30 mm

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6800/300 V-PZ	21410 7	800 x 905 x 220	312
6800/400 V-PZ	21420 6	800x905x220	420
6800/500 V-PZ	21430 5	800x905x220	494
6800/600 V-PZ	21440 4	800x905x220	598
6800/700 V-PZ	21450 3	800x905x220	702
6800/800 V-PZ	21460 2	1300x905x220	780



Large key cabinet

- with strong, telescopic pull-outs: models 1000 + 2000: 5 pc. models 1500 + 3000: 8 pc.
- hook strips easily adjusted
- convenient key index in the inside of the door
- light grey (RAL 7035)
- hook spacing: 30 mm

ArtNo.	EAN	HxWxD	Weight	Hooks
	40 03482	mm	kg	
6900/1000	11650 0	850 x 500 x 420	84	1000
6900/1500	19590 1	850x780x420	111	1500
6900/2000	11680 7	1700x600x420	161	2000
6900/3000	11690 6	1700x800x420	202	3000

Version V-PZ

- prepared for profile half-cylinders, without cylinder hook spacing: 30 mm

ArtNo.	EAN	HxWxD	Weight	Hooks
	40 03482	mm	kg	
6900/1000 V-PZ	21920 1	850 x 500 x 420	84	1000
6900/1500 V-PZ	246108	850x780x420	111	1500
6900/2000 V-PZ	24620 7	1700x600x420	161	2000
6900/3000 V-PZ	24630 6	1700x800x420	202	3000

Key cabinets

Heavy duty key cabinets Single Door

A comprehensive, fully adjustable range of key cabinets to control the movement and management of keys


- adjustable colour coded hook rails
- strong 1mm steel cabinet
- removable indexing system
- simple key selection and storage
- secure lock supplied with 2 keys
- key tags included
- wall fixings supplied
- tough and resilient powder coating



^{*} supplied with ESN3011 cylinder lock

Heavy duty key cabinets Double Door

- adjustable colour coded hook rails
- strong 1mm steel cabinet
- removable indexing system
- simple key selection and storage
- secure lock supplied with 2 keys
- locked / unlocked indicator
- key tags included
- wall fixings supplied
- tough and resilient powder coating



ArtNo.	EAN	HxWxD	Description	Hooks
	50 1656	mm		
KC200HL	701520 8	550 x 730 x 80	Double Doors	200
KC300HL	701521 5	550 x 730 x 140	Double Doors	300
KC400HL	701522 2	550 x 730 x 140	Double Doors	400



Key cabinets

Premium, up to 288 hooks



Key cabinet

- consists of two halves that snap into open / closed position
- robust construction
- numbered & adjustable key strips
- hook heads covered with red plastic caps
- neutral paper strip on the back, removable for individual labelling
- R = standard version, door handed right
- L = special version, door handed left, no surcharge
- W = only for cylinder key, smaller spacing of the hook strips
- key register
- light grey (RAL 7035)
- hook spacing: 30 mm

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6500/48 R	06690 4	350x265x80	48
6500/48 L	06700 0	350x265x80	48
6500/78 R	06730 7	450x325x80	78
6500/78 L	06740 6	450x325x80	78
6500/120 R	06770 3	550x385x80	120
6500/120 L	06780 2	550x385x80	120
6500 Z/64 R	06710 9	350x265x80	64
6500 Z/64 L	067208	350x265x80	64
6500 Z/98 R	06750 5	450x325x80	98
6500 Z/98 L	06760 4	450x325x80	98
6500 Z/144 R	06790 1	550x385x80	144
6500 Z/144 L	06800 7	550x385x80	144



Large key cabinet

- snaps into T-shape when open so that all key hooks are equally accessible
- both halves of the cabinet can be opened individually each half is secured with a lock
- robust construction
- numbered, adjustable key strips
- hook heads secured with red plastic caps
- neutral paper strip on the back, removable for individual labelling
- R = standard version, door handed right
- L = special version, door handed left, no surcharge
- W = only for cylinder key, smaller spacing of the hook strips
- key register
- light grey (RAL 7035)
- hook spacing: 30 mm

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6600/240 R	06810 6	550 x 385 x 160	240
6600/240 L	06820 5	550x385x160	240
6600 Z/288 R	06830 4	550 x 385 x 160	288
6600 Z/288 L	06840 3	550 x 385 x 160	288

Key cabinets up to 204 hooks

Key cabinet

- fold-out inner key board
- brass pin cylinder
- door hinged on right side
- dual colour finish: body dark grey, door light grey
- sizes 57-108: 1 inner key board
- sizes 176+204: 2 inner key boards
- hook spacing: 30 mm



ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6700/57 R	13150 3	280x215x70	57
6700/74 R	13160 2	330x245x85	74
6700/108 R	13430 6	380 x 285 x 105	108
6700/176 R	13170 1	380x285x105	176
6700/204 R	13180 0	430x325x125	204

Version V-PZ

- prepared for profile halfcylinders, cylinder not included
- can be integrated into locking systems
- hook spacing: 30mm
- important: cam must be locked at 90°

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6700/57 R V-PZ	12240 2	280x215x70	57
6700/74 R V-PZ	12250 1	330x245x85	74
6700/108 R V-PZ	12260 0	380 x 285 x 105	108
6700/176 R V-PZ	12270 9	380 x 285 x 105	176
6700/204 R V-PZ	12280 8	430 x 325 x 125	204

Key cabinet

- key racks can be labelled
- convenient: includes key tags for labelling and organising keys (see Page 217)
- magnetic door with additional cylinder lock and 2 keys
- prepared for wall mounting
- pale grey
- hook spacing: 30 mm

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6750/48 R	10460 6	560x280x50	48
6750/72 R	10470 5	455 x 380 x 50	72
6750/96 R	10640 2	595 x 380 x 50	96
6750/120 R	10650 1	710x380x50	120



Standard



CityLine

- solid key box
- brass cylinder
- hook strips numbered consecutively, hook heads covered with red plastic caps
- neutral paper strip on the back for individual labelling
- white (RAL 9003)
- hook spacing: 30 mm

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
CS 15	06300 2	205 x 160 x 75	15
CS 24	06310 1	255 x 205 x 75	24
CS 42	06330 9	310x235x75	41



Version V-PZ

- prepared for profile half-cylinders, cylinder not included
- can be integrated into locking systems hook spacing: 30 mm
- important: The cam must be locked

EAN	HxWxD	Hooks
40 03482	mm	
05000 2	205 x 160 x 75	15
05010 1	255x205x75	24
05030 9	310x235x75	41
	40 03482 05000 2 05010 1	

Standard

Key cabinet

- combination lock with 3 dials
- resettable combination
- black matt finish
- armature protrudes 15 mm
- hook spacing: 23 mm

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
KC 20 C	35900 6	200 x 160 x 80	20
KC 36 C	35910 5	300x240x80	36
	50 1656		
KC 20 C with key tags	701448 5	200x160x80	20
KC 36 C with key tags	701729 5	300x240x80	36



Key-box

- soft rounded shape
- brass pin cylinder

- in black and white (S = black, W = white)
- hook spacing: 27 mm

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
KB 15 W	28240 3	202 x 157 x 75	15
KB 15 S	28230 4	202 x 157 x 75	15
KB 24 W	28260 1	255x200x75	24
KB 24 S	28250 2	255x200x75	24
KB 35 W	28390 5	330x235x75	35



Emergency key cabinet

- break-glass for quick access in an emergency
- red painted steel case (RAL 3020 traffic red)
- 1 key hook

ArtNo.	EAN	HxWxD	Hooks
	40 03482	mm	
6160	06610 2	167 x 130 x 64	1
6161 with hammer	06620 1	167 x 130 x 64	1
Hammer HMK1	066508		
Pane SCH1	06640 9	115×65	
	50 1656		
Point EB01	701550 5	150 x 120 x 40	1
Point EB01 BG Pane	701945 9	Replacement gla	SS
	50 1656		
CEB01KA*	701944 2	Replacement car	n lock









- available in 7 popular sizes
- complete with colour key tags
- indexing system for easy key selection
- strong steel construction
- secure lock with 2 keys
- locked / unlocked indicator









ArtNo.	EAN	HxWxD	Hooks
	50 1656	mm	
KC15	701225 2	200 x 160 x 60	15
KC24	701456 0	250 x 180 x 60	24
KC36	701457 7	250 x 180 x 80	36
KC48	701458 4	250 x 180 x 80	48
KC80	701229 0	370 x 280 x 80	80
KC110	701460 7	370 x 280 x 80	110
KC140	701461 4	370 x 280 x 80	140

Key cabinets

Accessories

Key strips HLW

- numbered, for wall mounting
- hook spacing: 30 mm



ArtNo.	EAN	length	Hooks
	40 03482	mm	
HLW 5	10500 9	160	5
HLW 6	10510 8	190	6
HLW 7	10520 7	220	7
HLW 8	10530 6	250	8
HLW 10	10540 5	310	10
HLW 12	10550 4	370	12

Model	Notes
Key cabinets	Keyed alike or as per sample
(except Key Box	Key cut as per no. or sample
and 6750)	Key blanks

Key tags

ArtNo.	EAN	PU
	40 03482	
KT 6750	18470 7	50



Key Tags

- flexible, coloured plastic key tags
- assorted colours
- easy fold display carton
- contents: 200 per box

ArtNo.	EAN	PU
	50 1656	
KT 01	701280 1	200
KT 03	701282 5	200





Key cabinets





KC25S

Key security safes

- heavy duty steel cabinet: body thickness 1mm door thickness 4mm
- double bolted
- electronic combination lock with LCD display
- allows up to 2 separate access codes
- emergency key override
- powder coated
- adjustable colour coded hook rails
- 10 year guarantee (1 year electronics)
- key tags included



ArtNo.	EAN	HxWxD	Hooks
	50 1656	mm	
KC25S	701546 8	310 x 350 x 120	25
KC60S	701547 5	340 x 400 x 120	60
KC100S	701548 2	400 x 550 x 120	100

Key Safes

Key safe

Sterling

KeyMinder 1

- secure storage for keys
- for home and office
- controlled access without duplicate keys
- 10,000 resettable combinations
- strong zinc die-cast body resists attack
- weather resistant
- "0-0-0-0" Auto stop aids opening in poor light
- access to combination holders only
- shared access for occupants
- includes fitting gasket for wall mounting





ArtNo.	EAN	HxWxD	Max. key length
	50 01656	mm	cm
KM1	701453 9	83 x 68 x 37	7

Sterling

KeyMinder 3

- storage for door, padlock & car keys
- can also be used indoors as a small safe for valuables & credit cards
- maximum key length 11cm
- includes fitting gasket for wall mounting





ArtNo.	EAN	HxWxD	Max. key length
	50 01656	mm	cm
KM3	701728 8	125 x 82 x 37	11

Key Safes Key safe

- secure storage for keys and other valuables
- allows 24 hour access to keys ideal for providing access when not at the property (tradesmen, car rental, service, care personnel, holiday guests, etc.)
- very strong zinc die-cast body
- 4-digit, individually adjustable combination
- 10,000 different codes possible
- '0-0-0-0' auto stop aids opening in poor light
- for wall mounting indoors or protected outdoor areas
- incl. fixing material (4 screws and dowels)



Key Safe 10

- integrated key hook
- for maximum key length 7 cm



ArtNo.		EAN	HxWxD	Max. key length	Brand
		40 03482	mm	cm	
Key Safe 10 SB	visi	37990 5	85 x 61 x 39	7	BURG-WÄCHTER
		50 01656			
KM2	visi	701727 1	85 x 61 x 39	7	STERLING



Key Safe 20

- magnetic key ring holder
- for maximum key length 12 cm



ArtNo.		EAN	HxWxD	Max. key length	Brand
		40 03482	mm	cm	
Key Safe 20 SB	visi	38000 0	135 x 83 x 46	12	BURG-WÄCHTER
		50 01656		cm	
KM4	visi	701747 9	135 x 83 x 46	12	STERLING



Key Safe 30

- for maximum key length 9 cm
- combination dials protected by sliding protective flap





ArtNo.		EAN	HxWxD	Max. key length
		40 03482	mm	cm
Key Safe 30 SB	visi	39650 6	120×90×40	9

Key Safes

Key safe

- secure storage for keys and other valuables
- allows 24 hour access to keys ideal for providing access when not at the property (tradesmen, car rental, service, care personnel, holiday guests, etc.)
- very strong zinc die-cast body
- 4-digit, individually adjustable combination
- combination dials protected by sliding protective flap
- 10,000 different codes possible
- '0-0-0-0' auto stop aids opening in poor light
- for wall mounting indoors or protected outdoor areas
- incl. fixing material (4 screws and dowels)



Key Safe 40

- extra large capacity, not only suitable for keys
- for maximum key length 11 cm





ArtNo.		EAN	HxWxD	Max. key length
		40 03482	mm	cm
Key Safe 40 SB	visi	39740 4	145 x 105 x 55	11



Key Safe 50

Key safe with removable shackle

- high-quality plastic sheath around housing and shackle
- removable shackle
- 4-digit, adjustable combination
- protective flap with sliding mechanism
- for maximum key length 8 cm





ArtNo.		EAN	HxWxD	•	••	(\$)	Max. key length
		40 03482	mm	mm	mm	mm	cm
Key Safe 50 SB	visi	39900 2	178x95x45	9.5	78.0	83.0	8

SafeCan



Sterling

SafeCan food cans

The SafeCan range is the ideal place to hide money, passports, jewellery and valuables and is an excellent deterrent against theft. Genuine branded products that are ideal for hiding valuables.

- simply remove the base to reveal a secret compartment
- ideal for hiding in the kitchen cupboards
- genuine replica licensed cans
- new improved hidden base



ArtNo.	EAN	Pack	Description	Size
	50 1656			
201HT	702147 6	6	Heinz Tomato Soup	315ml
202HB	702148 3	6	Heinz Baked Beanz	315ml
203HS	702149 0	6	Heinz Spaghetti	315ml
305N	702139 1	6	No More Gaps	500ml




SafeCan

Sterling

SafeCan dictionary

- the SafeCan Book is a replica Collins English Dictionary
- simply slide the base to reveal a secret compartment
- ideal for passports and important documents

ArtNo.	EAN	Pack	Description	
	50 1656			
801CD	702141 4	5	Collins Dictionary	



Sterling

SafeCan candle

- genuine wax with a realistic wick that conceals a metal canister for hiding valuables
- perfect in the living room
- lift off candle to reveal canister

ArtNo.	EAN	Pack	Description	
	50 1656			
701C	702140 7	5	Candle - (Real Wax)	



Sterling

SafeCan rock

- the perfect hiding place for keys
- water resistant
- hidden compartment
- ideal for outside use
- great for geocaching

ArtNo.	EAN	Pack	Description	
	50 1656			
901R	702146 9) 5	Key Rock	



Post boxes

PAIRING PREMIUM QUALITY MATERIALS WITH PRACTICAL FEATURES AND A WIDE CHOICE OF DESIGNS, BURG-WÄCHTER HAVE A POST BOX TO SUIT ALL PROPERTIES.

High quality plastic	226
Stainless steel	232
Black and steel	248
Galvanised steel	250
Newspaper holders	269
Cast aluminium	272
Gate, railing and fence	274
U.S. mailbox	276
Post box stands	277
Banked post boxes	281
Letterplates	296
Through the wall post boxes	297
Parcel boxes	298
eBoxx ParcelLock	299
Post box accessories	302



Post boxes



Piano 886 Merlot (RAL 3004) colour matching to composite doors



Piano 886 Granit (RAL 7016) colour matching to composite doors



Piano 886 Light Blue (RAL 5014) colour matching to composite doors



Piano 886 Marine Blue (RAL 5013) colour matching to composite doors



Piano 886 Red (RAL 3000) colour matching to composite doors



Piano 886 Black (RAL 9005) colour matching to composite doors





Piano 886 White (RAL 9003) colour matching to composite doors

Post boxes

Piano

Post box made of plastic with piano lacquer effect

- available in severn colours
- high-quality plastic
- opening stop
- integrated compartment for newspapers
- slot format DIN C4

ArtNo.	Colour	Replacement Cam Lock	EAN	HxWxD	Slot
			40 03482	mm	mm
886 M	merlot		37180 0	400 x 380 x 178	325 x 34
886 G	granite		37170 1	400 x 380 x 178	325 x 34
886 LB	light blue		37160 2	400 x 380 x 178	325 x 34
886 MB	marine blue		37150 3	400x380x178	325 x 34
886 R	red		35600 5	400x380x178	325 x 34
8865	black		35620 3	400 x 380 x 178	325 x 34
886W	white		35610 4	400 x 380 x 178	325 x 34
BK 92 K	replacement cam loc	k	14121 2		



Piano 886R red (RAL 3000)













Pearl

Post box made of plastic with a matt finish

- high-quality plastic
- opening stop
- integrated compartment for newspapers
- slot format DIN C4



(RAL 7016)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
886 GR	Granite	35650 0	400 x 380 x 178	325 x 34
BK 92 K	replacement cam lock	14121 2		













Post boxes



Kiel

With integrated compartment for newspapers

- with opening stop
- with integrated compartment for newspapers
- slot format DIN C4







Black (similar to RAL 9005)















ArtNo.	Colour		EAN	HxWxD	Slot
			40 03482	mm	mm
886 W	white		12800 8	400 x 380 x 178	325 x 34
886 Si	silver		07830 3	400 x 380 x 178	325 x 34
886 GR	green		12920 3	400 x 380 x 178	325 x 34
886 S	black		12790 2	400 x 380 x 178	325 x 34
		-			
BK 92 K	replace	ment cam lock	14121 2		
•		'	'		



White (similar to RAL 9003)

Malmö

With integrated compartment for newspapers

- with opening stop
- slot format DIN C4



Art-No.	Colour	EAN	H x W x D	Slot
		40 03482	mm	mm
889 W	white	18350 2	330x420x170	325 x 33
BK 92 K	replacement cam lock	14121 2		

Post boxes

Bremen

With integrated compartment for newspapers

- available in two colours: white and brown
- with opening stop
- with integrated compartment for newspapers
- slot format DIN C4







Brown (similar to RAL 8019)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
885 W	white	12590 8	320 x 405 x 155	330x30
885 BR	brown	12570 0	320 x 405 x 155	330x30
BK 92 K	replacement cam lock	14121 2		













Fehmarn

With integrated compartment for newspapers

- high-quality, strong plastic
- with opening stop
- slot format DIN C4



White (similar to RAL 9003)



Anthracite (similar to RAL 7016)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
3888 W	white	25780 7	305 x 415 x 160	325 x 33
3888 ANT	anthracite	33600 7	305 x 415 x 160) 325 x 33
BK 92 K	replacement cam lock	14121 2		













Post boxes



Swing

Extremely weatherproof

- available in three colours: white, anthracite and silver
- with opening stop
- slot format DIN C4
- matching newspaper holder 4900 available separately (see Page 231)





Anthracite (similar to RAL 7016)









ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
4905 W	white	05330 0	419x271x129	261 x 39
4906 Si	silver	05470 3	419x271x129	261 x 39
4906 ANT	anthracite	39660 5	419x271x129	261 x 39
CAM 4	replacement cam lock	12460 4		



Classico

Extremely weatherproof

- with opening stop
- slot format DIN C4
- matching newspaper holder available separately (see Page 231)















Silver (similar to RAL 9006)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
4931 W	white	24740 2	375 x 384 x 145	360 x 32
4932 Si	silver	24750 1	375 x 384 x 145	360 x 32

Post / newspaper holder

4900

Perfect complement to Classico or Swing

• available in two colours: white and silver



White (similar to RAL 9003)



Silver (similar to RAL 9006)

ArtNo.	Colour	EAN	H x W x D
		40 03482	mm
4900 W	white	32690 9	107 x 360 x 145
4900 Si	silver	32700 5	107 x 360 x 145
4900 ANT	anthracite	40890 2	107 x 360 x 145





Turn

Plastic post box

- anthracite-coloured full plastic post box
- front high-quality coated in silk matt white or with a high-quality stainless steel option
- with a cylinder lock
- with opening stop
- slot format DIN C4









Art-No.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
4941 ANT/W	anthracite/ silk matt white	34430 9	443x374x160	360x32
4942 ANT/NI	anthracite/ stainless steel	34490 3	443x374x160	360x32
CAM 4	replacement cam lock	12460 4		



Anthracite / Stainless steel (Anthracite similar to RAL 7016)













Post boxes



Quadus

Made of brushed stainless steel

- concealed lock secures post box automatically when closed without using the key
- with integrated newspaper holder
- with opening stop
- slot format DIN C4















ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3745 Ni		33510 9	497 x 475 x 145	325 x 34
BK 92 M	replacement cam lock	14111 3		



Opera

Made of brushed stainless steel

- concealed lock secures post box automatically when closed without using the key
- with integrated newspaper holder
- with opening stop
- slot format DIN C4















ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3755 Ni		33500 0	594x370x155	325 x 34
BK 92 M	replacement cam lock	141113		


Post boxes

Cosmo

Premium brushed stainless steel

- especially strong stainless steel front
- covered cylinder with comfort Click closure – Close no keys
- open stop with gentle open comfort hinge
- large newspaper cover on the back, open both sides





















Hanseatic

Premium brushed stainless steel

- with an integrated newspaper holder
- slot format DIN C4



Art. No.		EAN	HxBxT	Slot
		40 03482	mm	mm
3816 Ni		28860 3	342 x 436 x 175	334x33
BK 92 M	replacement cam lock	14111 3		













Post boxes



Milano

Made of brushed stainless steel

- with integrated compartment for newspapers
- opening stop
- extra depth
- slot format DIN C4



ArtNo.		EAN	HxWxD	Slo
		40 03482	mm	mm
3843 ES		32420 2	488 x 352 x 182	267 x
BK 92 M	replacement cam lock	14111 3		



















Verona

Made of brushed stainless steel

- with integrated compartment for newspapers
- opening stop
- slot format DIN C4















ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3844 ES		32500 1	354 x 404 x 150	335 x 30
BK 92 M	replacement cam lock	14111 3		


Post boxes

Nordic 3680

Large capacity post box

- sealed with transparent protective varnish
- opening stop
- extra depth
- special matching round arch stand for this model (see page 277)
- slot format DIN C4





















Nordic 3780

Large capacity post box

- made of brushed stainless steel
- opening stop
- extra depth
- special matching round arch stand for this model (see page 277)
- slot format DIN C4





BK 92 M	replacement cam lock	14111 3

















Post boxes



Comfort

Made of brushed stainless steel

- opening stop
- extra depth
- slot format DIN C4

















ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3913 Ni		04190 1	340 x 380 x 148	3 332 x 32
BK 92 M	replacement cam lock	14111 3		



Comfort-Set

Made of brushed stainless steel

- with integrated newspaper holder
- opening stop
- extra depth
- slot format DIN C4

















40 03482	mm	mm
22600		
32680 0	440 x 380 x 148	332 x 32
141113		


Post boxes

Amrum

Sealed with transparent protective varnish

- with opening stop
- slot format DIN C4



















Amrum-Set

Sealed with transparent protective varnish

- with integrated newspaper holder
- with opening stop
- slot format DIN C4


BK 92 M











replacement cam lock

141113









Post boxes



Hannover

Sealed with transparent protective varnish

• slot format DIN B5









ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3861 Ni		09480 8	305 x 225 x 75	190x30
CAM 2	replacement cam lock	12440 6		



Malaga

Solar-powered LED illuminated house number with photoelectric sensor

- sealed with transparent protective varnish
- with integrated newspaper box
- slot format DIN C4

















ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
4400 Ni		75310 1	420 x 377 x 115	5 332 x 31
CAM 3	replacement cam lock	12450 5		

Post boxes

Borkum

Sealed with transparent protective varnish

- with opening stop
- slot format DIN C4



Art. No.		EAN	HxWxD	Slot
		40 03482	mm	mm
3877 Ni		20200 5	322x362x100	333 x 34
BK 92 M	replacement cam lock	14111 3		

















Sealed with transparent protective varnish

- with an integrated newspaper holder
- with opening stop
- slot format DIN C4
- with a side cover for integrated newspaper holder

















	EAN	HxWxD	Slot
	40 03482	mm	mm
	39690 2	422x362x100	333x34
replacement cam lock	14111 3		
	replacement cam lock	40 03482 39690 2	40 03482 mm 39690 2 422 x 362 x 100

Post boxes



Berlin

With protective transparent finish

- opening stop
- high quality cylinder lock
- slot format DIN C4















ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3777 Ni		38060 4	400 x 285 x 105	252 x 30
BK 92 M	replacement cam lock	141113		



Berlin-Set

With protective transparent finish

- opening stop
- high quality cylinder lock
- with integrated newspaper holder
- slot format DIN C4















ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
37770 Ni		39700 8	500 x 285 x 105	252 x 30
BK 92 M	replacement cam lock	14111 3		


Post boxes

Oslo

With protective transparent finish

- opening stop
- high quality cylinder lock
- slot format DIN C4




















Oslo-Set

With protective transparent finish

- opening stop
- with integrated newspaper holder
- high quality cylinder lock
- slot format DIN C4





















Post boxes



Riviera

Sealed with transparent protective varnish

- opening stop
- slot format DIN C4













ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3835 Ni		38670 5	460 x 335 x 130	275 x 35
BK 92 Point	replacement cam lock	30980 3		



Toscana

Sealed with transparent protective varnish

- opening stop
- slot format DIN C4













ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3856 Ni		38640 8	330x376x106	325 x 35
BK 92 Point	replacement cam lock	30980 3		

Post boxes

Hamburg

Sealed with transparent protective varnish

- with integrated compartment for newspapers
- opening stop
- slot format DIN C4



ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3815 Ni		38130 4	478 x 322 x 152	2 245 x 35
BK 92 Point	replacement cam lock	12450 5	-	













Modena

Made of brushed stainless steel

- opening stop
- slot format DIN C4



ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
3857 Ni		01740 1	335 x 360 x 127	⁷ 325 x 33
CAM 1	replacement cam lock	12290 7	_	















Post boxes



Lucca

Satin-finished, translucent plastic door

- sealed with transparent protective varnish
- opening stop
- extra depth
- slot format DIN C4





ArtNo.	EAN	HxWxD	Slot
	40 03482	mm	mm
3713 Ni Letter	14430 5	340 x 380 x 148	332 x 32



Lucca-Set

Satin-finished, translucent plastic door

- sealed with transparent protective varnish
- with integrated newspaper holder
- opening stop
- extra depth
- slot format DIN C4



ArtNo.	EAN	HxWxD	Slot
	40 03482	mm	mm
37130 Ni Letter	18080 8	440x380x148	332 x 32

Post boxes

Aire

Corrosion resistant and is ideal for coastal areas

- weather resistant and no springs to corrode
- top opening letter flap for improved weather protection
- stylish contemporary design with opaque windows
- drop front opening to access mail



Art-No.		EAN	HxWxD	Slot
		50 1656	mm	mm
MB08ST		702405 7	368 x 368 x 114	325 x 35
MBCL02	replacement cam lock	702188 9		









Contemporary

Corrosion resistant and is ideal for coastal areas

- weather resistant
- top opening letter flap for improved weather protection
- drop front opening to access mail
- stylish embossed post design



Art-No.		EAN	HxWxD	Slot
		50 1656	mm	mm
MB03ST		701526 0	368 x 368 x 114	360 x 34
MBCL02	replacement cam lock	702188 9		









Post boxes




Trent

Corrosion resistant and is ideal for coastal areas

- weather resistant and no springs to corrode
- outward opening letter flap for improved weather protection
- drop front opening to access mail
- nameplate

Suitable for grouping together into banks of post boxes (please see page 287)











Art-No.		EAN	HxWxD	Slot
		50 1656	mm	mm
MB19ST		702475 0	341 x 261 x 93	235 x 30
MBCL03	replacement cam lock	702189 6		




Ouse

Stainless steel

- weather resistant
- front opening letter flap
- drop front opening to access mail
- integrated nameplate window





Suitable for grouping together into banks of post boxes







ArtNo.		EAN	HxWxD	Slot
		50 1656	mm	mm
MB16ST		702441 5	317x360x117	334 x 38
MBCL03G	replacement cam lock	702189 6		

Newspaper holders

3800

Round newspaper box

- made of brushed stainless steel
- with side cover
- can be used on both sides



ArtNo.	EAN	WxØ
	40 03482	mm
3800 Ni	09540 9	400 x 120







3808

Stainless steel newspaper holder with stainless steel side cover

- sealed with protective transparent finish
- can be used on both sides
- usable width 380 mm



ArtNo.	EAN	HxWxD
	40 03482	mm
3808 Ni	31010 6	120x425x110







3820

Suitable for Amrum and Borkum models - form one unit

- sealed with protective transparent finish
- can be used on both sides
- fitting:
 - under the post box (with adhesive strip fixing, then screwing)
 - on the post box (with adhesive tape)
 - not for suitable for direct wall mounting











Black & Steel

Post boxes



Oxford

- high-quality steel housing, matt black coating
- stainless steel door with transparent protective finish
- slot format DIN C4













ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
6877 B+S		614808	322 x 362 x 100	333x34
CAM 3	replacement cam lock	12450 5		



Oxford-Set

- with integrated newspaper holder
- high-quality steel housing, matt black coating
- stainless steel door with transparent protective finish
- slot format DIN C4













ArtNo.	_	EAN	HxWxD	Slot
		40 03482	mm	mm
68770 B+S		61490 7	403 x 362 x 100) 333 x 34
CAM 3	replacement cam lock	12450 5		

Black & Steel

Post boxes

London

- high-quality steel housing, matt black coating
- stainless steel door with transparent protective finish
- slot format DIN C4



ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
6867 B+S		61770 0	320x377x115	5 332 x 31
CAM 3	replacement cam lock	12450 5		













London-Set

- with integrated newspaper holder
- high-quality steel housing, matt black coating
- stainless steel door with transparent protective finish
- slot format DIN C4



ArtNo.		EAN	HxWxD	Slot
		40 03482	mm	mm
68670 B+S		61470 9	420 x 377 x 115	332 x 31
CAM 3	replacement cam lock	12450 5		













Galvanised steel

Post boxes



Milano

Galvanised steel, high quality coating

- with integrated compartment for newspapers
- with opening stop
- with extra comfort-depth
- slot format DIN C4





ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
843 W	white	32400 4	488 x 352 x 182	267 x 30
BK 92 M	replacement cam lock	14111 3		















Verona

Full surface galvanised, high quality coating

- available in two colours: white and anthracite
- with opening stop
- slot format DIN C4



White (similar to RAL 9016)



Anthracite (similar to RAL 7016)













ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
844 W	white	34350 0	354 x 404 x 150	335 x 30
844 ANT	anthracite	34340 1	354 x 404 x 150	335 x 30
BK 92 M	replacement cam lock	14111 3		

Galvanised steel

Post boxes

Nordic 680

Full surface galvanised, high quality coating

- large capacity post box
- special round arch stand matching this model (Page 277)
- with opening stop
- with extra comfort-depth
- slot format DIN C4




White (similar to RAL 9016)



Black (similar to RAL 9005)



Green (similar to RAL 6009)

















Nordic 780

Full surface galvanised, high quality coating

- large capacity post box
- special round arch stand matching this model (Page 277)
- with opening stop
- with extra comfort-depth
- slot format DIN C4



Black (similar to RAL 9005)



Green (similar to RAL 6009)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
780 W	white	36800 8	560x380x222	327 x 44
780 S	black	36790 2	560x380x222	327 x 44
780 GR	green	36810 7	560x380x222	327 x 44
BK 92 M	replacement cam lock	14111 3		



White (similar to RAL 9016)















Galvanised steel

Post boxes




Capri

Full surface galvanised, high quality coating

- available in two colours: white and anthracite
- slot format DIN B5



Anthracite (similar to RAL 7016)







Riviera

Galvanised steel, high quality coating

- available in two colours: white and anthracite
- opening stop
- slot format DIN C4



White (similar to RAL 9016)



Anthracite (similar to RAL 7016)











ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
835 W	white	38680 4	460 x 335 x 130	275 x 35
835 ANT	anthracite	38690 3	460 x 335 x 130	275 x 35
BK 92 Point	replacement cam lock	30980 3		

Post boxes

Toscana

Full surface galvanised, high quality coating

- available in two colours: white and anthracite
- opening stop
- slot format DIN C4



White (similar to RAL 9016)



Anthracite (similar to RAL 7016)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
856 W	white	38650 7	330x376x106	5 325 x 35
856 ANT	anthracite	38660 6	330 x 376 x 106	5 325 x 35
BK 92 Point	replacement cam lock	30980 3		











Modena

- available in three colours: white, silver and anthracite
- with opening stop
- slot format DIN C4



Silver



Anthracite (similar to RAL 7016)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
857 W	white	01720 3	335 x 360 x 127	7 325 x 33
857 Si	silver	01730 2	335 x 360 x 127	7 325 x 33
857 ANT	anthracite	18700 5	335 x 360 x 127	7 325 x 33
		·		
BK 92 M	replacement cam lock	14111 3		



White (similar to RAL 9016)













Post boxes



White (similar to RAL 9016)

Kopenhagen

Full surface galvanised, high quality coating

- available in three colours: white, antique iron and green
- extra depth
- slot format DIN C4



antique iron



green (similar to RAL 6009)













ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
882 W	white	12730 8	345 x 410 x 205	330 x 35
882 E	antique iron	12700 1	345 x 410 x 205	330 x 35
882 GR	green	12710 0	345 x 410 x 205	330 x 35
BK 92 M	replacement cam lock	14111 3		



White (similar to RAL 9016)

Sylt

- available in three colours: white, antique iron and copper-metallic
- with extra depth
- cast postal horn
- slot format DIN C4



Antique iron



Copper-metallic













ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
1883 W	white	12810 7	345 x 410 x 205	330 x 35
1883 K	copper-metallic	12830 5	345 x 410 x 205	330 x 35
1883 E	antique iron	12820 6	345 x 410 x 205	330 x 35
BK 92 M	replacement cam lock	141113		

Post boxes

Olymp

Galvanised steel, high quality coating

- available in two colours: white and silver
- plastic canopy
- opening stop
- extra depth
- slot format DIN C4



White (similar to RAL 9016)



Silver

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
916 W	white	00900 0	340 x 389 x 188	332 x 32
916 Si	silver	00910 9	340 x 389 x 188	332 x 32
BK 92 M	replacement cam lock	141113		















Olymp-Set

Galvanised steel, high quality coating

- with integrated newspaper holder
- available in two colours: white and silver
- plastic canopy

- opening stop
- extra depth
- slot format DIN C4





ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
91600 W	white	32620 6	445 x 389 x 188	332 x 32
91600 Si	silver	32610 7	445 x 389 x 188	332 x 32
BK 92 M	replacement cam lock	14111 3		



White (similar to RAL 9016)















Post boxes



Comfort

Full surface galvanised, high quality coating

- available in three colours: white, silver and black
- opening stop
- extra depth
- slot format DIN C4



Silver



Black (similar to RAL 9005)















ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
913 W	white	04120 8	340 x 380 x 148	3 332 x 32
913 Si	silver	04150 5	340 x 380 x 148	3 332 x 32
913 S	black	04140 6	340 x 380 x 148	3 332 x 32
BK 92 M	replacement cam lock	141113		

















Comfort-Set

- with integrated newspaper holder
- available in three colours: white, silver and black
- opening stop
- extra depth
- slot format DIN C4



Silver



Black (similar to RAL 9005)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
91300 W	white	32670 1	440 x 380 x 148	332 x 32
91300 Si	silver	32660 2	440 x 380 x 148	332 x 32
91300 S	black	32650 3	440 x 380 x 148	332x32
BK 92 M	replacement cam lock	141113		

Post boxes

Amsterdam

Full surface galvanised, high quality coating

- available in four colours: white, brown, silver and black
- with opening stop
- slot format DIN C4



Brown (similar to RAL 8014)










Black (similar to RAL 9005)

















Set Vario

- available in four colours
- opening stop
- with integrated newspaper holder
- slot format DIN C4












Black (similar to RAL 9005)



White (similar to RAL 9016)















Post boxes



White (similar to RAL 9016)















Malaga

Full surface galvanised, high quality coating

- solar-powered LED illuminated house number with photoelectric sensor
- with integrated newspaper holder
- available in two colours: white and silver
- slot format DIN C4



Silver

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
4400 W	white	75320 0	420x377x115	332 x 31
4400 Si	silver	75330 9	420x377x115	332 x 31
CAM 3	replacement cam lock	12450 5		



White (similar to RAL 9016)

Magdeburg

- available in two colours: white and black
- opening stop
- slot format DIN C4



Black (similar to RAL 9005)













Colour	EAN	HxWxD	Slot
	40 03482	mm	mm
white	28960 0	396x301x115	250x33
black	28950 1	396x301x115	250x33
replacement cam lock	14111 3		
	white black	white 28960 0 black 28950 1	white 28960 0 396 x 301 x 115 black 28950 1 396 x 301 x 115

Post boxes

Holiday

Full surface galvanised, high quality coating

- available in four colours: white, silver, iron and green
- slot format DIN B5









ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
5842 W	white	61190 6	357 x 390 x 135	262 x 38
5842 E	iron	61180 7	357 x 390 x 135	262 x 38
5842 Si	silver	61200 2	357 x 390 x 135	262 x 38
5842 GR	green	61170 8	357 x 390 x 135	262 x 38
BK 92 Point	replacement cam lock	30980 3		



White (similar to RAL 9016)







Letter

Galvanised and textured lacquer finish

- available in four colours: white, iron, silver and green
- slot format DIN C4





Silver



Green (similar to RAL 6009)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
5832 W	white	61090 9	370x270x92	230x32
5832 E	iron	61080 0	370x270x92	230x32
5832 Si	silver	61100 5	370x270x92	230x32
5832 GR	green	61070 1	370x270x92	230x32
BK 92 Point	replacement cam lock	30980 3		



White (similar to RAL 9016)







Daily

Galvanised and textured lacquer finish

- available in four colours: white, iron, silver and black
- slot format DIN B5







Green (similar to RAL 6009)

ArtNo.	Colour		EAN	HxWxD	Slot
			40 03482	mm	mm
5861 W	white		61050 3	305 x 225 x 75	190x30
5861 E	iron		61040 4	305 x 225 x 75	190x30
5861 Si	silver		61060 2	305 x 225 x 75	190 x 30
5861 GR	green		61030 5	305 x 225 x 75	190 x 30
BK 92 Point	replacement cam lo	ck	30980 3		



White (similar to RAL 9016)







Post boxes



White (similar to RAL 9016)







Köln

Full surface galvanised, high quality coating

- available in two sizes
- available in two colours: white and brown
- with viewing windows
- **871**: Slot DIN B5

872: Slot format DIN A4



Brown (similar to RAL 8014)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
871 W	white	13760 4	315x215x75	185 x 35
871 BR	brown	12520 5	315x215x75	185 x 35
872 W	white	13770 3	340x255x85	225 x 35
872 BR	brown	12530 4	340x255x85	225 x 35
BK 92 M	replacement cam lock	14111 3		





Journal

Galvanised steel

- available in three colours: white, iron and silver
- slot format DIN C4





ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
5867 W	white	61150 0	320x377x115	332 x 31
5867 E	iron	61140 1	320x377x115	332 x 31
5867 Si	silver	61160 9	320x377x115	332 x 31
BK 92 Point	replacement cam lock	30980 3		



White (similar to RAL 9016)











Mail

- available in four colours: white, iron and silver
- slot format DIN C4







Silver

6	-	-	
	-	179	ı
		-	ı
			ı
			ш

White (similar to RAL 9016)











ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
5877 W	white	61120 3	322 x 362 x 100	333 x 34
5877 E	iron	61110 4	322 x 362 x 100	333 x 34
5877 Si	silver	61130 2	322 x 362 x 100	333 x 34
BK 92 Point	replacement cam lock	30980 3		

Post boxes

Pocket

Art.-No.

5871 W

5871 E

5871 Si

Galvanised steel

- available in three colours: white, iron and silver
- slot format DIN B5



40 03482.

610107

610008

610206

309803



	Silver
HxWxD	Slot
mm	mm
315x215x75	185 x 35
315x215x75	185 x 35
315x215x75	185 x 35













BK 92 Point Wismar

Full surface galvanised, high quality coating

replacement cam lock

Colour

white

iron

silver

- available in two sizes
- available in three colours: white, grey and black
- without slot flap
- with sight plate
- 771: Slot DIN B5 772: Slot format DIN A4












White (similar to RAL 9016)









Leipzig

- available in three colours: White, brown and anthracite
- with opening stop
- slot format DIN C4





Anthracite (similar to RAL 7016)

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
777 W	white	28930 3	397 x 284 x 104	252x30
777 BR	brown	28910 5	397 x 284 x 104	252 x 30
777 ANT	anthracite	28000 3	397 x 284 x 104	252 x 30
BK 92 M	replacement cam lock	141113		















Post boxes




White (similar to RAL 9016)

Potsdam

Full surface galvanised, high-quality coating

- available in four colours: White, silver, brown and anthracite
- with open stop
- slot format DIN C4










Aire

- weather resistant and no springs to corrode
- top opening letter flap for improved weather protection
- stylish contemporary design with opaque windows
- drop front opening to access mail







Post boxes

Avon

Full surface galvanised, high quality coating

- top opening letter flap for improved weather protection
- dual access with additional rear slot for reverse mounting
- rear slot dimension: 180 x 19.5mm
- nameplate

















Art-No.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB09	white	702411 8	304 x 214 x 70	180 x 20
MB09BK	black	702407 1	304 x 214 x 70	180 x 20
MB09R	red	702409 5	304 x 214 x 70	180 x 20
MB09G	green	702408 8	304 x 214 x 70	180 x 20
MB09S	silver	702410 1	304 x 214 x 70	180 x 20
MBCL03G	replacement cam lock	702189 6		









Contemporary

- top opening letter flap for improved weather protection
- dual access with additional rear slot for reverse mounting
- rear slot dimension: 275 x 29mm
- weather resistant
- stylish embossed post design





Can be used with letterplate when reverse mounted (see page 296)

ArtNo.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB03WR	white	701598 7	368x368x116	360 x 34
MB03BKR	black	701561 1	368x368x116	360 x 34
MBCL01	replacement cam lock	702187 2		











Post boxes





- outward opening letter flap for improved weather protection
- drop front opening to access mail
- nameplate window

Art-No.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB01	white	701524 6	370 x 363 x 134	217 x 41
MB01BK	black	701529 1	370 x 363 x 134	217 x 41
MB01R	pillarbox red	701533 8	370 x 363 x 134	217 x 41
MB01G	green	701532 1	370 x 363 x 134	217 x 41
MB01S	silver	701534 5	370 x 363 x 134	217 x 41
MB01CG	chartwell green	701531 4	370 x 363 x 134	217 x 41
MB01A	anthracite	701527 7	370 x 363 x 134	217 x 41
MB01MB	midnight blue	701544 4	370 x 363 x 134	217 x 41
MB01FG	french grey	701543 7	370 x 363 x 134	217 x 41
MB01AC	antique cream	701542 0	370 x 363 x 134	217 x 41
			<u> </u>	
MBCL01	replacement cam lock	702187 2		











Post boxes

Classic 2

Full surface galvanised, high quality coating

- weather resistant and no springs to corrode
- outward opening letter flap for improved weather protection
- drop front opening to access mail
- stylish embossed post design
- nameplate window









Art-No.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB06	matt white	701723 3	380 x 364 x 134	250 x 40
MB06BK	matt black	701724 0	380 x 364 x 134	250 x 40
MB06G	matt green	701725 7	380 x 364 x 134	250 x 40
MBCL01	replacement cam lock	702187 2		









Compact

- weather resistant and no springs to corrode
- front opening letter flap for improved weather protection
- stylish embossed compact design
- drop front opening to access mail
- suitable for grouping together into banks of post boxes (see page 284)



ArtNo.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB05	white	701590 1	330x260x90	220 x 28
MB05BK	black	701589 5	330x260x90	220 x 28
MB05A	anthracite	701564 2	330x260x90	220 x 28
MB05R	pillarbox red	701565 9	330x260x90	220 x 28
MBCL01	replacement cam lock	702187 2		











Post boxes



Full surface galvanised, high quality coating

- weather resistant and no springs to corrode
- drop front opening to access mail

Elegance

• suitable for grouping together into banks of post boxes (see page 285)

Art-No.	Colour	EAN	HxWxD	Slot
		50 1656	mm	
MB02	white	701525 3	310 x 362 x 112	320 x 23
MB02BK	black	701530 7	310 x 362 x 112	320 x 23
MB02R	pillarbox red	701557 4	310 x 362 x 112	320 x 23
MB02G	green	701558 1	310 x 362 x 112	320 x 23
MB02S	silver	7015598	310 x 362 x 112	320 x 23
MB02CG	chartwell green	701539 0	310 x 362 x 112	320 x 23
MB02A	anthracite	701536 9	310 x 362 x 112	320 x 23
MB02MB	midnight blue	701545 1	310 x 362 x 112	320 x 23
MB02FG	french grey	701563 5	310 x 362 x 112	320 x 23
MB02AC	antique cream	701562 8	310 x 362 x 112	320 x 23
MBCL01	replacement cam lock	702187	2	













Post boxes

Forth

Full surface galvanised, high quality coating

- weather resistant
- drop front opening to access mail with rear post slot
- designed to be fitted behind letterplate (not included. see page 296)
- nameplate
- ideal for fixing to fences, gates & doors











Black

ArtNo.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB11	white	702419 4	354 x 251 x 100	235 x 45
MB11BK	black	702418 7	354x251x100	235 x 45
MBCL03G	replacement cam lock	702189 6		









Grand

- weather resistant
- top opening letter flap for improved weather protection
- extra large post box for greater capacity
- drop front opening to access mail
- stylish embossed post design
- nameplate window



White



Black

ArtNo.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB04	white	701591 8	450 x 326 x 158	305 x 40
MB04BK	black	701560 4	450 x 326 x 158	305 x 40
MBCL01	replacement cam lock	702187 2		












Post boxes



Mersey

- powder coated galvanised steel
- weather resistant and no springs to corrode
- outward opening letter flap for improved weather protection
- side opening to access mail
- extra large mail capacity
- popular design























Trent

- \bullet weather resistant and no springs to corrode
- outward opening letter flap for improved weather protection
- drop front opening to access mail
- nameplate
- suitable for grouping together into banks of post boxes (see page 286)



Art-No.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB19	white	702476 7	341 x 261 x 93	235 x 30
MB19BK	black	702471 2	341 x 261 x 93	235 x 30
MB19R	red	702473 6	341 x 261 x 93	235 x 30
MB19G	green	702472 9	341 x 261 x 93	235 x 30
MB19S	silver	702474 3	341 x 261 x 93	235 x 30
MBCL03G	replacement cam lock	702189 6		

Newspaper holders

Post catcher

- for use on the inside of letterplate
- keeps mail tidy
- keeps post away from pets
- stylish design
- restricts access for 'fishing'





ArtNo.	Colour	EAN	HxWxD
		50 1656	mm
MC06S	silver	701641 0	300 x 345 x 140





News 5800

- available in four colours: white, silver, green and black
- round shape
- can be used on both sides
- without side covers



White (similar to RAL 9016)







Green (similar to RAL 6009)



Iron

ArtNo.	Colour	EAN	WxØ
		40 03482	mm
5800 W	white	61230 9	400 x 120
5800 Si	silver	61240 8	400 x 120
5800 GR	green	61210 1	400 x 120
5800 E	iron	61220 0	400 x 120



Newspaper holders



White (similar to RAL 9016)

800

Galvanised steel

- available in 4 colours: white, silver, black and brown
- with coloured plastic side cover
- round shape
- can be used on both sides








Black (similar to RAL 9005)



Brown (similar to RAL 8014)







White (similar to RAL 9016)

808

- available in three colours: white, copper and old iron
- square shape with embossed lettering
- can be used on both sides
- usable width 380 mm
- with matching lacquered metal side cover



Copper



Antique iron



ArtNo.	Colour	EAN	HxWxD
		40 03482	mm
808 W	white	20070 4	120 x 425 x 110
808 K	copper	12150 4	120x425x110
808 E	antique iron	12140 5	120×425×110

Newspaper holders

Vario 820

- available in 2 colours: white and silver
- ideal for Amrum and Potsdam post boxes
- incl. fixing material
- fitting:
 - under the mailbox (with adhesive strip fixing, then screwing)
 - on the mailbox (with adhesive tape)
 - not for suitable for direct wall mounting





Silver

ArtNo.	Colour	EAN	HxWxD
		40 03482	mm
820 W	white	31350 3	102 x 362 x 102
820 Si	silver	31370 1	102 x 362 x 102



Cast aluminium

Post boxes



Bordeaux

Solid cast aluminium letterbox

- available in three colours: white, green and bronze
- with letter holder
- large usable space
- absolutely weatherproof
- slot format DIN C4







Bronze (similar to RAL 8025)













mm 0 330 x 32
0 330 x 32
0 330 x 32
0 330x32



White (similar to RAL 9003)

Venezia

Solid cast aluminium letterbox

- available in two colours: white and bronze
- extra depth
- slot format DIN C4



Bronze (similar to RAL 8025)













ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
1899 W	white	31530 9	390 x 417 x 170	307 x 33
1899 BC	Bronze	31510 1	390 x 417 x 170	307 x 33
BK 92 K	replacement cam lock	14121 2		
			390X417X	170

Cast aluminium

Newspaper holders

1890

Solid cast aluminium newspaper box

• available in three colours: white, green and bronze







Bronze (similar to RAL 8025)

ArtNo.	Colour	EAN	HxWxD
		40 03482	mm
1890 W	white	12080 4	150x420x112
1890 GR	green	12060 6	150x420x112
1890 BC	bronze	12040 8	150x420x112



Mounted post boxes & stands



White (similar to RAL 9016)

Potsdam

Full surface galvanised, high quality coating

- letter boxes for fence fixing
- with rear slot
- available in two colours: white and brown
- opening stop
- slot format DIN C4





Brown (similar to RAL 8014)



ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
878 W	white	20490 0	322 x 362 x 100	333 x 34
878 BR	brown	20480 1	322 x 362 x 100) 333 x 34
BK 92 M	replacement cam lock	14111 3		



White (similar to RAL 9016)

Leipzig

- letter boxes for fence fixing
- with rear slot
- available in two colours: white and brown
- opening stop
- slot format DIN C4





Brown (similar to RAL 8014)



ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
778 W	white	28970 9	397 x 284 x 104	252 x 30
778 BR	brown	28920 4	397 x 284 x 104	252 x 30
BK 92 M	replacement cam lock	141113		

Mounted post boxes & stands

Gate & railing box

- heavy duty railing mounted
- clamps to gate or fence
- large post capacity
- large rear post retrieval door
- powder coated galvanised steel
- weather resistant
- complete with mounting bracket







MI	32	5	В	Κ
----	----	---	---	---

ArtNo.	Colour	FAN	HxWxD	Slot
AIC. NO.	Coloui	50 1656	mm	mm
MB25BK	black	702448 4	550x300x202	235 x 32
MBCL03G	replacement cam lock	702189 6		










Borkum

Sealed with transparent protective varnish

- letter boxes for fence fixing
- with rear slot
- with opening stop
- slot format DIN C4





















Mounted post boxes & stands

U.S. Post box



US Mailbox

- powder coated galvanised steel
- weather resistant
- drop front opening to access mail
- stylish embossed design with "US Mail"
- red flag to indicate mail inside







iite	Black	Gre

ArtNo.	Colour	EAN	HxWxD
		50 1656	mm
MB21	white	702490 3	225 x 171 x 483
MB21BK	black	702488 0	225 x 171 x 483
MB21G	green	702489 7	225 x 171 x 483



US Mailbox

- lightweight durable powder coated aluminium
- weather resistant
- drop front opening to access mail
- stylish embossed design with "US Mail"
- red flag to indicate mail inside








Black

k Silver







For U.S. Mailbox

- for embedding in concrete
- incl. fixing material

ArtNo.	Colour	EAN	Dimensions
		50 1656	mm
MB23BK	black	702487 3	1400 x Ø 30



Mounted post boxes & stands Rondo

Rondo

- arch made of coated aluminium
- for embedding in concrete
- with mounting plate for attaching the post box
- suitable post boxes: Piano, Pearl, Kiel, Malmö and Bremen
- incl. fixing material



ArtNo. Colour	EAN	length	Ø
	40 03482	mm	mm
Rondo 145 W white	27760 7	1740	50



Arch stand NORDIC 3685 Ni/3785 Ni

Stainless steel

- nordic stand 3685 Ni: suitable for post boxes Nordic 680/Nordic 3680 Ni
- nordic stand 3785 Ni: suitable for post boxes Nordic 780/ Nordic 3780 Ni



ArtNo.	EAN	HxW	Ø
	40 03482	mm	mm
Nordic 3685 Ni	36870 1	1500 (1200) x 363	32
Nordic 3785 Ni	36860 2	1500 (1200)x443	32







Mounted post boxes & stands Universal



Universal 150 Ni

Stainless steel

- universal use for all post boxes made of stainless steel, galvanised steel and plastic
- consisting of two tubes with special perforations
- post boxes are secured from the inside onto the tubes, offering increased theft protection
- to be embedded in concrete or for assembly with mounting base BASE Uni 150 (see Page 279)
- the tubes can be shortened as required
- not suitable for Opera, Quadus Hamburg, Capri and post boxes















ArtNo.	EAN	length	Ø
	40 03482	mm	mm
Universal 150 Ni	00300 8	1500	32



White (similar to RAL 9016)

Universal 150

Galvanised and lacquered

- available in three different colours: white, silver and black
- consisting of two tubes with special perforations
- post boxes are secured from the inside onto the tubes, offering increased theft protection
- to be embedded in concrete or for assembly with mounting base BASE Uni 150 (see Page 279)
- the tubes can be shortened as required
- not suitable for Opera, Quadus Hamburg, Capri and post boxes



















ArtNo.	Colour	EAN	length	Ø
		40 03482	mm	mm
Universal 150 W	white	23900 1	1500	32
Universal 150 S	black	23920 9	1500	32
Universal 150 Si	silver	23910 0	1500	32

Mounted post boxes & stands

Universal, Nordic

Inox bow UNIVERSAL 190

Stainless steel

- can be retrofitted to existing stands
- suitable for all post box models with a horizontal hole distance of 190 mm: Verona, Comfort/Comfort-Set, Lucca/ Lucca-Set, Amrum/Amrum-Set, Modena, Borkum, Inoxstar, Olymp/Olymp-Set, Amsterdam, Potsdam, Set Vario, Classico
- easy assembly:
 - > remove plastic caps
 - > fit the letterbox onto the two tubes of the Universal 150 NI stand.
 - > when mounting the letterbox, fix with the fixing screws supplied with the stand. Suitable for all models with a horizontal hole distance of 190 mm



ArtNo.	EAN	Ø
	40 03482	mm
Uni 190 Ni	89060 8	32








Mounting base BASE Uni 150

- available in 2 versions:
 - > stainless steel
 - > galvanised and lacquered
- suitable for post box stand Universal 150 Ni and NORDIC
- set includes two bases
- easy installation no concreting
- for surface mounting to a solid floor

assembly instructions:
 assembly should be performed on a solid
 surface. Simply place post box legs onto
 foot and press down firmly to install.
 A plastic hammer may be used to assist.





ArtNo.	Colour	EAN	Material	
		40 03482		
BASE Uni 150 Ni		37260 9	Stainless steel	
Mounting base made of galvanised steel in various colours suitable for Universal 150 stand				
BASE Uni 150 W	white	37270 8	Galvanised steel	
BASE Uni 150 S	black	37290 6	Galvanised steel	
BASE Uni 150 Si	silver	37280 7	Galvanised steel	












BURG-WÄCHTER offer a comprehensive range of post solutions for offices and multi-occupancy buildings. The range includes cost effective stand alone post boxes that can be wall mounted to create banks, to purpose built modular freestanding units conforming to EN13724. A choice of designs and colours means there is a solution for all requirements.

Free Standing Post Box Banks

Ideal for those looking for a professional commercial solution, the Dual Front and Terzo mail systems offer a fully modular solution. Pre-drilled postboxes, legs, hoods and bases can be combined to create a custom mail solution. A choice of colours ensures they can be matched to the style of the premises. Each box is supplied with nameplate and high quality lock to secure mail.












Wall Mounted Post Box Banks

Many of the post boxes in the standard BURG-WÄCHTER range can be grouped together to create a cost effective banked mail solution. These post boxes are designed so they can be wall mounted flush to each other (both horizontally and vertically) providing a flexible solution when considering placement within the property.







Recessed Wall Mounted Post Box Banks

BURG-WÄCHTER also provide a premium "recessed "solution for wall mounting with pre-perforated post boxes that allows for quick assembly. A frame is available to surround the bank of post boxes providing an integrated appearance when installed into the recessed wall.





Wharfe

- post boxes designed for banking and suitable for residential and commercial premises
- nameplate window
- powder coated galvanised steel
- weather resistant and no springs to corrode
- outward opening letter flap for improved weather protection
- narrow style slot reduces risk of mail being removed
- secure lock with two keys

'Multiple boxes can be supplied with guaranteed different keys but must be requested when ordered'





The growth of residential properties with multiple occupants and the trend toward apartment living is driving demand for banked post box solutions.

The Wharfe boxes can be holted together in various configurations to suit individual.


The Wharfe boxes can be bolted together in various configurations to suit individual property requirements for both internal and external applications.





ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
MB24	white	702493 4	125 x 358 x 255	331 x 24
MB24BK	black	702492 7	125 x 358 x 255	331 x 24
MBCL03G	replacement cam lock	702189 6		

Wharfe




MB24 Post Boxes x 2 (1 row of 2 post boxes).

Total height: 250mm Width: 358mm




MB24 Post Boxes x 4 (1 row of 4 post boxes).

Total height: 500mm Width: 358mm




MB24 Post Boxes x 6 (3 rows of 2 post boxes).

Total height: 250mm Width: 1074mm




MB24 Post Boxes x 8 (2 rows of 4 post boxes).

Total height: 500mm Width: 716mm



MB24 Post Boxes x 12 (3 rows of 4 post boxes).

Total height: 500mm Width: 1074mm



MB24 Post Boxes x 24 (3 rows of 8 post boxes).

Total height: 1000mm Width: 1074mm

Compact




Compact

Full surface galvanised, high quality coating

- weather resistant and no springs to corrode
- front opening letter flap for improved weather protection
- stylish embossed compact design
- drop front opening to access mail




















MB05 Post Boxes x 2 (1 row of 2 post boxes).

Total height: 330mm Width: 520mm




MB05 Post Boxes x 4 (2 rows of 2 post boxes).

Total height: 660mm Width: 520mm



MB05 Post Boxes x 6 (2 rows of 3 post boxes).

Total height: 660mm Width: 780mm



MB05 Post Boxes x 8 (2 rows of 4 post boxes).

Total height: 660mm Width: 1040mm

Elegance



Black



Full surface galvanised, high quality coating

- weather resistant and no springs to corrode
- drop front opening to access mail

Art-No.	Colour	EAN	HxWxD	Slot
		50 1656	mm	
MB02	white	701525 3	310 x 362 x 112	320 x 23
MB02BK	black	701530 7	310 x 362 x 112	320 x 23
MB02R	pillarbox red	701557 4	310 x 362 x 112	320 x 23
MB02G	green	701558 1	310 x 362 x 112	320 x 23
MB02S	silver	701559 8	310 x 362 x 112	320 x 23
MB02CG	chartwell green	701539 0	310 x 362 x 112	320 x 23
MB02A	anthracite	701536 9	310 x 362 x 112	320 x 23
MB02MB	midnight blue	701545 1	310 x 362 x 112	320 x 23
MB02FG	french grey	701563 5	310 x 362 x 112	320 x 23
MB02AC	antique cream	701562 8	310 x 362 x 112	320 x 23
· ·				











Green

















MB02 Post Boxes x 2 (1 row of 2 post boxes).

Total height: 310mm Width: 724mm

٥	۰
	-
٥	°


MB02 Post Boxes x 4 (2 rows of 2 post boxes).

Total height: 620mm Width: 724mm



MB02 Post Boxes x 6 (2 rows of 3 post boxes).

Total height: 620mm Width: 1086mm



MB02 Post Boxes x 8 (2 rows of 4 post boxes).

Total height: 620mm Width: 1448mm

Trent - Galvanised





- weather resistant and no springs to corrode
- outward opening letter flap for improved weather protection
- drop front opening to access mail
- nameplate























Art-No.	Colour	EAN	HxWxD	Slot
		50 1656	mm	mm
MB19	white	702476 7	341 x 261 x 93	235 x 30
MB19BK	black	702471 2	341 x 261 x 93	235 x 30
MB19R	red	702473 6	341 x 261 x 93	235 x 30
MB19G	green	702472 9	341 x 261 x 93	235 x 30
MB19S	silver	702474 3	341 x 261 x 93	235 x 30
MBCL03G	replacement cam lock	702189 6)	




MB19 Post Boxes x 2 (1 row of 2 post boxes).

Total height: 341mm Width: 522mm




MB19 Post Boxes x 4 (2 rows of 2 post boxes).

Total height: 682mm Width: 522mm



MB19 Post Boxes x 6 (2 rows of 3 post boxes).

Total height: 682mm Width: 783mm



MB19 Post Boxes x 8 (2 rows of 4 post boxes).

Total height: 682mm Width: 1044mm

Trent - Stainless steel



Trent

Corrosion resistant and is ideal for coastal areas

- weather resistant and no springs to corrode
- outward opening letter flap for improved weather protection
- drop front opening to access mail
- nameplate










Art-No.		EAN	HxWx D	Slot
		50 1656	mm	mm
MB19ST		702475 0	341 x 261 x 93	235 x 30
MBCL03G	replacement cam lock	702189 6		




MB19ST Post Boxes x 2 (1 row of 2 post boxes).

Total height: 341mm Width: 522mm

0	Ь
	Ė
	H
	二
٥	F
	E
	Ξ
	F
	•


MB19ST Post Boxes x 4 (2 rows of 2 post boxes).

Total height: 682mm Width: 522mm



MB19ST Post Boxes x 6 (2 rows of 3 post boxes).

Total height: 682mm Width: 783mm



MB19ST Post Boxes x 8 (2 rows of 4 post boxes).

Total height: 682mm Width: 1044mm

Wall mounting



Post box banks

Applies to the models Borkum, Leipzig, Potsdam and Köln (perforated)

- easy to assemble thanks to multiple mounting holes
- plastic plugs for unused mounting holes are included
- frame only for recessed wall mounting, priced per running metre
- requires special packaging for post box systems of 4 or more



ArtNo.	Colour	EAN	HxWxD
		40 03482	mm
Perforated 777 W	white	27380 7	397 x 284 x 104
Perforated 777 ANT	anthracite	27320 3	397 x 284 x 104
Perforated 871 W	white	13780 2	315x215x75
Perforated 872 W	white	13790 1	340x255x85
Perforated 877 W	white	20280 7	322 x 362 x 100
Perforated 877 Si	silver	20800 7	322 x 362 x 100
Perforated 877 ANT	anthracite	27790 4	322 x 362 x 100
Perforated 3877 Ni	stainless steel	20390 3	322 x 362 x 100
Plaster frame	white	09380 1	30x20x2
Connection		08370 3	Per letterbox
special packaging		00100 4	Per letterbox



Europa

Europa 731

Full surface galvanised, high quality coating

- extra large capacity post box
- also complies with Swiss postal standard
- available in two colours: white and old iron
- with extra comfort-depth
- slot format: DIN B4



- bottom: spacious compartment for parcels with and magnetic lock.
 Door opening dimensions (H x W): 150x357 mm, useful depth: 261 mm
- **tip:** Matching post box stands for the post box Europe 731 can be found on Page 290



White (similar to RAL 9016)



Antique iron

Colour	EAN	HxWxD	Slot
	40 03482	mm	mm
white	20030 8	360 x 405 x 292	371x32
antique iron	20020 9	360 x 405 x 292	371x32
replacement cam lock	141113		
	white antique iron	white 20030 8 antique iron 20020 9	white 20030 8 360 x 405 x 292 antique iron 20020 9 360 x 405 x 292













Europa 732

Full surface galvanised, high quality coating

- with all-round projecting plastic canopy
- extra large capacity post box
- available in three colours: white, silver and antique iron
- with extra comfort-depth
- slot format: DIN B4

- top: compartment for letters with integrated slot flap
- bottom: spacious compartment for parcels with and magnetic lock.
 Door opening dimensions (H x W): 150x357 mm, useful depth: 261 mm
- **tip:** matching post box stands for the post box Europe 732 can be found on Page 290



White (similar to RAL 9016)



Antique iron



Silver

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
732 W	white	19850 6	411 x 455 x 324	371 x 32
732 E	antique iron	19840 7	411x455x324	371 x 32
732 Si	silver	19730 1	411x455x324	371 x 32
BK 92 M	replacement cam lock	14111 3		













Free standing, Europa



Stands for Europa

For embedding in concrete

- made from aluminium
- available in three colours: white, black and silver
- can be shortened to the desired length
- ABE: wall mounting set for model Europa 732 with canopy







ArtNo.	Colour	EAN	HxWxD
		40 03482	mm
EST 1 W	white	08270 6	1200x80x80
EST 1 S	black	08260 7	1200x80x80
EST 1 Si	silver	10910 6	1200x80x80
ABE 1		08290 4	

Free standing, Dual

Dual Front

- galvanised steel or stainless steel
- steel version available in two colours: white and silver
- slot: DIN C4
- pre-perforated for easy installation
- flap and door on the front side
- also suitable for wall mounting



White (similar to RAL 9016)



ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
821 W	white	34120 9	360 x 407 x 292	356x32
821 Si	silver	34130 8	360 x 407 x 292	356x32
821 ANT	anthracite	34180 3	360 x 407 x 292	356 x 32
3821 Ni	stainless steel	34470 5	360 x 407 x 292	356x32
BK 92 M	replacement cam lock	141113		



Free standing, Dual



Dual letter box system

Terzo posts

Free-standing systems with up to six letter boxes

- can be individually combined from post boxes Dual, Terzo post and mounting sets
- simple installation
- Terzo post made from high-quality powder-coated aluminium profile
- posts are pre-drilled
- for embedding in concrete
- placement in weather protected outdoor areas recommended

ArtNo.	Colour	EAN	length
		40 03482	mm
Terzo V11-170 W	white	38530 2	1640
Terzo V11-170 Si	silver	38500 5	1640
Terzo V11-170 ANT	anthracite	38510 4	1640

Accessories

Stand EST

• ideal for discreet, free-standing post boxes

Assembly sets


• spacers, screws and washers

Terzo base for floor mounting

- solid letter box base made of high-quality die-cast zinc
- incl. fixing material and cover caps

ArtNo.	Colour	EAN	HxWxD
		40 03482	mm
Stand EST 1 W	white	08270 6	1200x80x80
Stand EST 1 Si	silver	10910 6	1200x80x80
Stand EST 1 S	black	08260 7	1200x80x80
Assembly set Terzo W	white	05951 7	
Assembly sets Terzo Si	silver	22081 8	
Assembly set Terzo ANT	anthracite	05950 0	
Assembly set BK 1 set per	connection	06871 7	
Base V11-F W	white	31000 7	
Base V11-F Si	silver	17780 8	
Base V11-F Si	anthracite	34420 0	
Tip: simply screw onto a stable ba	ase plate, no concreting		-

Free standing, Dual



Dual Front

Set no. 82101 W Set no. 83101 Si Set no. 84101 Ni/ANT


Built-in height: 1372 mm Total height: 1672 mm Width: 550 mm



Dual Front

Set no. 82102 W Set no. 83102 Si Set no. 84102 Ni/ANT

Built-in height: 1372 mm
Total height: 1672 mm
Width: 550 mm



Dual Front

Set no. 82103 W Set no. 83103 Si Set no. 84103 Ni/ANT


Built-in height: 1372 mm Total height: 1672 mm Width: 1364 mm



Dual Front

Set no. 82104 W Set no. 83104 Si Set no. 84104 Ni/ANT

Built-in height: 1372 mm Total height: 1672 mm Width: 957 mm



Dual Front

Set no. 82106 W Set no. 83106 Si Set no. 84106 Ni/ANT

Built-in height: 1372 mm Total height: 1672 mm Width: 1364 mm

Free standing, Terzo



Letter boxes for self-assembly

For the Leipzig 777 and Potsdam 877 models

pre-drilled

• incl. sealing plug

Art.No.	Colour	EAN	HxWxD
		40 03482	mm
Perforated 777 W	white	27380 7	397 x 284 x 104
Perforated 777 ANT	anthracite	27320 3	397 x 284 x 104
Perforated 877 W	white	20280 7	322 x 362 x 100
Perforated 877 Si	silver	20800 7	322 x 362 x 100
Perforated 877 ANT	anthracite	27790 4	322 x 362 x 100

Posts and canopies

- high-quality powder coated Aluminium-Profil
- can be individually combined
- only to be placed in weatherproof outdoor areas
- simple assembly
- Terzo V11: Post, 110mm Profil, pre-drilled
- Terzo H14: Canopies, 140mm Profil, pre-drilled

Art.No.	Colour	EAN	Length
		40 03482	mm
Terzo V11 - 170 W	white	38530 2	
Terzo V11 - 170 Si	silver	38500 5	
Terzo V11 - 170 ANT	anthracite	38510 4	
Terzo H14 - 63 W	white	27360 9	630
Terzo H14 - 79 W	white	27700 3	790
Terzo H14 - 79 Si	silver	20600 3	790
Terzo H14 - 79 ANT	anthracite	37240 1	790
Terzo H14 - 92 W	white	27370 8	920
Terzo H14 - 92 ANT	anthracite	34400 2	920
Terzo H14 - 115 W	white	27680 8	1150
Terzo H14 - 115 Si	silver	20620 1	1150
Terzo H14 - 115 ANT	anthracite	37250 0	1150

Accessories

- assembly sets: Spacers, self tapping cutting screws and washers (4 pcs)
- Terzo-base: solid post box base made of high quality die cast zinc, no concreting required, incl. fixing material and cover caps




Art.No.		Colour	EAN
			40 03482
Assembly Set Terzo W	- 1 Set per posts,	white	05951 7
Assembly Set Terzo Si	1 Set per canopy 63 bzw.79,	silver	22081 8
Assembly Set Terzo ANT	2 Sets per canopy 92 bzw.115	white	05950 0
Assembly Set BK	1 assembly set BK per post box connection		06871 7
Base V 11- F W		white	31000 7
Base V 11- F Si		silver	17780 8
Base V 11- F ANT		anthracite	34420 0

Tipp: simply screw onto a stable base plate, no concreting

Free standing, Terzo

Set no. 86420 W/87420 Si



Terzo system consists of: 2x posts Terzo V11-170 1x canopy Terzo H14-115 3x Potsdam 877 perforated 4x assembly sets Terzo + 2x assembly sets BK

Height fitted: 1501 mm
Total height: 1801 mm
Width: 440 mm


Set no. 86430 W/87430 Si



Terzo system consists of: 2x posts Terzo V11-170 1x canopy Terzo H14-79 4x Potsdam 877 perforated 3x assembly sets Terzo + 4x assembly sets BK

Height fitted: 1590 mm
Total height: 1890 mm
Width: 866 mm

Set no. 86440 W/87440 Si



Terzo system consists of: 2x posts Terzo V11-170 1x canopy Terzo H14-115 6x Potsdam 877 perforated 4x assembly sets Terzo + 7x assembly sets BK

Height fitted: 1590 mm
Total height: 1890 mm
Width: 1228 mm

Set no. 86470 W



Terzo system consists of: 2x posts Terzo V11-170 W 1x canopy Terzo H14-92 W 3x Leipzig 777 W perforated 4x assembly sets Terzo + 2x assembly sets BK

Height fitted: 1390 mm
Total height: 1660 mm
Width: 994 mm

Set no. 86480 W



Terzo system consists of: 2x posts Terzo V11-170 W 1x canopy Terzo H14-63 W 4x Leipzig 777 W perforated 3x assembly sets Terzo + 4x assembly sets BK

Height fitted: 1590 mm
Total height: 1890 mm
Width: 710 mm

Set no. 86490 W



Terzo system consists of: 2x posts Terzo V11-170 W 1x canopy Terzo H14-92 W 6x Leipzig 777 W perforated 4x assembly sets Terzo + 7x assembly sets BK

Height fitted: 1590 mm Total height: 1890 mm Width: 994 mm

Through the wall post boxes

Outer letterplate



Letterplate

- for use with rear access post boxes
- powder coated galvanised steel





ArtNo.	Colour	EAN	H x W	Slot
		50 01656	mm	mm
LP01	white	702495 8	120x320	240 x 28
LP01BK	black	702494 1	120x320	240 x 28



Letterplate Porta 791 Ni

Stainless steel

- with protective transparent finish
- with name plate
- incl. fixing material. Enclosed lock screws suitable for door thicknesses up to 35 mm
- required opening: height: 45 -55 mm, width 235 -240 mm





ArtNo.	EAN	HxWxD	Slot
	40 03482	mm	mm
791 Ni SB	38110 6	68x266x9	226x22



Porta letterplate, one-piece

Frame made of aluminium, flap made of galvanised steel

- high-quality powder-coated
- incl. fixing material
- universally suitable from 20mm door/wall thickness
- available in three colours: white, silver and brown

• required opening:

796: height: 50-67.5mm, width: 257-268.5mm **797:** height: 50-67.5mm,

width: 365-376.5mm



Silver



3rown

ArtNo.	Colour	EAN	HXW	Slot
		40 03482	mm	mm
796 W	white	32470 7	101 x 304	254x35
796 Si	silver	32480 6	101 x 304	254 x 35
796 BR	brown	32490 5	101 x 304	254x35
797 A W	white	31560 6	101 x 412	360 x 35
797 A Si	silver	32380 9	101 x 412	360 x 35
797 A BR	brown	31570 5	101 x 412	360 x 35



Through the wall post boxes

Through the wall installations

795

Galvanised steel with white lacquered removal door

 depth adjustable up to 490 mm wall thickness



Rear view



ArtNo.	Colour	EAN	H x W x D
		40 03482	mm
Box 795	Galvanised,	32430 1	130x260x315
	door white		-490



Letter plate 794

Solid aluminium cover and flap

- any number of post boxes can be mounted on top of each other as the cover is profiled
- available in three colours: white, silver and brown

ArtNo.	Colour	EAN	HxWxD	Slot
		40 03482	mm	mm
794 W	white	32440 0	135x305x8	230x35
794 Si	silver	32450 9	135x305x8	230 x 35
794 BR	brown	32460 8	135x305x8	230 x 35







795 box with 794 plate



2x 795 box with 2x 794 plate

Galvanised steel



Parcel box

• heavy duty box for small to medium parcels

• retractable internal plate prevents 'fishing'

• large parcel retrieval door

secure cam lock

weather resistant

strong mounting plate & fixings included

• ideal for online shopping and accepting parcels even when not at home









ArtNo.	Colour	EAN	HxWxD	Slot
		50 01656	mm	mm
PB01BK	black	702450 7	554x405x255	360x100x210
MBCL03G	replacement cam lock	702	189 6	



Thames

- weather resistant
- suitable for large letters, magazines and small parcels
- top opening access
- large capacity
- no lock, items retrieved by simply lifting the lid
- bronze plated "Newspaper" plaque on front













еВохх

Parcel box eBoxx

Practical:

- includes notification card for continuous use
- DIN A4 template with contact information for the parcel service
- EA + EAA: slot format DIN C4

About the door:

- corrosion resistant bolt system
- door opening restrictor
- emergency opening from interior (child lock)
- door stay to prevent unintentional opening

Durability:

- strong laser welded body
- sophisticated ventilation system
- bottom bracing







EA 634 Si




EAA 634 S ANT



GV 644 S W

eBoxx	Colours	EAN	HxWxD	Volume	slot
		40 03482	mm	I	WxHmm
E 634 S W	white	37710 9	575 x 380 x 450	98	
E 634 S Si	silver	40750 9	575 x 380 x 450	98	
E 634 S ANT	anthracite	40740 0	575 x 380 x 450	98	
EA 634 S W*	white	37740 6	690x380x450	20/98	326x31
EA 634 S Si*	silver	40770 7	690x380x450	20/98	326x31
EA 634 S ANT*	anthracite	407608	690x380x450	20/98	326x31
EAA 634 S W*	white	40830 8	805 x 380 x 450	20/20/98	326x31
EAA 634 S Si*	silver	40810 0	805 x 380 x 450	20/20/98	326x31
EAA 634 S ANT*	anthracite	40800 1	805 x 380 x 450	20/20/98	326x31
GV 644 S W	white	377208	760x575x450	197	
GV 644 S Si	silver	40790 5	760x575x450	197	
GV 644 S ANT	anthracite	40780 6	760x575x450	197	








eBoxx

Simple operation in 4 steps:



Which stand is suitable for which eBoxx?

Model	Max packet size	DHL Pack set	Hermes	TNT Pack set	DPD**
E 634 S	540×340×405	XS, S, M, L	S mini, S	Box 1 Box 2 Box 3 Box 4	S, M, L
EA 634 S + EAA 634 S	540 x 340 x 405	XS, S, M, L	S mini, S	Box 1 Box 2 Box 3 Box 4	S, M, L
GV 644 S	725×535×405	XS, S, M, L	S mini, S, M	Box 1 Box 2 Box 3 Box 4	S, M, L, XL

^{*} DPD parcel sizes are calculated according to width or dimensional weight(not according to clearly defined dimensions) therefore the mentioned formats are examples only. Further information can be found under www.dpd.com

eBoxx accessories

Overview of eBoxx stands

	EAA 634	E 634	EA 634	GV 644
Universal 150 eBoxx Ni	✓	✓	✓	✓ *
Terzo Post	✓ *	√ *	✓ *	√ *

Universal 150 eBoxx Ni

Stainless steel

- universally suitable for all eBoxx models
- consisting of two stainless steel tubes with special perforations
- secured from the inside onto the tubes, offering increased theft protection
- for embedding in concrete
- the tubes can be shortened as required
- incl. assembly set

* Two pieces necessary
InIn
/////
/////
/////
/////
/////















Art.No.	EAN	LxØ
	40 03482	mm
Universal 150 eBoxx Ni	37801 4	1500x32

Terzo 160 eBoxx

- tubes made of high quality powder coated aluminum
- for embedding in concrete
- 2 tubes including assembly kit

Terzo feet

- optional to Terzo post
- the installation is possible without concrete
- for surface mounting to a solid floor
- includes fixing material and cover caps
- assembling an eBoxx Terzo requires 2 feet



Art.No.	Colour	EAN
		40 03482
Terzo V11 - 170 W	white	38530 2
Terzo V11 - 170 Si	silver	38500 5
Terzo V11 - 170 ANT	anthrcite	38510 4
Terzo Fuß V11-F W	white	31000 7
Terzo Fuß V11-F Si	silver	17780 8
Terzo Fuß V11-F ANT	anthracite	34420 0




Post box


Accessories





Replacement parts

- Loose cam lock cylinders for post boxes, key boxes etc
- N1: Standard name window
- N2: Name plate for Dual and Europa models
- S1: Sight plate for Köln model
- SD 1: Side-end for round post boxes
- SD 2 U: side-end for U-shaped Newspaper, z. B. for models London and Malaga
- SD 3 V: side ending in V form; z. B. for Set Vario or Amrum-Set









Art.No.			EAN	Pack	size
			40 03482		mm
N-Plate N1			08110 5	5	74×22
N-Plate N2			28900 6	5	111x31
S-Plate S1			08120 4	5	44 x 14
			50 1656		mm
G2		nameplate	702190 2	2 1	73 x 22
			40 03482		
S-Cover SD1	SB	visi	28871 9	10	Ø120 mm, packed in
(Preis pro Paar)					pairs: 1 VE = 10 Pairs
C Cover CD2 II	CD	visi	200616	10	100 x 100 mm,
S-Cover SD2 U	ЭB	VISI	39861 6	10	U-Form
C Cover CD2 V	CD	vici	20071 F	10	100 x 100 mm,
S-Cover SD3 V	2B	VISI	39871 5	10	V-Form



Side-ends SD 2 U



Post box

Accessories

Release aid

- stainless steel
- lifts post from being flat on the base
- simple to retrofit using adhesive
- two versions available



Art.No.	EAN	For Brands
	40 03482	Model
Release aid 1 Ni	37970 7	Amrum/-Set, Amsterdam, Borkum, Comfort/-Set, Olymp/-Set, Leipzig, Lucca/-Set, Magdeburg, Nordic, Potsdam, Set Vario
Release aid 2 Ni	37980 6	Dual, Europa, Kopenhagen, Sylt



Safes and gun cabinets

SAFES ARE THE LAST LINE OF DEFENCE AGAINST BURGLARY - KEEP CASH, DOCUMENTS & TREASURED MEMORIES SAFE. FOR PRIVATE & COMMERCIAL USE.

Freestanding Diplomat safe	306
Freestanding Karat safe	310
Freestanding Magno safe	314
Dual-Safe safety cabinet	316
Combi-Line safety cabinet	320
Freestanding home safes	324
Laptop safe	330
Hotel safe / Fire protective safe	331
Favor safe	332
Wall safes	333
Key Safes	339
Safety cabinet / Freestanding safe Office-Line	342
Document cabinet Office-Doku	348
High quality commercial safe Royal	350
Special paint finish interior utilisation	358
Gun cabinets	360
Safe check list	363
Locking systems	364
Insurance cover, certifications	366



Safes and gun cabinets

Freestanding safe

Cash: £10,000 / €15,000 Fire rating: 60 minutes

Valuables: £100,000 / €150,000





MTD 740-MTD 780 Freestanding safes

RESISTANCE GRADE I, FIRE RESISTANCE GRADE LFS 60

- type tested and supervised security by ECB·S
- certified protection against burglary according to EN 1143-1
- certified fire protection according to EN 15659, as of: 2009, 60 minutes fire protection for paper
- 3 walled body with armoured, fireproof insulation
- FPC buildup (Fire Protection Concrete) insulation in body and door
- special back wall construction with additional reinforcement.
 Advantage: low overall depth due to slim construction
- optimum use of interior space due to slim body
- 4 walled inset door

construction













- extensive reinforcement in front of bolts and locking bolts
- 4-sided locking by strong round bolts
- inset concealed door hinges stylish design
- prepared for wall and floor anchoring with supplied M10 fixing bolts
- security plus: 2 double emergency locking systems, not resettable
- convenient depth for common sized files
- (MTD 740 + 750 = 1 shelf each, MTD 760 + 780 = 2 shelves each)
- shelf is fully adjustable (additional available to order)
- paintwork: silver metallic, special painting: possible (page 358)
- intumescent sealing material swells and seals the door in the event of fire

SecuSafe

Resettable high security safe lock

- Vds tested, ECB·S according to EN 1300 class 2/B
- 10 levers
- 50 million key differs
- lock can be immediately reset to a new key if a key is lost
- re-keying with an existing safe possible (Example: Customer buys another safe and wishes to open both safes with one key)
- available with several keys on customer request (no waiting times)
- for information on spare keys and additional keys (page 309)



SecuTronic

New electronics with graphic display and fingerprint scanner

- ECB·S safe lock with fingerprint module EN 1300 class B
- programmable electronic combination lock
- 1,000,000 different codes possible
- 1 admin code, up to 9 user codes and up to 20 fingerprints can be programmed
- the fingerprint scanner features "Fake Fingerprint Detection" to identify only live fingers. It will not identify fake or copied fingerprints
- modern, precise and highly sensitive state-of-the-art authentication process
- timer functions and assignment of rights




Special painting:

Special paint finishes are available in all RAL and brilliant colours.

See page 358 for further details.

Examples of RAL colours








Freestanding safe Diplomat ****

Cash: £10,000 / €15,000 **Valuables:** £100,000 / €150,000

Fire rating: 60 minutes





Resettable, armoured high-security safe lock

- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- 10 levers
- key retaining

















- supplied with 2 keys
- 50 million key differs
- more security in the event of losing the key – immediately resettable to a new key
- locking armature protrudes 13 mm







ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
MTD 740 K	41400 2	380 x 500 x 462	255x372x300	255 x 337	92	28.3
MTD 750 K	41410 1	470×500×462	345x372x300	345 x 337	104	38.5
MTD 760 K	41420 0	625 x 500 x 462	500x372x300	500x337	132	55.8
MTD 780 K	41430 9	985×500×462	860x372x300	860 x 337	186	96.0



Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, up to 9 user codes and up to 20 fingerprints
- timer functions and assignment of rights
- incl. 4 Mignon LR 06 AA batteries
- locking armature protrudes 20 mm



6



ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
MTD 740 E FP	41440 8	380 x 500 x 462	255x372x300	255 x 337	92	28.3
MTD 750 E FP	41450 7	470×500×462	345 x 372 x 300	345 x 337	104	38.5
MTD 760 E FP	41460 6	625 x 500 x 462	500x372x300	500x337	132	55.8
MTD 780 E FP	41470 5	985 x 500 x 462	860x372x300	860x337	186	96.0

Freestanding safe Diplomat ★★★★★

Cash: £10,000 / €15,000 **Valuables:** £100,000 / €150,000

Fire rating: 60 minutes

Overview

Four different sizes:







MTD 750 K



MTD 760 K









MTD 750 Shelves: 1



MTD 760 Shelves: 2



MTD 780 Shelves: 2

BURG-WÄCHTER security level









Accessories

Interior safe with cylinder lock for MTD 760 - 780

ArtNo.	EAN	HxWxD
	40 03482	mm
IT MTD	37960 8	180x370x260

Spare keys and additional keys for MTD 740-780 K

ArtNo.	EAN	Info
	40 03482	
Set 55-124-2	08920 0	2 keys, 124 mm long
Set 55-124-4	09260 6	4 keys, 124 mm long
Set 55-124-6	06890 8	6 keys, 124mm long
as per sample	08780 0	Key length 124mm

Freestanding safe



Karat

Cash: £6,000 / €9,000 Valuables: £60,000 / €90,000







MT 640 – MT 660 Freestanding safes

RESISTANCE GRADE 0

- type tested and supervised security by ECB-S
- protection against burglary and fire according to EN 1143-1
- triple walled body with exterior stainless steel walls that are highly resistant to flame cutting
- double walled door, with additional armouring, door leaf:
 7 mm SM steel
- additional lock plating for extra protection
- 3-sided locking through square bolts, bolts on the top and on the bottom with integrated steel rolls – extreme protection against flame-cutting, drilling and attack
- all-over rear gripping bar on the hinge side











- prepared for both wall and floor fixing, fixings included extremely high tear-out resistance. 1 centrally arranged drill hole on the back wall and 1 on the bottom
- fire-protective material in body and door according to DIN 4102-A1 and fire fold in body
- convenient depth for common sized files, 1 adjustable shelf
- shelf is fully adjustable (additional available to order)
- paintwork: platinum grey
- safety plus:

Thermal emergency locking mechanism, puncture-proof plate in front of every bolt.

SecuSafe

Resettable high security safe lock

- Vds tested, ECB·S according to EN 1300 class 2/B
- 10 levers
- 50 million key differs
- lock can be immediately reset to a new key if a key is lost
- re-keying with an existing safe possible (Example: Customer buys another safe and wishes to open both safes with one key)
- available with several keys on customer request (no waiting times)



SecuTronic

New electronics with graphic display and fingerprint scanner

- ECB·S safe lock with fingerprint module EN 1300 class B
- programmable electronic combination lock
- 1,000,000 different codes possible
- 1 admin code, up to 9 user codes and up to 20 fingerprints can be programmed
- the fingerprint scanner features "Fake Fingerprint Detection" to identify only live fingers. It will not identify fake or copied fingerprints
- modern, precise and highly sensitive state-of-the-art authentication process
- timer functions and assignment of rights



Freestanding safe Karat ****

Cash: £6,000 / €9,000 **Valuables:** £60,000 / €90,000

















Version K "SecuSafe"

Resettable, armoured high-security safe lock

- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- 10 levers
- key retaining

- supplied with 2 keys
- 50 million key differs
- more security in the event of losing the key – immediately resettable to a new key
- locking armature protrudes 3 mm







ArtNo.	EAN I		N Exterior H x W x D Interior H x W x D		Door HxW Weight	
	40 03482	mm	mm	Opening mm	kg	1
MT 640 K	41340 1	340x430x390	250x348x294	250x336	48	25.8
MT 660 K	41350 0	530x430x390	440x348x294	440x336	67	45.3



Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, up to 9 user codes and up to 20 fingerprints
- timer functions and assignment of rights
- incl. 4 Mignon LR 06 AA batteries
- locking armature protrudes 23 mm



)

6



ArtNo.	EAN Exterior H x W x D Interior H x W x		Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
MT 640 E FP	41360 9	340x430x390	250x348x294	250x336	48	25.8
MT 660 E FP	41370 8	530x430x390	440x348x294	440x336	67	45.3

Freestanding safe Karat ★★★★★

Cash: £6,000 / €9,000 **Valuables:** £60,000 / €90,000

Overview

Two different sizes:





MT 640 K

MT 660 K





BURG-WÄCHTER security level



0 6 10 1



0 4

12

Spare keys and additional keys for MT 640-660 K, WT 614-616 K

ArtNo.	EAN	Info
	40 03482	
Set 55-80-2	08890 6	Key set 55-80-2: Set of 2 keys, 80 mm long
Set 55-80-4	08910 1	Key set 55-80-4: Set of 4 keys, 80 mm long
Set 55-80-6	06880 9	Key set 55-80-6: Set of 6 keys, 80 mm long
as per sample	08640 7	Key according to sample, lock class B, 80 mm long

Freestanding safe Magno ****

Cash: £6,000 / €9,000 **Valuables:** £60,000 / €90,000











Magno M 520/M 540 commercial freestanding safe

- strong round bolts
- included shelf is fully adjustable (additional available to order)
- certified protection against burglary according to EN 1143-1, resistance grade 0
- double-walled construction
- inset door-locking armature does not protrude
- internal hinge
- all-over gripping rail on the hinge
- prepared for back wall fixing fixing materials supplied M10 fixing bolts

Recommended accessories:

KWH 5 foam small arms holder (not included), see page 315



Version S "SecuSafe"

Armoured security double-bit lock "SecuSafe"

- VdS tested, class 1
- ECB·S certified according to EN 1300 class A
- 9 levers
- 1,000,000 different key differs
- supplied with 2 keys









M 520 S

M 540 S

ArtNo.	. EAN		Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
M 520 S	40340 2	360 x 495 x 445	245x379x305	245 x 333	60.0	28.0
M 540 S	40360 0	560x495x445	445x379x305	445 x 333	80.0	51.0

Version E "SecuTronic"

Programmable electronic combination lock "SecuTronic"*

- ECB·S certified according to EN 1300 class B
- 1,000,000 different codes possible
- incl. 3 Mignon LR 06 AA batteries





6 12

M 520 E

M 540 E

ArtNo.	EAN	N Exterior H x W x D Interior H x W		D Door HxW Weig		Volume
	40 03482	mm	mm	Opening mm	kg	I
M 520 E	40350 1	360 x 495 x 445	245x379x305	245 x 333	60.0	28.0
M 540 E	40370 9	560 x 495 x 445	445 x 379 x 305	445 x 333	80.0	51.0

Freestanding safe Magno ****

Cash: £6,000 / €9,000 **Valuables:** £60,000 / €90,000

Overview

Two different sizes:

BURG-WÄCHTER security level







Replacement and additional keys for M 520 S und M 540 S

ArtNo.	EAN	Info	
	40 03482		
as per sample	16620 8	Key length 68 mm	

Small arms holder KWH 5



KWH 5

Small arms holder for up to five handguns

- made from robust foam
- suitable for use in small arms safes (e.g. BURG-WÄCHTER Magno M 520 and M 540)





Assembly

ArtNo.	EAN	HxWxD	Weight
	40 03482	mm	kg
KWH 5	40380 8	130x335x230	0.16

Safety cabinet

Cash: £4,000 / €5,000 Valuables: £40,000 / €50,000 Fire rating: 30 minutes





DS 415 – DS 465 Safety cabinets

SECURITY LEVEL S2 FIRE RESISTANCE GRADE LFS 30

- safety cabinets with pan-European certification
- type tested and supervised security by ECB-S
- tested and certified protection against burglary and fire
- security level S2 according to DIN EN 14450
- fire resistance LFS 30 according to EN 15659 30 minutes fire protection for paper
- fire protective material according to DIN 4102
- composite insulation in front of the door leaf provides heat protection for the lock and bolts
- double-walled construction











- internal hinge
- lateral locking through 25 mm diameter strong round bolts plus sliding bolt on the top
- all-over gripping rail on the hinge side
- prepared for both wall and floor fixing, two diagonally arranged drill holes on the back wall and on the floor
- supplied with M10 fixing bolts
- body light grey, door light grey
- included shelf is fully adjustable (additional available to order)

2 security standards in one safe

The Dual-Safe safety cabinets correspond to 2 security standards:

- security level S2 according to DIN EN 14450
- fire resistance LFS 30 according to EN 15659 30 minutes fire protection for paper



Technical features

Sliding bolt on the top for additional protection against attack



SecuTronic

New electronics with graphic display and fingerprint scanner

- ECB-S safe lock with fingerprint module EN 1300 class B
- programmable electronic combination lock
- 1,000,000 different codes possible
- 1 admin code, up to 9 user codes and up to 20 fingerprints can be programmed
- the fingerprint scanner features "Fake Fingerprint Detection" to identify only live fingers. It will not identify fake or copied fingerprints
- modern, precise and highly sensitive state-of-the-art authentication process
- timer functions and assignment of rights



Safety cabinet Dual-Safe ★★★★

Cash: £4,000 / €5,000 **Valuables:** £40,000 / €50,000

Fire rating: 30 minutes



Version K "SecuSafe"

Armoured security double-bit lock

- VdS tested, class 1
- ECB·S certified according to EN 1300 class A
- 9 levers

























(0		_	 	6	3		12	2	
	i		i						FΔ	M

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
DS 415 K	41260 2	320x435x380	205 x 320 x 232	205 x 265	44	15
DS 425 K	41280 0	360 x 495 x 445	245x380x297	245 x 325	55	27
DS 445 K	41300 5	560 x 495 x 445	445x380x297	445 x 325	77	50
DS 465 K	41320 3	820×495×445	694x380x297	694×324	111	78




Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, 9 user codes and 20 fingerprints
- timer functions and assignment of rights
- incl. 4 Mignon LR 06 AA batteries
- DS 415-445: the locking armature protrudes 13 mm DS 465:
- the locking armature protrudes 11 mm







ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
DS 415 E FP	41270 1	320x435x380	205 x 320 x 232	205 x 265	44	15
DS 425 E FP	41290 9	360 x 495 x 445	245x380x297	245 x 325	55	27
DS 445 E FP	41310 4	560 x 495 x 445	445 x 380 x 297	445 x 325	77	50
DS 465 E FP	41330 2	820 x 495 x 445	694x380x297	694x324	111	78

Safety cabinet Dual-Safe ★★★★

Cash: £4,000 / €5,000 **Valuables:** £40,000 / €50,000

Fire rating: 30 minutes

Overview

Four different sizes:







DS 425 K



DS 445 K



DS 465 K









BURG-WÄCHTER security level












Key blank for Dual-Safe DS 415-465 K*

ArtNo.	EAN	Info
	40 03482	
as per sample	38590 6	Key length 80 mm

^{*} Spare key production can take up to 14 days.



CL 410 – CL 460 Safety cabinets

SECURITY LEVEL S2 FIRE RESISTANCE GRADE LFS 30

- safety cabinets with pan-European certification
- type tested and supervised security by ECB-S
- tested and certified protection against burglary and fire
- security level S2 according to DIN EN 14450
- fire resistance LFS 30 according to EN 15659 30 minutes fire protection for paper
- fire protective material according to DIN 4102
- composite insulation in front of the door leaf provides heat protection for the lock and bolts
- double-walled construction











- internal hinge
- lateral locking through 25 mm diameter strong round bolts plus sliding bolt on the top
- all-over gripping rail on the hinge side
- prepared for both wall and floor fixing, two diagonally arranged drill holes on the back wall and on the floor
- supplied with M10 fixing bolts
- body and door dark grey
- included shelf is fully adjustable (additional available to order)

2 security standards in one safe

The Combi-Line safety cabinets correspond to 2 security standards:

- security level S2 according to DIN EN 14450
- fire resistance LFS 30 according to EN 15659 30 minutes fire protection for paper





Technical features

Sliding bolt on the top for additional protection against attack



SecuTronic

New electronics with graphic display

- ECB·S certified safe lock according to EN class A
- programmable electronic combination lock
- 1 programmable admin code and 1 programmable user code
- 1,000,000 different codes possible



Safety cabinet Combi-Line ***

Cash: £4,000 / €5,000 **Valuables:** £40,000 / €50,000

Fire rating: 30 minutes



Armoured security double-bit lock

- VdS tested, class 1
- ECB·S certified according to EN 1300 class A
- 9 levers















- 1,000,000 different closures
- supplied with 2 keys









ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
CL 410 K	41180 3	320x435x380	205 x 320 x 232	205 x 265	44	15
CL 420 K	41200 8	360 x 495 x 445	245x380x297	245 x 325	55	27
CL 440 K	41220 6	560 x 495 x 445	445x380x297	445 x 325	77	50
CL 460 K	41240 4	820×495×445	694x380x297	694×324	111	78



Version E "SecuTronic"

Programmable electronic combination lock

- ECB·S certified according to class A
- 1,000,000 different codes possible
- 1 programmable admin code and 1 programmable user code
- incl. 4 Mignon LR 06 AA batteries
- CL 410–440: locking armature protrudes 13 mm CL 460:

locking armature protrudes 11 mm









ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
CL 410 E	41190 2	320x435x380	205 x 320 x 232	205 x 265	44	15
CL 420 E	41210 7	360 x 495 x 445	245 x 380 x 297	245 x 325	55	27
CL 440 E	41230 5	560 x 495 x 445	445 x 380 x 297	445 x 325	77	50
CL 460 E	41250 3	820×495×445	694x380x297	694x324	111	78

Safety cabinet Combi-Line ***

Cash: £4,000 / €5,000 **Valuables:** £40,000 / €50,000

Fire rating: 30 minutes

Overview

Four different sizes:





CL 420 K



CL 440 K



CL 460 K









BURG-WÄCHTER security level











Key blank for Combi-Line CL 410-460 K*

ArtNo.	EAN	Info
	40 03482	
as per sample	38590 6	Key length 80 mm

^{*} Spare key production can take up to 14 days.

Freestanding home safe City-Line **





Cash: £2,000 / €2,500 **Valuables:** £20,000 / €25,000

Freestanding home safe

- security level B according to VDMA 24992 (As of: May 1995)
- with fire-protective material, according to DIN 4102-A1
- specially designed fire fold
- paintwork: Light grey (RAL 7035)
- double-walled
- locking through round bolts
- prepared for both wall and floor fixing, two diagonally arranged drill holes on the back wall and on the floor
- fixings not included
- included shelf is fully adjustable (additional available to order)

Version K "SecuSafe"

Resettable, armoured high-security safe lock

- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- 10 levers
- key retaining
- 50 million key differs
- more security in the event of losing the key – immediately resettable to a new key
- the locking armature protrudes 5 mm
- supplied with 2 keys







C 310 K

C 340 K

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
C 310 K	41140 7	278 x 402 x 376	209x336x294	209x326	30.0	20.6
C 340 K	41160 5	528 x 435 x 382	440x350x292	440 x 345	49.0	45.3

Version E "SecuTronic"

Programmable electronic combination lock

- ECB·S certified according to class A
- 1,000,000 different codes possible
- 1 programmable admin code and 1 programmable user code
- incl. 4 Mignon LR 06 AA batteries
- the locking armature protrudes 25 mm









C 310 E

Exterior H x W x D Interior H x W x D Door H x W Weight Volume Art.-No. Opening mm kg C 310 E 411506 278 x 402 x 376 209x336x294 209x326 30.0 20.6 C 340 E 411704 528 x 435 x 382 440x350x292 440 x 345 49.0 45.3

Freestanding home safe





Cash: £2,000 / €2,500 **Valuables:** £20,000 / €25,000

Overview

Two different sizes:





BURG-WÄCHTER security level





Replacement and additional keys for C 310 K and C 340 K*

ArtNo.	EAN	Info
	40 03482	
Set 55-80-2	08890 6	2 keys, 80 mm long
Set 55-80-4	08910 1	4 keys, 80 mm long
Set 55-80-6	06880 9	6 keys, 80 mm long
as per sample	08640 7	Key length 80 mm

^{*} Spare key production can take up to 14 days.

Freestanding home safe Home-Safe ★★★





Cash: £2,000 / €2,500 **Valuables:** £20,000 / €25,000

Freestanding home safe

- security level B according to VDMA with fire-protective material, according 24992 (As of May 1995)
- double-walled

- to DIN 4102-A1
- specially designed fire fold
- locking through round bolts
- included shelf is fully adjustable (additional available to order)
- prepared for both wall and floor fixing, two diagonally arranged drill holes on the back wall and on the floor
- fixings not included

Version S "SecuSafe"

Armoured security double-bit lock

- VdS tested, class 1
- ECB·S certified according to EN 1300 class A
- 9 levers
- 1,000,000 different key differs
- scope of delivery incl. 2 keys





H 210 S

H 240 S



				Q			
0			6	0		•	12
				 \checkmark	 		

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
H 210 S	41100 1	278 x 402 x 376	209x336x294	209 x 326	30.0	20.6
H 240 S	41120 9	528 x 435 x 382	440x350x292	440 x 345	49.0	45.3

Version E "SecuTronic"

Electronic combination locks

- ECB·S certified according to EN 1300 class A
- 1,000,000 different codes possible
- incl. 3 Mignon LR 06 AA batteries
- the locking armature protrudes 19 mm





H 210 E

H 240 E





ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	
H 210 E	411100	278 x 402 x 376	209x336x294	209x326	30.0	20.6
H 240 E	411308	528 x 435 x 382	440x350x292	440 x 345	49.0	45.3

Freestanding home safe



Cash: £2,000 / €2,500 **Valuables:** £20,000 / €25,000

Overview

Two different sizes:









BURG-WÄCHTER security level









Key blank for H 210 S and H 240 S*

ArtNo.	EAN	Info
	40 03482	
as per sample	16620 8	Key length 68 mm
Safe key blank 51	16670 3	Key blank

^{*} Spare key production can take up to 14 days.

Freestanding home safe Point-Safe **



Cash: £1,000 / €1,000 **Valuables:** £10,000 / €10,000

Freestanding home safe

- tested in the BURG-WÄCHTER laboratory
- solid single-walled body
- door double-walled
- prepared for wall and floor mounting,
 2 back wall and 2 floor drill holes
- fixing material included
- can be installed in cupboards, desks, etc.
- P1: without shelf
- P2, P3 and P4: 1 removable shelf
- P3 and P4: for files of common size



P Z :

Version S

Double-bit lock

• supplied with 2 keys





ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
P 1 S	24840 9	180 x 280 x 200	173 x 273 x 141	135 x 188	7.5	6.7
P 2 S	24850 8	255x350x300	248x343x241	188 x 230	14.0	20.5
P 3 S	24950 5	320 x 442 x 350	310x435x288	240x317	20.0	38.8

Version E

Electronic combination locks

- resettable combination
- smooth motor powered locking mechanism automatically opens the door
- admin code and user code
- battery operated. Includes 4x LR 06 AA batteries
- additional mechanical lock for emergency opening
- the locking armature protrudes 15 mm



P 2 E

7 8 9 6 0 #	0	4	6		12
ArtNo.					

EAN Exterior H x W x D Interior H x W x D Door HxW Weight Volume 40 03482. Opening mm P 1 E 173 x 273 x 141 7.5 267608 180x280x200 135 x 188 6.7 P 2 E 248102 255x350x300 248 x 343 x 241 188 x 230 14.0 20.5 P 3 E 24820 1 320 x 442 x 350 310x435x288 240x317 20.0 38.8 490x410x288 P 4 E 248300 500x416x350 423 x 290 25.5 57.9

Version E FS

Electronic lock with fingerscan module

- see version E for features
- up to five additional fingerprints (in hotel mode: one fingerprint)







P 2 E FS

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	
P 2 E FS	35390 5	255x350x300	248 x 343 x 241	188 x 230	14.0	20.5
P 3 E FS	35360 8	320 x 442 x 350	310x435x288	240x317	20.0	38.8
P 4 E FS	35380 6	500x416x350	490x410x288	423 x 290	25.5	57.9

Freestanding home safe

Point-Safe ★★



Cash: £1,000 / €1,000 **Valuables:** £10,000 / €10,000

P 2 S EWS

Double-bit lock

- supplied with 2 keys
- two slots: Top (325 mm x 10 mm) for larger documents up to A4 format and front slot (240 mm x 10 mm)









P 2 E EWS

Electronic combination locks

- two slots: Top (325 mm x 10 mm) for larger documents up to A4 format and front slot (240 mm x 10 mm)
- resettable combination
- smooth motor powered locking mechanism automatically opens the door
- admin code and user code
- battery operated. includes 4x LR 06 AA batteries
- additional mechanical lock for emergency opening



ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
P 2 S EWS	35510 7	255x350x300	248x343x241	188 x 230	14.0	20.5
P 2 E EWS	35520 6	255x350x300	248x343x241	188 x 230	14.0	20.5

Overview

Four different sizes:









P 3 E



P 4 E

BURG-WÄCHTER security level









Key blank for P 1 S, P 2 S, P 3 S und P 2 S EWS*

ArtNo.	EAN	Info
	40 03482	
as per sample	33000 5	Key length 76 mm
TR key blank 17 B**	16810 3	Key blank, PU 5 pcs. (to 2013)
Safe key blank 17 C	37080 3	Key blank, PU 5 pcs. (from 2014)

 $^{^{*}}$ Spare key production can take up to 14 days. * TR key blank 17 B only for P 1–3 S.

Laptop safe Point-Safe ★★



Cash: £1,000 / €1,000 **Valuables:** £10,000 / €10,000

Freestanding home safe

- solid single-walled body
- fixing material included
- fits up to 15" laptop

Version E

Electronic combination locks

- resettable combination
- smooth motor powered locking mechanism automatically opens the door
- prepared for wall and floor mounting, 2 back wall and 2 floor drill holes
- can be installed in cupboards, desks, etc.
- admin code and user code
- battery operated. Includes 4x LR 06 AA batteries
- · additional mechanical lock for emergency opening
- locking armature protrudes 15 mm

- user programmable electronic combination lock
- for files and laptops
- locking armature protrudes 15 mm





ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
Point 3 E Lap	18180 5	200x445x380	196x441x323	140 x 380	15.2	27.9

Version E FS

Electronic lock with fingerscan module

• up to five fingerprints (in hotel mode: one fingerprint)





ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
Point 3 E FS Lap	35370 7	200x445x380	196×441×323	140×380	15.2	27.9

Freestanding home safe Smart Safe ★

Cash: £1,000 / €1,000 **Valuables:** £10,000 / €10,000


- modern user programmable electronic solid single-walled body lock, incl. 4 x 1.5 V Mignon batteries, with mechanical emergency lock
- ideal for use in cupboards etc.
- pin code can be easily changed
- the locking armature protrudes 20 mm





Smart Safe 10 E

Smart Safe 20 E



Hotel safe Point-Safe ★★

Cash: £1,000 / €1,000 **Valuables:** £10,000 / €10,000

Hotel safes in three sizes

Hotel safe with electronic combination lock

- KA 3/KA 4: with keyed alike mechanical emergency override lock
- for the hotelier: Master pin code for all safes
- for the hotel guest: Simple, easy-tounderstand quick reference guide
- locking armature protrudes 15 mm











456 989 90#

P 1 E KA 3 P 3 E KA 4

P3 E Lap KA4

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
P 1 E KA 3	37770 3	180x280x200	173 x 273 x 141	135 x 188	7.5	6.7
P 3 E KA 4	37780 2	320x442x350	310x435x288	240x317	20.0	38.8
P 3 E Lap KA 4	37790 1	200x445x380	196x441x323	140 x 380	15.2	27.9

Fire protective safe FP 43 E ★★

Cash: £1,000 / €1,000 **Valuables:** £10,000 / €10,000

- document safe with tested fire protection
- double-walled body and door
- all-over solid insulating concrete
- safe passed fire resistance test: Internal temperature after 1 hour: 160 °C – good protection for your documents
- door locked on one side, additional rear gripping bar on hinge side
- body with all-round fire fold

- prepared for fixing to the floor fastening materials included
- electronic combination lock with additional emergency opening lock
- resettable combination
- battery operated. Includes 4x LR 06 AA batteries
- locking armature and the door hinge protrude 32 mm







ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
FP 43 E	39600 1	305 x 400 x 330	225 x 320 x 220	225 x 320	29.0	15.8

Freestanding home safe Favor *

Economy home safe

- solid single-walled body
- door double-walled
- prepared for wall mounting
- fixing material included
- can be installed in cupboards, desks, etc.
- S1: without shelf
- S5 and S9: 1 removable shelf
- S7 and S9: for files of common size

Version S

Key lock

• supplied with 2 keys











ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW W	leight	Volume
	40 03482	mm	mm	Opening mm	kg	I
S1 K	35760 6	170x230x170	168 x 228 x 136	125 x 170	3.3	5.2
S3 K	35770 5	200x310x200	198x308x166	145 x 214	5.0	10.2
S5 K	35790 3	250x350x250	248x348x216	196 x 264	7.0	18.6

Version E

Electronic combination lock

- resettable combination
- battery operated. Includes 4 x LR 06 AA batteries
- additional mechanical lock for emergency opening
- the locking armature protrudes 20 mm













ArtNo.	EAN	Exterior H x W x D	Interior H v W v D	Door HyW	Weight	Volume
AITNO.		LATERIOR II A W A D	IIIterioi II X W X D			Volume
	40 03482	mm	mm	Opening mm	kg	
S3 E	35780 4	200x310x200	198 x 308 x 156	145 x 214	5.0	9.5
S5 E	35800 9	250x350x250	248x348x206	196 x 264	7.0	17.8
S7 E	35810 8	415 x 310 x 350	412 x 307 x 305	364x214	17.0	38.6
S9 E	39730 5	500x350x380	497 x 347 x 375	445 x 265	16.5	55.0

Wall safe Diplomat ★★★★★

Cash: £10,000 / €15,000 **Valuables:** £100,000 / €150,000

VdS







Wall safes WTD 710 'Diplomat' Resistance grade I

- type tested and supervised security by ECB·S
- certified protection against burglary according to EN 1143-1
- back wall made of 10 mm strong steel with stainless steel armouring for flame-cutting protection; more security and maximum utilization of the wall thickness, no concrete back wall necessary
- double-walled door, door leaf made of SM steel, thickness: 10 mm
- manganese steel plating as additional protection of the lock

Version E "SecuTronic"

Electronic combination locks

up to 10 six-digit user codes
incl. 2 Mignon LR 06 AA batteries
locking armature protrudes 18 mm

• VdS certified, class 2

- 3-sided locking through strong square bolts with 2 integrated steel rolls - double protection against flame-cutting
- all-over rear gripping bar on the hinge side
- door with fire-protective material according to DIN 4102-A1
- body with all-round fire fold
- convenient depth for common sized files
- adjustable shelf: size 5: one shelf size 6 and 8: two shelfs

- available with optional internal safe
- paintwork: two-coloured
- extra security: door with double emergency locking mechanism, not resettable, patented. Extra armoring in front of all bolts and lock
- also available with left-sided hinge



WTD 710 5 350 E



WTD 710 6 350 E



WTD 710 8 580 E



710 5 350



710 6 350 710 6 580



710 8 350 710 8 580

BURG-WÄCHTER security level



.





0 6 10 12



	6			12
		1		

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume	
	40 03482	mm	mm	Opening mm	kg	I	
WTD 710 5 350 E	17370 1	465 x 500 x 385	345 x 370 x 300	345 x 340	65	37.8	
WTD 710 6 350 E	17640 5	620 x 500 x 385	500x370x300	500 x 340	80	54.8	
WTD 710 6 580 E	17650 4	620 x 500 x 580	500 x 370 x 495	500 x 340	90	90.3	
WTD 710 8 350 E	17660 3	980 x 500 x 385	860x370x300	860x340	115	94.2	
WTD 710 8 580 E	17970 3	980 x 500 x 580	860 x 370 x 495	860 x 340	130	155.4	
IT WTD 710	09960 5	Interior safe for WTD 710 with file depth (180×370×260 mm)					

Wall safe Karat ★★★





Cash: £2,000 / €2,500 **Valuables:** £20,000 / €25,000

Wall safe - WT 613 Karat

- security level B according to VDMA 24992 (As of May 1995)
- wall safe with variable depth adjustable safe body allows maximum internal space utilisation
- double-walled door
- door plate: 7 mm SM steel
- solid locking through square bolts
- all-over rear gripping bar on the hinge side
- door with fire-protective material according to DIN 4102-A1
- body with all-round fire fold
- paintwork: Antique iron





- ECB-S certified according to EN 1300 class A
- 1,000,000 different codes possible
- incl. 3 Mignon LR 06 AA batteries
- locking armature protrudes 19 mm



WT 613 E

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
WT 613 E	23560 8	250x350x233-351	190x300x188,5-306,5	190x251	18.0	10,7-17.4

BURG-WÄCHTER security level









Wall safe Karat ★★★★★









Cash: £6,000 / €9,000 **Valuables:** £60,000 / €90,000

Wall safes WT 614- 616 'Karat' resistance grade 0

- type tested and supervised security by ECB·S
- certified protection against burglary according to EN 1143-1
- wall safes with variable depth adjustable safe body allows maximum internal space utilisation
- double-walled door, door leaf made of SM steel, thickness: 7 mm
- 3-sided locking through square bolts, bolts on the top and on the bottom with integrated steel rolls

- all-over rear gripping bar on the hinge side
- door with fire-protective material according to DIN 4102-A1
- body with all-round fire fold
- sufficient space for files of common size when at maximum depth
- 1 adjustable shelf
- paintwork: Antique iron
- extra security: thermal emergency locking mechanism, puncture-proof plate in front of every bolt.



Version K "SecuSafe"

Resettable, armoured high-security safe lock

- VdS tested, class 2
- ECB-S certified according to EN 1300 class B
- 10 levers, key retaining
 - .



- supplied with 2 keys
- 50 million key differs
- extra security in the event of losing a key: immediately resettable to a new key
- locking armature protrudes 3 mm
- for more information regarding spare keys and additional keys see page 313



WT 614 K

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
WT 614 K	23570 6	342 x 434 x 233-	250 x 352 x 178-	250x336	27.5	15.6-
		351	296			26.0
WT 616 K	23580 5	532 x 434 x 233-	440 x 352 x 178-	440 x 336	39.0	27.5-
		351	296			45.7

Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, up to 9 user codes and up to 20 fingerprints
- · timer functions and assignment of rights
- incl. 4 Mignon LR 06 AA batteries
- locking armature protrudes 23 mm









ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
WT 614 E FP	23590 4	342 x 434 x 233-	250 x 352 x 178-	250x336	27.5	15.6-
		351	296			26.0
WT 616 E FP	23600 0	532 x 434 x 233-	440 x 352 x 178-	440 x 336	39.0	27.5-
		351	296			45.7

Wall safe Karat ★★★★★









Cash: £6,000 / €9,000 **Valuables:** £60,000 / €90,000

Overview

Two different sizes:











BURG-WÄCHTER security level




0 6





5

12



The best solution for maximising the interior space

Variable depth, adjustable safe body.

The extendable body adapts individually to every depth.

WT 614/616 offers depth for common file sizes when fully extended

Wall safe City-Line ★★★



Cash: £2,000 / €2,500 **Valuables:** £20,000 / €25,000

Wall safe City-Line

- security level B according to VDMA 24992 (As of May 1995)
- double walled door
- locking through round bolts
- door with fire-protective material according to DIN 4102-A1
- specially designed fire fold
- convenient depth for common sized

Version S "SecuSafe"

Armoured security double-bit lock

- VdS tested, class 1
- ECB·S certified according to EN 1300 class A
- 9 levers
- 1,000,000 different key differs
- supplied with 2 keys









ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
CW 5 350 S	15030 6	326x440x350	243 x 343 x 294	243 x 335	19.5	24.5

BURG-WÄCHTER security level









Spare keys and additional keys for CW 5 350 S*

ArtNo.	EAN	Info	
	40 03482		
as per sample	16620 8	Key length 68 mm	
Safe key blank 51	16670 3	Key blank	

^{*} Spare key production can take up to 14 days.

Wall safe Point-Safe ★★

Cash: £1,000 / €1,000 **Valuables:** £10,000 / €10,000

Wall safe Point-Safe

- tested in the BURG-WÄCHTER laboratory
- solid single-walled body

Version S

Double-bit lock

• supplied with 2 keys







9		3	
1/4	0		6

┛ PW 1 S

PW 2 S

Art.-No. EAN Exterior H x W x D Interior H x W x D Weight Volume 40 03482. PW 1 S 249000 180x260x148 150x230x100 6.8 3.5 4.5 PW 2 S 248607 220x340x140 177x298x85 10.2 PW 2 S 200 380109 220x340x195 177 x 298 x 140 10.4 7.4 PW 3 S 248706 260x390x195 213 x 345 x 140 14.8 10.3

Version E

Electronic combination locks

- resettable combination
- smooth motor powered locking mechanism automatically opens the door
- admin code and user code
- battery operated. includes 4x LR 06 AA batteries
- additional mechanical override lock
- the locking armature protrudes 15 mm





PW 2 E

PW 3 E

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Weight	Volume
	40 03482	mm	mm	kg	I
PW 2 E	24960 4	220x340x140	177 x 298 x 85	10.2	4.5
PW 3 E	24970 3	260 x 390 x 195	213 x 345 x 140	14.8	10.3

BURG-WÄCHTER security level





12





Key Safes

Key Safe

Sterling

KeyMinder 1

- secure storage for keys
- for home and office
- controlled access without duplicate keys
- 10,000 resettable combinations
- strong zinc die-cast body resists attack
- weather resistant
- "0-0-0-0" Auto stop aids opening in poor light
- access to combination holders only
- shared access for occupants
- includes fitting gasket for wall mounting





ArtNo.	EAN	HxWxD	Max. key length
	50 01656	mm	cm
KM1	701453 9	83 x 68 x 37	7

Sterling

KeyMinder 3

- storage for door, padlock & car keys
- can also be used indoors as a small safe for valuables & credit cards
- maximum key length 11cm
- includes fitting gasket for wall mounting





ArtNo.	EAN	HxWxD	Max. key length
	50 01656	mm	cm
KM3	701728 8	125 x 82 x 37	11

Key Safes Key Safe

- secure storage for keys and other valuables
- allows 24 hour access to keys ideal for providing access when not at the property (tradesmen, car rental, service, care personnel, holiday guests, etc.)



- very strong zinc die-cast body
- 4-digit, individually adjustable combination
- 10,000 different codes possible
- Key Safe 10
- integrated key hook
- for maximum key length 7 cm

- '0-0-0' auto stop aids opening in poor light
- for wall mounting indoors or protected outdoor areas
- incl. fixing material (4 screws and dowels)



ArtNo.	EAN	HxWxD	Max. key length	Brand
	40 03482	mm	cm	
Key Safe 10 SB	37990 5	85x61x39	7	BURG-WÄCHTER
	50 01656			
KM2	701727 1	85 x 61 x 39	7	STERLING



Key Safe 20

- magnetic key ring holder
- for maximum key length 12 cm



ArtNo.	EAN	HxWxD	Max. key length	Brand
	40 03482	mm	cm	
Key Safe 20 SB	38000 0	135 x 83 x 46	12	BURG-WÄCHTER
	50 01656		cm	
KM4	701747 9	135 x 83 x 46	12	STERLING



Key Safe 30

- for maximum key length 9 cm
- combination dials protected by sliding protective flap





ArtNo.	EAN	HxWxD	Max. key length
	40 03482	mm	cm
Key Safe 30 SB	39650 6	120×90×40	9

Key Safes Key Safe

- secure storage for keys and other valuables
- allows 24 hour access to keys ideal for providing access when not at the property (tradesmen, car rental, service, care personnel, holiday guests, etc.)
- very strong zinc die-cast body
- 4-digit, individually adjustable combination
- combination dials protected by sliding protective flap
- 10,000 different codes possible
- '0-0-0-0' auto stop aids opening in poor light
- for wall mounting indoors or protected outdoor areas
- incl. fixing material (4 screws and dowels)



Key Safe 40

- extra large capacity, not only suitable for keys
- for maximum key length 11 cm





ArtNo.	EAN	HxWxD	Max. key length
	40 03482	mm	cm
Key Safe 40 SB	39740 4	145 x 105 x 55	11



Key Safe 50

Key safe with removable shackle

- high-quality plastic sheath around housing and shackle
- removable shackle
- 4-digit, adjustable combination
- protective flap with sliding mechanism
- for maximum key length 8 cm





ArtNo.	EAN	HxWxD	•	<u>↔</u>	(\$)	Max. key length
	40 03482	mm	mm	mm	mm	cm
Key Safe 50 SB	39900 2	178x95x45	9.5	78.0	83.0	8

Safety cabinet / freestanding safe

Office Line





Office-Line Three different security levels

- 2 different locking systems
- standard colour: light grey (RAL 7035), Lock: black
- integrated handle for easy opening
- external hinge for wide opening angle
- prepared for floor fixing with fixing material, 1 centrally arranged drill hole on the bottom. On request, the Office-Line safes with resistance grade I and II can be supplied with drill holes in the back wall at an extra charge.
- standard and special order options:

Size: 4 different variants









Locking system: key and electronic lock with fingerprint module





Optional equipment: Single/double interior safe, pull-out shelf and pull-out suspension frame





Special painting:

Special paint finishes are available in all RAL and brilliant colours.

See page 358 for further details.

Examples of RAL colours



Examples of brilliant colours



Safety cabinet

Office Line 801-806

Cash: £2,000 / €2,500 **Valuables:** £20,000 / €25,000

- 24992 (As of May 1995)
- double walled body and door



- prepared for floor fixing with fixing material, 1 centrally arranged drill hole on the bottom
- file depth, adjustable shelves
- included shelf is fully adjustable (additional available to order)
- paintwork: Light grey (RAL 7035)



Version K "SecuSafe"

Resettable armoured high-security safe lock

- VdS tested, class 2
- ECB·S certified according to EN 1300
- 10 levers, key retaining
- 50 million key differs
- extra security in the event of losing the key: immediately resettable to a new key!
- locking armature protrudes 25 mm
- supplied with 2 keys



ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	
OL 801 K	41590 0	626 x 641 x 554	476x498x370	476 x 498	110	87
OL 802 K	416105	816 x 641 x 554	666x498x370	666 x 498	126	122
OL 802 K 300	41660 0	816 x 641 x 554	666x498x370	666 x 498	300	122
OL 804 K	41630 3	1096 x 641 x 554	946x498x370	946 x 498	163	174
OL 804 K 300	416808	1096×641×554	946x498x370	946 x 498	300	174
OL 806 K	41650 1	1486 x 780 x 554	1336x638x370	1336x638	300	315



Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, up to 9 user codes and up to 20 fingerprints
- timer functions and assignment of rights
- incl. 4 Mignon LR 06 AA batteries
- locking armature protrudes 50 mm

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	
OL 801 E FP	41580 1	626 x 641 x 554	476x498x370	476 x 498	110	87
OL 802 E FP	41600 6	816x641x554	666x498x370	666 x 498	126	122
OL 802 E FP 300	41670 9	816 x 641 x 554	666x498x370	666x498	300	122
OL 804 E FP	41620 4	1096 x 641 x 554	946x498x370	946 x 498	163	174
OL 804 E FP 300	41690 7	1096×641×554	946x498x370	946 x 498	300	174
OL 806 E FP	41640 2	1486 x 780 x 554	1336x638x370	1336x638	300	315

Commercial freestanding safe

Office Line 811-816











Cash: £10,000 / €15,000 **Valuables:** £100,000 / €150,000

- type tested and supervised security by ECB·S
- fire protection with all-round fire fold
- certified protection against burglary according to EN 1143-1
- double walled body and door
- solid 3-sided locking through 28mm Ø round bolts and additional round dog bolts on hinge side
- prepared for floor fixing with fixing material 1 centrally arranged drill hole on the bottom. On request, the Office-Line safes with resistance grade I and II can

be supplied with drill holes in the back wall at an extra charge

- file depth, adjustable shelves
- included shelf is fully adjustable (additional available to order)
- extra plus: non-resettable emergency re-locking mechanism within the door mechanics



Version K "SecuSafe"

Resettable armoured high-security safe lock

- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- 10 levers, key retaining
- 50 million key differs
- extra security in the event of losing the key: immediately resettable to a new key!
- locking armature protrudes 25 mm
- supplied with 2 keys

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
OL 811 K	41710 2	626 x 641 x 554	476x498x370	476 x 498	142	87
OL 812 K	41730 0	816 x 641 x 554	666x498x370	666 x 498	205	122
OL 814 K	41750 8	1096 x 641 x 554	946x498x370	946 x 498	213	174
OL 814 K 300	41770 6	1096 x 641 x 554	946x498x370	946 x 498	305	174
OL 816 K	41780 5	1486x780x554	1336x638x370	1336x638	310	315



Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, up to 9 user codes and up to 20 fingerprints
- timer functions and assignment of rights
- incl. 4 Mignon LR 06 AA batteries
- locking armature protrudes 50 mm

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	1
OL 811 E FP	41700 3	626 x 641 x 554	476x498x370	476 x 498	142	87
OL 812 E FP	41720 1	816 x 641 x 554	666x498x370	666 x 498	205	122
OL 814 E FP	41740 9	1096 x 641 x 554	946x498x370	946 x 498	213	174
OL 814 E FP 300	41760 7	1096×641×554	946x498x370	946 x 498	305	174
OL 816 E FP	41790 4	1486x780x554	1336x638x370	1336x638	310	315

Commercial freestanding safe

Office Line 821-826











Cash: £17,500 / €26,000 **Valuables:** £175,000 / €260,000

- by ECB·S
- fire protection with all-round fire
- certified protection against burglary according to EN 1143-1
- double walled body and door
- type tested and supervised security
 solid 3-sided locking through 28mm Ø round bolts and additional round dog bolts on hinge side
 - prepared for floor fixing with fixing material 1 centrally arranged drill hole on the bottom.
 - On request, the Office-Line safes with resistance grade I and II can be supplied

with drill holes in the back wall at an extra charge

- file depth, adjustable shelves
- included shelf is fully adjustable (additional available to order)
- extra plus: non-resettable emergency re-locking mechanism within the door mechanics



Version K "SecuSafe"

Resettable armoured high-security safe lock

- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- 10 levers, key retaining
- 50 million key differs
- extra security in the event of losing the key: immediately resettable to a new key!
- the locking armature protrudes 25 mm
- supplied with 2 keys

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
OL 821 K	41800 0	626 x 641 x 554	476×498×370	476 x 498	205	87
OL 822 K	41820 8	816 x 641 x 554	666x498x370	666x498	205	122
OL 824 K	41840 6	1096 x 641 x 554	946x498x370	946 x 498	239	174
OL 826 K	41860 4	1486 x 780 x 554	1336x638x370	1336x638	336	315



Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, up to 9 user codes and up to 20 fingerprints
- timer functions and assignment of rights
- incl. 4 Mignon LR 06 AA batteries
- locking armature protrudes 50 mm



ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
OL 821 E FP	41810 9	626 x 641 x 554	476x498x370	476 x 498	205	87
OL 822 E FP	41830 7	816x641x554	666x498x370	666 x 498	205	122
OL 824 E FP	41850 5	1096×641×554	946x498x370	946 x 498	239	174
OL 826 E FP	41870 3	1486 x 780 x 554	1336x638x370	1336x638	336	315

Safety cabinet / freestanding safe Office Line

Overview

Four different sizes:



Office-Line 801, 811, 821 K



Office-Line 802, 812, 822 K



Office-Line 804, 814, 824 K



Office-Line 806, 816, 826 K



OL 801/811/821 Shelves: 1



OL 802/812/822 Shelves: 1



OL 804/814/824 Shelves: 2



OL 806/816/826 Shelves: 3

Interior safes with cylinder lock (Office 801-826)

ArtNo.	EAN	Suitable for:	HxWxD
	40 03482		mm
IT – Office 1	15230 0	Office-Line sizes: 1, 2, 4	151 x 498 x 313
IT – Office 2	15320 8	Office-Line size: 6	151x638x313

Additional key for OfficeLine 801-826 K, Ranger 800/8 K

ArtNo.	EAN	Info	
	40 03482		
Set 55-124-2	08920 0	2 keys, 124mm long	
Set 55-124-4	09260 6	4 keys, 124mm long	
Set 55-124-6	06890 8	6 keys, 124mm long	
as per sample	08780 0	Key length 124 mm	

Wall mounting for OfficeLine

ArtNo.	EAN	
	40 03482	
Wall mounting OL	38032 1	Additional hole for wall mounting, retrofitting not possible

Document cabinet

Office-Doku 821, 824















Cash: £17,500 / €26,000 **Valuables:** £175,000 / €260,000

Fire rating: 60 minutes

- 2 security grades in one, certified protection against burglary according to EN 1143-1 and certified protection against fire according to EN 1047-1
- doubled walled body, compoundfilled with fire protecting material
- doubled walled door
- solid 3-sided locking through 28mm Ø round bolts and additional round dog bolts on hinge side
- prepared for floor fixing with fixing material 1 centrally arranged drill hole on the bottom. Due to their fire protection, Office-Doku safes cannot be supplied with back drill holes.
- fire protection: S 60 P (1 hour fire test for paper)
- body with all-round fire fold
- file depth, adjustable shelves
- included shelf is fully adjustable (additional available to order)
- extra plus: non-resettable double emergency re-locking mechanism within the door mechanics



Version K "SecuSafe"

Armoured high security double-bit

- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- 10 levers, key retaining
- 50 million key differs
- extra security in the event of losing the key: immediately resettable to a new key!
- locking armature protrudes 25 mm
- supplied with 2 keys

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
OD 821 K	41890 1	626 x 641 x 555	476x498x336	476 x 498	300	79.6
OD 824 K	41910 6	1096 x 641 x 555	946×498×336	946×498	450	158.3



Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, up to 9 user codes and up to 20 fingerprints
- timer functions and assignment of rights
- incl. 4 Mignon LR 06 AA batteries
- locking armature protrudes 50 mm

ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Door HxW	Weight	Volume
	40 03482	mm	mm	Opening mm	kg	I
OD 821 E FP	41880 2	626 x 641 x 555	476x498x336	476 x 498	300	79.6
OD 824 E FP	41900 7	1096×641×555	946x498x336	946 x 498	450	158.3

Document cabinet Office Doku

Overview

Two different sizes:





Office-Doku 821 K

Office-Doku 824 K





Interior safe with cylinder lock for Office Doku 821+ 824

ArtNo.	EAN Suitable for:	HxWxD
	40 03482	
IT – Office 1	15230 0 Office-Doku 821 + 824	151x498x313

Additional key for Office-Doku 821+824 K

ArtNo.	EAN	Info	
	40 03482		
Set 55 GLK-2	09270 5	2 keys, 162 mm long	
Set 55 GLK-4	09290 3	4 keys, 162 mm long	
Set 55 GLK-6	06900 4	6 keys, 162 mm long	
as per sample	08790 9	Key length 162 mm	

High quality commercial safe

Royal

Cash: £10,000 up to £100,000 / €150,000 Valuables: £100,000 up to £1M / €1.5M







Royal

Five different security levels

- type tested and supervised security by ECB-S
- certified protection against burglary according to EN 1143-1
- triple walled body
- concealed hinges
- 3-sided locking by strong round bolts, multiple bearings (Royal E 512 – E 516, E 522 – E 526, E 532 – E 536 and E 542 – E 546)
- 3-sided locking by square bolts with wide locking surface, multiple bearings (Royal E 552 – E 556)
- armoured bolt system
- all-over gripping bar on the hinge side
- locking mechanism with extra protection against penetration
- locking armature handle protrudes 70 mm
- Special painting:

Special paint finishes are available in all RAL and brilliant colours.
See page 358 for further details.

- fire protective material according to DIN 4102
- specially designed fire fold
- prepared for 4-fold wall fixing, fixings included
- interior with sufficient space for files of common size
- optional internal fittings and special paint finish (see P. 357) available to order at extra cost. Adjustable shelves and grey/ white two colour finish supplied as standard
- recommendation for extra security: combine two locking systems
- large selection of locking systems (see P. 356)
- Royal E 512 E 536 special order option with electronic combination lock "SecuTronic", fingerprint module as standard
- Royal E 542 E 556 E special order option with electronic combination locks, redundant lock as standard

Examples of RAL colours



Examples of brilliant colours



Commercial freestanding safe Royal

Cash: £10,000 / €15,000 **Valuables:** £100,000 / €150,000

Royal E 512-516 "SecuSafe"

RESISTANCE GRADE I

- resettable, armoured high-security safe lock 'SecuSafe', VdS tested, class 2 ECB·S certified according to EN 1300 class B
- extra security if key is lost immediately resettable to a new key
- 10 levers, key retaining
- 50 million key differs
- supplied with 2 keys







ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
	40 03482	mm	mm		kg	I
512 K	25400 4	1000x695x635	745 x 545 x 400	8x 🕕	220	162
514 K	25500 1	1315 x 695 x 635	1060 x 545 x 400	12x 🕕	305	231
516 K	25600 8	1755 x 695x 635	1500x545x400	14x 🕕	350	327

Royal E 522-526 "SecuSafe"

Cash: £17,500 / €26,000 **Valuables:** £175,000 / €260,000

RESISTANCE GRADE II

- resettable, armoured high-security safe lock 'SecuSafe'
- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- extra security if key is lost– immediately resettable to a new key
- 10 levers, key retaining
- 50 million key differs
- supplied with 2 keys



• more security

- Insulation material according to DIN 4102
- Non-resettable emergency locking system















ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
	40 03482	mm	mm		kg	I
522 K	25900 9	1000 x 695 x 635	745 x 545 x 400	8x 🕕	360	162
524 K	26000 5	1315 x 695 x 635	1060 x 545 x 400	12x 🕕	480	231
526 K	26100 2	1755 x 695 x 635	1500 x 545 x 400	14x 🕕	640	327

Commercial freestanding safe Royal

Cash: £35,000 / €50,000 **Valuables:** £350,000 / €500,000















Royal E 532-536 "SecuSafe"

RESISTANCE GRADE III

- resettable, armoured high-security safe lock 'SecuSafe'
- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- extra security if key is lost immediately resettable to a new key
- 10 levers, key retaining
- 50 million key differs
- supplied with 2 keys



ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
	40 03482	mm	mm		kg	l l
532 K	26400 3	1000 x 695 x 635	745 x 545 x 400	8x 🕕	540	162
534 K	26500 0	1315 x 695 x 635	1060 x 545 x 400	12x 🕕	690	231
536 K	26600 7	1755 x 695 x 635	1500 x 545 x 400	14x 🌑	900	327

• more security:

- fire protection material (special armour mass)

according to DIN 4102

- non-resettable emer-

gency locking system

Armoured safes

• two resettable, armoured high-security 'SecuSafe' locks

Royal

Cash: £60,000 / €90,000 **Valuables:** £600,000 / €900,000





















RESISTANCE GRADE IV

• VdS tested, class 2

to a new key

• supplied with 2 keys per lock

Royal E 542-546 "SecuSafe"

• ECB·S certified according to EN 1300 class B

• extra security if key is lost – immediately resettable



• more security:

- fire protection material (special armour mass) according to DIN 4102
- double, non-resettable emergency locking system
- two locking systems



ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
	40 03482	mm	mm		kg	I
542 KK	26900 8	1000 x 695 x 635	745 x 545 x 400	6x ● +1x ∥	560	162
544 KK	27000 4	1315 x 695 x 635	1060 x 545 x 400	10x + 1x	720	231
546 KK	27100 1	1755 x 695 x 635	1500 x 545 x 400	12x + 1x	940	327

Armoured safes

Royal

Cash: £100,000 / €150,000 **Valuables:** £1,000,000 / €1,500,000

Royal E 552-556 "SecuSafe"

RESISTANCE GRADE V

- two resettable, armoured high-security 'SecuSafe' locks
- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- extra security if key is lost immediately resettable to a new key
- 10 levers, key retaining
- 50 million key differs
- supplied with 2 keys per lock



• more security:

- fire protection material (special armour mass) according to DIN 4102
- double, non-resettable emergency locking system
- two locking systems
- armouring in front of and behind the entire locking system
- double reinforcement in body and door
- double bascule locking top and bottom















ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Bolts	Weight	Volume
	40 03482	mm	mm		kg	I
552 KK	24550 7	1040 x 735 x 680	745 x 545 x 400	6x ∥	980	162
554 KK	24600 9	1355 x 735 x 680	1060 x 545 x 400	8x	1250	231
556 KK	25090 7	1795 x 735 x 680	1500 x 545 x 400	9x ∥	1650	327

Overview

Three different sizes:



Size 2 Shelves: 1



Size 4 Shelves: 2




Size 6 Shelves: 3

Locking systems

Royal

ECB-S certified locking systems for Royal according to EN 1300



ArtNo.	Lock class	Description
	VdS/ECB·S	
S	2/B	1 high-security safe lock standard
SS	2/B	2 high-security safe locks
C	2/B	1 manipulation-protected, resettable combination lock
		instead of the high-security safe lock
CS	2/B	1 manipulation-protected, resettable combination lock and 1 high-security safe lock
CC	2/B	2 manipulation-protected, resettable combination locks
Е	2/B	1 electronic combination lock instead of the high-security safe lock
ES	2/B	1 electronic, resettable combination lock and 1 high-security safe lock
EE	2/B	2 electronic combination locks
		↓ Model E 542-556 ↓
SS	2/B	2 high-security safe lock standard
ER S	2/B	1 redundant electronic combination lock and 1 high-security safe lock
ER/ER	2/B	2 redundant electronic combination locks

Key sets for Royal

ArtNo.	EAN	
	40 03482	
Set 55 GLK-2	09270 5	2 keys 162 mm long, incl. hinge
Set 55 GLK-4	09290 3	4 keys 162 mm long, incl. hinge
Set 55 GLK-6	06900 4	6 keys 162 mm long, incl. hinge
as per sample	08790 9	Lock class B, key length 162, with hinge

Special equipment

Royal

Special painting*

Paintwork/Size	Paintwork/Size
RAL, Size 2	Brillant, Size 2
RAL, Size 4	Brillant, Size 4
RAL, Size 6	Brillant, Size 6

^{*} See page 358 for ordering information on special paint finishes

Special fittings on request

ArtNo.	Description
	Bolt and handle gold-plated
	Bolt and handle and 1 armature gold-plated (except E)
	Bolt and handle and 2 armatures gold-plated (except E)
	Handle chromium-plated or varnished
	Handle and 1 armature chromium-plated or varnished
	Handle and 2 armatures chromium-plated or varnished
	Front panel with RAL paintwork
	Front panel with brilliant paintwork
	Front panel gold, chromium, or brass plated (only possible for E / EE or ER / ER)

Accessories

ArtNo.	EAN	Description
	40 03482	
IT 1 ZS mounted	15240 9	Interior safe with cylinder lock – 250 mm high
		(inside 210 mm)
IT 2 TR mounted	15250 8	Interior safe with high-security safe lock – 405 mm high
		(inside 365 mm for files)
FB 36	15350 5	Additional shelf
A-FB 510	15360 4	Pull-out shelf
A-HR 510	15370 3	Telescopic pull-out hanging frame

Special painting

Diplomat, Royal, Office-Line, Office-Doku, Ranger

Special painting Diplomat, Royal, Office-Line, Office-Doku Ranger 800/8

Dimensions	EAN
	40 03482
√ RAL paintwork	
MTD 740/750	35010 2
MTD 760	35011 9
MTD 780	35012 6
Size 2	
Size 1-4	35000 3
Size 4	
Size 6	35001 0
Size 6	35002 7
↓ Brilliant paintwork ↓	
MTD 740/750	34000 4
MTD 760	36000 2
MTD 780	34010 3
Size 2	
Size 1-4	35020 1
Size 4	
Size 6	35021 8
Size 6	35022 5

Examples of RAL colours



Examples of brilliant colours



Utilisation of the interior space

Diplomat



MTD 740 Shelves: 1



MTD 750 Shelves: 1



MTD 760 Shelves: 2



MTD 780 Shelves: 2

Karat - Magno



MT 640 M 520 Shelves: 1



MT 660 M 540 Shelves: 1

Combi-Line - Dual-Safe



CL 410 DS 415 Shelves: 1



CL 420 DS 425 Shelves:



CL 440 DS 445 Shelves: 1



CL 460 DS 465 Shelves: 1

City-Line - Home-Safe



C 310/ H 210 Shelves: 1



C 340/ H 240 Shelves: 1

Royal



Size 2 Shelves: 1



Size 4 Shelves: 2



Size 6 Shelves: 3

Office-Line - Office-Doku




OL 801/811/821 OD 821 Shelves: 1



OL 802/812/822 Shelves: 1



OL 804/814/824 OD 824 Shelves: 2



OL 806/816/826 Shelves: 3

Gun cabinet

Ranger N

Cash: £6,000 / €9,000 **Valuables:** £60,000 / €90,000









Ranger N 5

RESISTANCE GRADE 0

- type tested and supervised security by ECB·S
- certified protection against burglary according to EN 1143-1
- 3-walled body
- door double-walled
- solid 3-sided locking through Ø 25 mm round bolts
- all-over rear gripping bar on the hinge side
- prepared as standard for back wall fixing including fixing material, centrally arranged
- more security non-resettable double emergency re-locking mechanism within the door mechanics
- cleaning rod holder and storage compartments on the inside of the door
- capacity: Up to 5 rifles incl. ammunition

Version S "SecuSafe"

Armoured security double-bit lock SecuSafe

- VdS tested, class 1
- ECB·S certified according to EN 1300 class A
- 9 levers
- 1,000,000 different key differs
- locking armature does not protrude
- supplied with 2 keys







ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Weight	Guns
	40 03482	mm	mm	kg	Pcs.
Ranger N 5 S	39490 8	1304x372x368	1250×294×263	105	5

Version E "SecuTronic"

Electronic combination locks

- ECB·S certified according to EN 1300 class B
- 1,000,000 different codes possible
- incl. 3 Mignon LR 06 AA batteries
- locking armature protrudes 3 mm





ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Weight	Guns
	40 03482	mm	mm	kg	Pcs.
Ranger N 5 E	39500 4	1304x372x368	1250x294x263	105	5

For easier installation the door can be removed.





Gun cabinet

Ranger N

Cash: £6,000 / €9,000 **Valuables:** £60,000 / €90,000









Ranger N 7

RESISTANCE GRADE 0

- type tested and supervised security by ECB·S
- certified protection against burglary according to EN 1143-1
- 3-walled body
- door double-walled
- solid 3-sided locking through Ø 25 mm round bolts
- all-over rear gripping bar on the hinge side
- prepared as standard for back wall fixing including fixing material, centrally arranged
- more security: non-resettable double emergency re-locking mechanism within the door mechanics
- cleaning rod holder and storage compartments on the inside of the door
- capacity: Up to 7 rifles incl. ammunition

Version S "SecuSafe"

Armoured security double-bit lock SecuSafe

- VdS tested, class 1
- ECB·S certified according to EN 1300 class A
- 9 levers

- 1,000,000 different key differs
- locking armature does not protrude
- supplied with 2 keys







ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Weight	Guns
	40 03482	mm	mm	kg	Pcs.
Ranger N 7 S	39510 3	1304x472x368	1250x394x263	121	7

Version E "SecuTronic"

Electronic combination locks

- ECB·S certified according to EN 1300 class B
- 1,000,000 different codes possible
- incl. 3 Mignon LR 06 AA batteries
- locking armature protrudes 3 mm





ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Weight	Guns
	40 03482	mm	mm	kg	Pcs.
Ranger N 7 E	39520 2	1304x472x368	1250x394x263	121	7

For easier installation the door can be removed.

For additional security, secure guns with a trigger lock see page 107



Gun cabinet Ranger 800/8

Cash: £10,000 / €15,000 **Valuables:** £100,000 / €150,000











Ranger 800/8

RESISTANCE GRADE I

- type tested and supervised security by ECB·S
- protection against burglary and fire according to EN 1143-1
- body and door double-walled
- solid 3-sided locking through Ø 28 mm round bolts
- clearance height up to the inserted shelf: 1220 mm
- additional round bolts on the hinge side

- prepared as standard for floor fixing, with fixing material
- more security: non-resettable emergency re-locking mechanism within the door mechanics
- special painting: possible (page 358)

Version K "SecuSafe"

Resettable, armoured high-security safe lock

- VdS tested, class 2
- ECB·S certified according to EN 1300 class B
- 10 levers, key retaining
- supplied with 2 keys
- 50 million key differs
- extra security if key is lost: immediately resettable to a new key
- locking armature protrudes 25 mm
- for more information regarding spare and additional keys see page 347





ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Weight	Guns
	40 03482	mm	mm	kg	Pcs.
Ranger 800/8 K	41480 4	1486 x 641 x 554	1336x498x370	265	8

Version E FP "SecuTronic"

Programmable electronic lock with fingerprint module

- ECB·S certified according to class B
- graphic display with 1 admin code, up to 9 user codes and up to 20 fingerprints
- incl. 4 Mignon LR 06 AA batteries
- locking armature protrudes 50 mm





ArtNo.	EAN	Exterior H x W x D	Interior H x W x D	Weight	Guns
	40 03482	mm	mm	kg	Pcs.
Ranger 800/8 E FP	41490 3	1486 x 641 x 554	1336x498x370	265	8





Safe check list

How do I find the perfect safe for my requirements?

Our checklist provides you with a quick overview of which model is the right one for you.

SIZE

How much space do I have available? What do I want to keep safe? Make notes and create your own list.

- document folders, policies
- important documents (certificates, ...)
- jewellery boxes, car keys etc.
- laptop, camera
- cash, credit cards
- weapons and ammunition

LOCATION

Where do I want to place my safe?

- fitted into the wall (space saving)
- freestanding installation in the room (wall/floor anchoring)

LOCKING SYSTEM

Which locking system is right for me?

- high-security safe lock
- electronic combination lock
- electronic combination lock with fingerprint module (particularly fast and convenient)

Please refer to our detailed overview on pages 364 - 365.

SECURITY

What level of protection do I need?

- Protection against burglary
- Protection against burglary and fire

For more information regarding certifications and safety levels, see page 367.

Notes

Tip:
Select a larger model,
this way you have
sufficient space
for the future.

Locking systems

Safe-locks

Level Version	Certification	Special features	Series	Page
			P 1-3 S	328
0 3 6 12	_	6 levers	P 2 S EWS	329
			PW 1-3 S	338
			H 210-240 S	326
A +	VdS tested		CW 5 350 S	337
0 68 12 5	ECB·S certified	9 levers, 1,000,000	CL 410-460 K	322
SecuSafe	according to EN	key differs	DS 415-465 K	318
	1300 class 1/A	icy differs	M 520-540 S	314
			Ranger N 5/7 S	360/361
			C 310-340 K	324
			WT 614-616 K	335
			MTD 740-780 K	308
			MT 640-660 K	312
			Ranger 800/8 K	362
A +	VdS tested	10 levers,	OL 801-806 K	344
0 6 12 S	ECB·S certified	resettable with key retaining,	OL 811-816 K	345
SecuSafe	according to EN	50,000,000	OL 821-826 K	346
	1300 class 2/B	key differs	OD 821-824 K	348
		, -	Royal E 512-516 S	352
			Royal E 522-526 S	352
			Royal E 532-536 S	353
			Royal E 542-546 SS	354
			Royal E 552-556 SS	355

Electronic combination locks

Level	Version	Certification	Special features	Series	Page
000				P 1-4 E	328
9 5 6	1 2 E	_	Master code, user code and	P 3 E Lap	330
0 4 6 12 E	2		emergency lock	PW 2-3 E	338
			5,	P 2 E EWS	329
•••				H 210-240 E	326
000000000000000000000000000000000000000	E SecuTronic	ECB·S certified	1,000,000 different	WT 613 E	334
© 0 0	SecuTronic	according to EN	codes possible	M 520-540 E	314
		1300 class A		Ranger N 5/7 E	360/361
0 6 10	E SecuTronic	ECB·S certified according to EN 1300 class A	1,000,000 different codes possible 1 admin code and 1 user code	CL 410-460 E C 310-340 E	322 324

Locking systems, BURG-WÄCHTER classifications

Electronic combination locks with fingerprint

Level	Version	Certification	Special features	Series	Page
0 5	E FP	-	Master code, user code and emergency lock	P 2 - 4 E FS P 3 E FS Lap	328 330
0 6	E FP	ECB·S certified according to EN 1300 class B	1,000,000 different codes possible 1 admin code, up to 9 user codes and up to 20 fingerprints	MTD 740-780 E FP MT 640-660 E FP WT 614-616 E FP DS 415-465 E FP Ranger 800/8 E FP OL 801-806 E FP OL 811-816 E FP OL 821-826 E FP OD 821-824 E FP Royal E 512-516 E Royal E 532-536 E	308 312 335 318 362 344 345 346 348

BURG-WÄCHTER classifications

BURG-WÄCHTER safes correspond to the highest state-of-the-art technology and are internationally recognized.

BURG-WÄCHTER is a member of the Association 'Security Systems' VDMA and the European Security Systems Association (ESSA).

Changes in dimensions and constructions of wall and freestanding home safes can occur due to technical production changes.



Insurance coverage United Kingdom & Republic of Ireland

Safety cabinets EN 14450 / Safes EN 1143-1

United Kingdom

			Cash Rating	Valuable Rating
Α	VDMA 24992*	Steel Cabinets	£1,000	£10,000
В	VDMA 24992*	Steel Cabinets	£2,000	£20,000
S1	EN 14450	Security Cabinets	£2,000	£20,000
S2	EN 14450	Security Cabinets	£4,000	£40,000
0/N	EN 1143-1	Safes / Strongboxes	£6,000	£60,000
1	EN 1143-1	Safes / Strongboxes	£10,000	£100,000
II	EN 1143-1	Safes / Strongboxes	£17,500	£175,000
Ш	EN 1143-1	Safes / Strongboxes	£35,000	£350,000
IV	EN 1143-1	Safes / Strongboxes	£60,000	£600,000
V	EN 1143-1	Safes / Strongboxes	£100,000	£1,000,000

^{*} VDMA Standard Sheet 24992 (Issued May 1995) is a manufacturing directive and not a certification. Please check with your insurer for individual cover.

Republic of Ireland

			Cash Rating	Valuable Rating
Α	VDMA 24992*	Steel Cabinets	€1,000	€10,000
В	VDMA 24992*	Steel Cabinets	€2,500	€25,000
S1	EN 14450	Security Cabinets	€2,500	€25,000
S2	EN 14450	Security Cabinets	€5,000	€50,000
0/N	EN 1143-1	Safes / Strongboxes	€9,000	€90,000
1	EN 1143-1	Safes / Strongboxes	€15,000	€150,000
Ш	EN 1143-1	Safes / Strongboxes	€26,000	€260,000
Ш	EN 1143-1	Safes / Strongboxes	€50,000	€500,000
IV	EN 1143-1	Safes / Strongboxes	€90,000	€900,000
V	EN 1143-1	Safes / Strongboxes	€150,000	€1,500,000

^{*} VDMA Standard Sheet 24992 (Issued May 1995) is a manufacturing directive and not a certification. Please check with your insurer for individual cover.

(Note: The mean values of the sums insured mentioned in € 1,000 apply – if no other information is presented – both for the private as well as for the commercial and industrial sector.) n.a.: Not applicable EMA: Intrusion detection system EX: Protection against attacks with explosives *Insured sums according to AIS these may differ from the sums published by ECB.S

Insurance coverage, certifications

The sums mentioned are minimum insurance values. We recommend that you discuss this with your insurance company in order to determine the most favourable classification.

Many of the amounts may double if the safe is monitored by a burglar detection system recognised by VdS Schadensverhütung GmbH, Cologne.

* Coordination with the insurer is required due to different insurance conditions.

Consultation with your insurer will result in a correspondingly higher insurance cover.

- All cabinets with a mass of less than 1,000 kg are equipped with an anchoring device and must be anchored according to the assembly instructions.
 Each ECB·S/VdS-approved safe is supplied with operating and mounting instructions.
- Insurance companies recommend combination locks due to the key storage clause and the high risk of key theft.
 BURG-WÄCHTER supplies safes with:
 - 1. Mechanical combination lock
 - 2. Electronic combination lock For increased protection.
- Note that the more secure your safe, the lower the insurance premium.



VdS tests and certifies products related to security. BURG-WÄCHTER safe locks SecuSafe and SecuTronic achieve high resistance values in the tested lock classes. The precise performance and classification of the locks can be found on pages 282/283

The VdS seal of approval represents quality and reliability.

Numerous BURG-WÄCHTER safes meet the requirements of the European standards EN-1143-1 and/or EN 1047-1. This is confirmed in the ECB·S-certificates of the European Certification Board · Security Systems (certification body according to EN 45011).

The ECB·S certification involves an unannounced inspection of the production sites several times a year. This ensures a consistent level of quality.



























Safes with this mark meet the technical requirements of the standard sheet 24992, as of May: 1995. BURG-WÄCHTER is a member of the Association 'Security Systems' VDMA, Frankfurt.







This label signifies extensively tested in the BURG-WÄCHTER test laboratory. Ensuring that you get reliable quality even with economically priced safes.



These safes are characterised by a very high level of fire protection.







Smart Home

BURGPROTECT[™] IS AN INNOVATIVE SMART ALARM SOLUTION THAT PROVIDES PROTECTION AGAINST BURGLARY, FIRE AND WATER DAMAGE AS WELL AS ACCESS TO BURGCAM VIDEO SURVIELLANCE CAMERAS.


Smart Home Introduction	3/0
BURGprotect™ Overview	371
BURGprotect™ App	371
Alarm system	372
PIR motion detector	372
Vibration detector	373
Door and window contact	373
Smoke detector	374
Water detector	374
Keypad	375
Remote control	375
Wall socket adapter	376
Sirens	377
Video doorbell	378
BURGcam Surveillance cameras	379
BURGcam pro app	385



Smart Home BURGprotect™ & BURGcam

Two technologies combined for all-around security

Smart home technology is making our lives easier and more convenient – why should home security be any different? Our innovative **BURGprotect**TM smart home alarm will notify users when it detects burglary, fire and potential water damage. The accompanying free **BURGprotect**TM app allows you to not only control the alarm system, but also view footage from the **BURGcam** video camera range. With **BURGprotect**TM and **BURGcam** you always have everything to hand and under control, even when you're on the move.



Product overview



BURGprotect™ App

Setting up the alarm system and adding accessories is easy with the BURGprotect App.

The system can be armed/disarmed, users can be added and managed and a full history readout ensures you always know what is happening at home. Should a sensor be activated, a push notification is sent to all users

and the alarm is sound. When cameras are added to the system, you can immediately view what is happening at home. You are in control, no matter where you are.





* Requires a BURGprotect™ BASE and an internet connection.



Alarm system, motion detector



Starter set 2210

Alarm system starter kit

- central base supports 3 types of connection (LAN, WiFi, GSM SIM card)
- includes 1x Base (central unit), 2x Contact 2031 (door and window contact) incl. spacers, 1x Motion (detects movements in rooms and corridors), 1x Control, standby battery and power supply
- security for windows and doors, motion detector detects burglars
- free app for iOS and Android
- voice control possible via Siri and Alexa





* Varies strongly depending on the environmental factors.

ArtNo.	EAN Pack	Info
	40 03482	
Set 2210	39831 9 1 Incl. p	power supply and rechargeable battery





PIR motion detector

- passive infrared detector
- detection zone: approx. 100° to 12 m (depending on orientation)
- small animal detection reduces false alarms
- low battery notification
- batteries included
- system can be positioned on the wall bracket

Battery voltage	DC 3V
Max. intput	2x LR6/AA Battery 1.5 V
battery operation	Up to 1.5 years
detection zone	approx. 100°
Max. range outside	200 m*
Max. range inside	50 m*
Transmission frequency	433.92 MHz
Operating temperature	-10°C to +40°C
Weight	Motion detector: 112.0 g (incl. battery)
	Mounting bracket: 62.3 g
Dimensions	100 x 54 x 40 mm (H x W x D)

^{*} Varies strongly depending on the environmental factors.

** Connection to BURGprotectTM BASE required.













ArtNo.	EAN Pack	Info
	40 03482	
Motion 2010	39790 9 1	batteries included

Vibration / Contact Sensors

Vibrancy 2020

vibration detector

- alarm message if vibration is detected**
- ideal for securing the home
- versatile (furniture, safes, windows, display cases etc.)
- message when battery is low
- Incl. battery and fixing material

DC 3V
CR2032
Up to 3 years
200 m*
50 m*
433.92 MHz
-10°C to +40°C
32 g (incl. battery)
80 x 38 x 13 mm (H x W x D)

^{*} Varies strongly depending on the environmental factors.



ArtNo.	EAN Pack	Info
	40 03482	
Vibrancy 2020	39810 4 1	batteries included











Contact 2031

Door and window contact

- alarm message if contact is interrupted**
- simple installation, mounting without screws
- suitable for windows and doors
- low battery notification
- current status notifies if window/ door open or closed
- 3 spacers included (2.5 mm 12.5 mm)
- manipulation protection
- batteries included

Battery voltage	DC 3V
Type of battery	CR2032
battery operation	Up to 3 years
Max. range outside	200 m*
Max. range inside	50 m*
Transmission frequency	433.92 MHz
Operating temperature	-10°C to +40°C
Weight	50 g (incl. battery)
Dimensions	Detector: 80 x 38 x 13 mm (H x W x D)
	Magnet: 80 x 15 x 13 mm (H x W x D)

^{*} Varies strongly depending on the environmental factors.

** Connection to BURGprotect™ BASE required.



ArtNo.	EAN Pack	Info
	40 03482	
Contact 2031	39862 3 1	Incl. battery and fixings













^{**} Connection to BURGprotect™ BASE required.

Smoke detector, water detector



Smoke 2050

Smoke detector

- alarm occurs when smoke is detected
- alarm signal up to 85 dB
- low battery notification
- simple installation
- BS EN 14604:2005
- batteries included
- can also be used independently without BURGprotect™ BASE

Battery voltage	DC 9 VDC	
Max. input	1x 6F22/6LR61 (9 V)	
Max. range outside	200 m*	
Max. range inside	50 m*	
Transmission frequency	433.92 MHz	
Operating temperature	-10°C to +40°C	
Weight	134.5 g (incl. battery)	
Dimensions	107 x 34 mm (Ø x T)	

* Varies strongly depending on the environmental factors.











ArtNo.	EAN Pack	Info
	40 03482	
Smoke 2050	39770 1 1	batteries included



Water 2060

Water detector

- notification when excessive water is detected**
- ideal for early warning of potential damage
- suitable as an overflow detector (rain water) or water penetration detector (cellar)
- low battery notification
- battery included

Battery voltage	DC 3V
Type of battery	CR2032
battery operation	Up to 3 years
Max. range outside	200 m*
Max. range inside	50 m*
Transmission frequency	433.92 MHz
Operating temperature	3°C to +40°C
Weight	44 g (incl. battery)
Dimensions	80 x 38 x 13 mm (H x W x D)

* Varies strongly depending on the environmental factors.

** Connection to BURGprotect™ BASE required.











ArtNo.	EAN Pack	Info
	40 03482	
Water 2060	39820 3 1	batteries included

Keypad, remote control

Keypad 2100

Touch panel

- alarm on/off and home function
- touch sensitive keys
- up to 6 months battery life
- alarm status display (LED)
- long operating range
- manipulation protection
- Incl. battery and power supply
- wall bracket included

Battery voltage	DC 5V
Type of battery	lithium-ion battery
Max. operational current	55~65 mA
Max. standby	Up to 6 months
Max. range outside	200 m*
Max. range inside	50 m*
Status display	1 LED strip, 3 colours (red, green, blue)
Transmission frequency	433.92 MHz
Operating temperature	0°C to +60°C
Air humidity	< 96 %
Weight	162.3 g (incl. battery)
Dimensions	145 x 92 x 13 mm (H x W x D)

^{*} Varies strongly depending on the environmental factors.



ArtNo.	EAN	Pack	Info
	40 03482		
Keypad 2100	39840 1	1	Incl. battery and power supply













Control 2110

Remote control

- alarm system armed/disarmed
- home mode
- SOS panic function
- range up to 50 m
- low battery notification
- batteries included

DC 3V		
1x CR2032		
Up to 3 years		
200 m*		
50 m*		
433.92 MHz		
-20°C to +50°C		
16.0 g (incl. battery)		
58 x 33 x 11 mm (H x W x D)		

^{*} Varies strongly depending on the environmental factors.



ArtNo.	EAN Pack	Info
	40 03482	
Control 2110	39780 0 1	batteries included











Wall socket adapter



Plug 2141

Wall socket adapter

- can be operated manually or via remote control
- for sockets in accordance with EU standard
- power connections up to 2300 W
- manual or scenario (lamp, TV) control
- measures power consumption
- with timer function

Max. switching capacity	2300 W
Max. input voltage	220~240 VAC
Max. range inside	50 m*
Transmission frequency	2.4GHz WiFi b/g/n
Operating temperature	-20°C to approx. +50°C
Weight	58.0 g
Dimensions	44x44x68mm
	$(H \times W \times D)$

^{*} Varies strongly depending on the environmental factors.













ArtNo.	EAN P	Pack	Info
	40 03482		
Plug 2141	39762 6	1	Incl. current measurement

Sirens

Noise 2160

Indoor siren

- visual and audible alarms
- alarm signal up to 80 dB
- LED status display (configurable)
- radio range indoor* up to 50 m
- for indoor use
- manipulation protection
- up to 18 months battery life

Power supply	USB 5 V 1A
Emergency battery	3X AA LR6
Max. output	< 10 mW
Max. standby	Up to 18 months
Max. range outside	200 m*
Max. range inside	50 m*
manipulation protection	Tamper switch
Light and sound settings	Yes
Transmission frequency	433,92 MHz
Operating temperature	-10°C to +40°C
Air humidity	90 % rh (non-condensing)
Weight	184.0 g (incl. battery)
Dimensions	108x86x28mm (H x W x D)

^{*} Varies strongly depending on the environmental factors.

















Siren 2151


Alarm siren

- visual and audible alarms up to 120 dB
- indoor* range up to 50 m
- suitable for indoor and outdoor use
- manipulation protection
- up to 36 months battery life
- batteries and power supply included

Battery voltage	DC 12 V
batteries	3x D (LR20)
Max. operational current	350 mA
Max. standby	20μΑ
Max. battery life	36 months standby
Max. volume level	120 dB
Max. range outside	200 m*
Max. range inside	50 m*
Transmission frequency	433.92 MHz
Operating temperature	-10°C to +40°C
Weight	1,370.0 g (incl. battery)
Dimensions	240 x 220 x 70 mm (H x W x D)

^{*} Varies strongly depending on the environmental factors.





ArtNo.	EAN Pac	k Info
	40 03482	
Siren 2151	39802 9 1	Incl. battery and power supply



Electronic door security

Video doorbell










WiFi Video Doorbell: Door eGuard 8500

- WiFi operation*** for maximum flexibility during installation
- upgrade set for existing 2-wire doorbell systems*
- the existing doorbell/chime can still be used*
- 160° live view with video and audio on demand
- brilliant HD video quality**
- doorbell activation notification
- motion-controlled notifications
- two-way audio with noise reduction
- easy installation and setup
- integrated infrared night vision LEDs
- integrated passive infrared (PIR) motion detector
- hard wiring with an extensive voltage range ~8 to 20 V-AC
- sun/rain canopy provides protection from the elements
- suitable for indoor and outdoor areas (IP55)
- battery operated 433 MHz radio chime for flexible use with an extensive range (up to 30 m) and 16 different ringtones offering 5 volume levels***





- ** Requires a minimum upload speed of 250 kbps, however, 1 Mbps is recommended for optimal performance.
- *** All ranges subject to ambient conditions.

12v Power supply

 optional power supply available for installations where existing door bell wiring is not present or unsuitable



EAN	Pack	HxWxD
40 03482		mm
		130x62x31
48500 2	1	137 x 66 x 48
		115x80x61
501656		
760006 0	1	
	40 03482 48500 2 501656	40 03482 48500 2 1 501656





















Surveillance cameras



Surveillance cameras











HD Video









WiFi/LAN video security camera for outdoor use

- resolution: 4 MP (2560 × 1440)
- motion detection in zones
- supports recording on up to 256 GB* microSD card (not included)
- remote access via the BURGcam Apps or BURG-WÄCHTER Cloud
- weatherproof for outdoor use (IP67)
- night vision up to 20 m
- backlight suppression with high dynamic range
- H.265 video streaming optimised for WiFi and lower video file sizes
- 2.4 GHz b/g/n Wi-Fi, WPA2 encryption
- up to 50m WiFi in open space
- wide angle 100° field of view

Camera type	WiFi IR dome camera for indoor and outdoor areas
Resolution	4 MP: 2560 x 1440 1080 p: 1920 x 1080 (Full HD) 720 p: 1280 x 720 D1: 704x576/704x480 CIF: 352x288/352x240
Image rate	20 fps @ 4 MP, 25/30 fps @ 1080 p
Data rate	4 Kbps to 8192 Kbps
IR spotlight	Up to 20 m range
Lens	2.8 mm F 2.0 fixed lens
Viewing angle	Horizontal 100°
Assembly	Installation incl. mount- ing bracket Wall or ceiling mounting
Power supply	12 V DC
Power consumption	<4.8W
Temperature range	-30°C to +60°C
Dimensions	110x81 mm
Weight	470 g
*not included	

ArtNo.	EAN	Pack	Info
	40 03482		
DOME 3030	39440 3	1	Incl. power supply EU/UK











HD Video







BURGcam BULLET 3040

WiFi video security camera for outdoor use

- resolution: 4MP (2560 × 1440)
- motion detection in zones
- supports recording on up to 256 GB* microSD card (not included)
- remote access via the BURGcam Apps or BURG-WÄCHTER Cloud
- weatherproof for outdoor use (IP67)
- night vision up to 30 m
- backlight suppression with high dynamic range
- H.265 video streaming optimised for WiFi and lower video file sizes
- 2.4 GHz b/g/n Wi-Fi, WPA2 encryption
- up to 50m WiFi in open space
- wide angle 100° field of view

WiFi IR bullet camera for indoor and outdoor areas
4 MP: 2560 x 1440 1080 p: 1920 x 1080 (Full HD) 720 p: 1280 x 720 D1: 704x576/704x480 CIF: 352x288/352x240
20 fps @ 4 MP, 25/30 fps @ 1080 p
4 Kbps to 8192 Kbps
Up to 30 m range
2.8 mm F 2.0 fixed lens
Horizontal 100°
Installation incl. mount- ing bracket Wall or ceiling mounting
12 V DC
<4.5 W
-30°C to +60°C
Ø70x165 mm
450 g

ArtNo.	EAN Pack	Info
	40 03482	
BULLET 3040	39430 4 1	Incl. power supply EU/UK

Surveillance camera, network recorder

BURGcam ZOOM 3061

WiFi camera with motorised controllable pan/tilt zoom

- 4x optical, 16x digital zoom
- HD video stream with up to 50 frames per second
- video analysis functions (face detection, virtual trip wire)
- easy to set up via app or WPS
- remote access via the BURGcam Apps or BURG-WÄCHTER Cloud
- local access via the PC's web browser
- suitable for outdoor use (IP66)
- professional backlight compensation HLC/BLC/profiWDR
- H.264/MJPEG video compression
- supports recording on up to 128 GB* microSD card (not included)
- compatible with the BURGprotect[™] series

Camera type	WiFi camera with motorised controllable pan/tilt zoom	
Resolution	1080 p: 1920 x 1080 (Full HD) 720 p: 1280 x 720 D1: 704x576/704x480 CIF: 352x288/352x240	
Data rate	4 Kbps to 8192 Kbps	
Lens	2.7 mm to 11 mm (F 1.6-2.8)	
Video analysis	Face recognition, line crossing	
Viewing angle	Horizontal 30° to 112.5	
Assembly	Wall or ceiling mounting	
Power supply	12 V DC	
Power consumption	<10 W	
Temperature range	-30°C to +60°C	
Dimensions	122 x 89 mm	
Weight	660 g	



























ArtNo.	EAN Pack	Info
	40 03482	
ZOOM 3061	40390 7 1	Incl. power supply

BURGcam REC 3511

Network recorder for 3.5" HDD

- supports common HD technologies such as IP (ONVIF), CVI, TVI, AHD and analogue cameras
- recordings up to 5 MP
- 4 channel BNC / 6 channel IP recorder
- supports max. 6TB HDD (SATA)
- hard disk not included
- BNC video analysis functions
- easy operation and setup
- user rights administration
- remote access via the BURGcam Apps or BURG-WÄCHTER Cloud
- compatible with the BURGprotect™ series
- power supply included

Recorder type	Digital		
	network recorder		
Max. hard disk capacity	1 x 3.5", SATA, max.		
	6TB (not included)		
Ext. connections	4x BNC / 6x BURGcam (IP)		
(video format)	(analogue/AHD/TVI/CVI)		
Max. resolution	2 MP(1080p)		
AHD/CVI/TVI			
Max. resolution IP/WiFi	5 MP		
Automatic	Yes		
video format detection			
USB port	2x USB 2.0		
Export interfaces	USB, Network		
Monitor outputs	1x VGA, 1x HDMI		
Supported operating	Mac OS X ,		
systems	Windows Vista, 7, 8		
Access	Web interface, monitor		
Remote access	App (P2P)		
Temperature range	-10°C to +55°C		
Dimensions	205x211x454mm		
Weight	360 g		
- J	(without hard disk)		



















Surveillance Wi-Fi camera kits



Two Bullet Camera Kit

BURGcam BULLET 3040 Kits

2 or 4 Bullet Wi-Fi camera kits

- choice of two or four bullet cameras
- kit includes power supplies
- local recording via Micro SD Card (not included)



Four Bullet Camera Kit



















	EAN Info	
	50 1656	
Two Bullet 3040 Cameras	799501 2	Incl. power supplies
Four Bullet 3040 Cameras	799502 9	Incl. power supplies



BURGcam Dome 3030 Kits

2 or 4 Dome Wi-Fi camera kits

- choice of two or four dome cameras
- kit includes power supplies
- local recording via Micro SD Card (not included)



Four Dome Camera Kit



















	EAN	Info
	50 1656	
Two Dome 3030 Cameras	799507 4	Incl. power supplies
Four Dome 3030 Cameras	799508 1	Incl. power supplies

Surveillance Wi-Fi camera kits

BURGcam BULLET 3040 kit with REC 3511 Recorder & Hard Drive

Complete two or four Wi-Fi bullet camera kit

- choice of two or four bullet cameras
- network video recorder supports up to six network IP cameras
- four wired BNC ports backward compatible with older wired cameras (6 cameras max - 4 BNC & 2 IP or 4 IP and 2 BNC)
- choice of 1TB or 2TB hard drive
- includes power supplies and Ethernet cable



Four Bullet Camera Kit with Network Recorder



Two Bullet Camera Kit with Network Recorder























BURGcam Dome 3030 kit with REC 3511 Recorder & Hard Drive

Complete two or four Wi-Fi dome camera kit

- choice of two or four dome cameras
- network video recorder supports up to six network IP cameras
- Four wired BNC ports backward compatible with older wired cameras (6 cameras max - 4 BNC & 2 IP or 4 IP and 2 BNC)
- choice of 1TB or 2TB hard drive
- includes power supplies and Ethernet cable





Four Dome Camera Kit with Network Recorder





















Surveillance wired camera kits

The easy cost effective self-install camera kit solution for the home and small business.

Wired HD-CVI cameras are both easy to install and dependable with no requirements for networking knowledge. The cameras simply connect via the supplied BNC cables to the recorder unit, up to four in total can be installed. They included power splitters make supplying power to the cameras easy, with up to four cameras running off one of the supplied power adapters. Furthermore, full HD resolution and compatibility with the BURGcam app means you can keep an eye on what is happening at home, even when you are away.



BURGcam wired BULLET kit with REC 3511 Recorder & Hard Drive

Complete two or four wired bullet camera kit

- choice of two or four wired bullet cameras
- video recorder supports up to 4 wired cameras (CVI, TVI, AHD and analogue cameras)
- four wired BNC ports (6 cameras max 4 BNC & up to 2 IP)
- choice of 1TB or 2TB hard drive
- includes power supplies, 25m BNC shotgun cable, power splitters



Four Bullet Camera Kit with Recorder













	EAN	Info
	50 1656	
Two Wired Bullet Cameras & REC 3511 Recorder	799513 5	Incl. 1TB 3.5" HDD
Two Wired Bullet Cameras & REC 3511 Recorder	799515 9	Incl. 2TB 3.5" HDD
Four Wired Bullet Cameras & REC 3511 Recorder	799514 2	Incl. 1TB 3.5" HDD
Four Wired Bullet Cameras & REC 3511 Recorder	799516 6	Incl. 2TB 3.5" HDD
=		



Two Eyeball Camera Kit with Network Recorder

BURGcam wired EYEBALL kit with REC 3511 Recorder & Hard Drive

Complete two or four wired eyeball camera kit

- choice of two or four wired eyeball cameras
- video recorder supports up to 4 wired cameras (CVI, TVI, AHD and analogue cameras)
- four wired BNC ports (6 cameras max 4 BNC & up to 2 IP)
- choice of 1TB or 2TB hard drive
- includes power supplies, 25m BNC shotgun cable, power splitters



Four Eyeball Camera Kit with Network Recorder













	EAN	Info
	50 1656	
Two Wired Eyeball Cameras & REC 3511 Recorder	799517 3	Incl. 1TB 3.5" HDD
Two Wired Eyeball Cameras & REC 3511 Recorder	799519 7	Incl. 2TB 3.5" HDD
Four Wired Eyeball Cameras & REC 3511 Recorder	799518 0	Incl. 1TB 3.5" HDD
Four Wired Eyeball Cameras & REC 3511 Recorder	799520 3	Incl. 2TB 3.5" HDD


App

App BURGcam PRO

Your home in sight at all times! This is assured by the free of charge BURGcam apps for smartphone and tablet (available for iOS and Android). Remote access means that the live image from the camera is displayed on your mobile device, where ever you may be. In case of an event – for example when a BURGcam detects a movement – you will be notified via push message to your smartphone.

As a result, you will always know if something unexpected happens at home or at work. In addition, with the BURGcam app you can easily configure all cameras and recorders being used. It goes without saying that you can also adjust picture settings and view saved recordings.










Video security

PROFESSIONAL VIDEO SURVEILLANCE SYSTEMS BY SANTEC BW AG, A BURG-WÄCHTER SUBSIDIARY. SANTEC VIDEO USE THE LATEST IN VIDEO TECHNOLOGIES AND SMART ANAYLTICS TO DELIVER SURVEILLANCE SOLUTIONS FOR ALL PROJECTS, FROM DOMESTIC TO LARGE COMMERCIAL INSTALLATIONS.

Introduction	388
Cameras and tools	390
Recorder	392



Video security Introduction



Our cameras supply brilliant images even in low light conditions. Intelligent video analytics provide extensive evaluation of the surroundings. Detection and assessment of dangerous situations is supported and false alarms are reduced to a minimum. In addition, BURGprivacy ensures the privacy of employees and the public is protected.

Today, networked video security systems are the standard for securing buildings in industrial, commercial and private sectors. Our range of innovative cameras offer many possibilities and with smart video analytics, they can provide efficiencies across your business.

For those upgrading or expanding an existing system, to a new networked installation, our range of cameras can offer a solution for all projects, from small business to large multi-site installations. You will benefit from the latest in video technology build upon a proven and reliable platform. Product management and quality control are carried out at the BURG-WÄCHTER development and logistics centre in Meinerzhagen, Germany. This is conducted in close cooperation with our subsidiary, SANTEC BW AG in Ahrensburg.

In addition, we provide on-site support, training and webinars to keep our partners up to date with the latest technological developments.

The European market is supported by a number or regional offices, and beyond Europe, by a network of international partners. They also provide a strong network of logistics and a service centres. Our employees are ready to assist you with their knowhow in planning, project development, service and support, including after the successful completion of an installation.

Always in the picture: The SANTEC BW AG video surveillance solutions always deliver the right picture, in the best quality, at the right time.

Video security Introduction



Drawing on over 40 years of experience, we can offer the best possible solution for your individual applications. For example, Speed dome cameras with automated control can independently detect movement over large areas.

Upgrading an existing system or new installs – we have a solution:

We can offer a solution to all installation requirements, regardless of whether you are equipping a new building or modernising an existing system. Analogue, AHD, CVI and TVI systems can be upgraded in a cost-efficient manner with our 4-in-1 camera technology via existing two-wire and coaxial cable systems, with ranges of up to 1,200 metres. Our universal Pentabrid recorders are able to process all common analogue formats, including AHD, CVI, TVI as well as security relevant data from modern IP camera systems, for example according to the ONVIF standard.

The versatile network camera systems from the Favor, Royal and Diamond ranges provide brilliant images, high reliability and sophisticated functions for targeted



We are at your service! We coordinate planning, project implementation and support from the SANTEC BW AG headquarters in Ahrensburg and can provide quick and accurate implementation of your project.

recording of relevant events. It is possible to transmit video and control data from network devices over distances of up to 800 metres via network or coaxial cable using the ePoE network recorders.

For more information, please contact our video specialists:

SANTEC BW AG

An der Strusbek 31 22926 Ahrensburg

Germany

Telephone: +49 4102 4798-0

Fax: +49 4102 4798-10
Email: santec_info@burg.biz
Web: www.santec-video.com

Video security Cameras and tools



BWNC-841DDIAe 8 Megapixel Dome camera with IVA+



BWNC-841DFIF Fisheye vandal resistant camera with dewarping function



SNC-241RSNA Speedome with H.265(+) codec and auto tracking function

IP cameras provide support for AI video analysis

The latest generation of Diamant IP cameras provide Artefact Intelligence Video Analysis (AIVA), which can classify and analyse the behaviour of people/vehicles or objects.

This advancement is made possible by deep-learning algorithms from the field of industrial image processing, in which object-related events are detected and evaluated. AIVA functions consequently enable the decrease in false alarms as well as the associated reduction of costs and the optimisation of business processes.

Detection of different types of objects, directions of movement, group gatherings, evaluation of people count, virtual tripwires, detection of unauthorised entry, change of camera position are all possible with a high degree of accuracy.



The BURG-WÄCHTER Cloud

It is possible to integrate recorders and cameras into the BURG-WÄCHTER Cloud. This allows you to access the live images and recordings and control the cameras wherever you are.

The server is located in a high-performance data centre in Germany (Frankfurt/Main) in order to ensure maximum availability.



Remote access via the BURGcam App

You can access the BURG-WÄCHTER video security systems with your smartphone via the BURGcam app. The BURGcam App is available for Apple and Android devices in the respective App Stores. Using the app, you can call up recordings and live images from cameras and recorders and also control the devices, alter image settings and call up snapshots or videos, e.g. for evidence purposes.





Free of charge for iOS and Android in your respective store.

Video security Cameras and tools

BURG-WÄCHTER VMS

VMS BURG-WÄCHTER monitors, controls and manages IP cameras and IP-capable recorders for network and analogue/AHD/CVI/TVI with a comprehensive software package. We offer an easy-to-understand and easy-to-use user interface. All video sources, e.g. from different locations, can be integrated into one seamless security system.

Special features

- listing of all compatible devices on the network
- Call up recordings and snapshots of events
- Local and remote devices linked via the Internet
- permanent insertion of the e-map in the live view possible
- guided setup/configuration of advanced intelligent video analysis
- convenient evaluation of heatmaps and people counting
- event-related links of devices and alarm popups



4-in-1 cameras

Up to 8MP resolution over two-wire and coaxial cable

With our Multinorm 4-in-1 series we offer products that can be easily integrated into existing and new monitoring systems. They support the four common video standards (CVI, TVI, AHD and Analogue), making the cameras suitable for use in both analogue and digital systems. The robust design, low price, and choice of different colours combined with the long range are just a few more advantages that make our 4-in-1 camera a genuine all-rounder.

Advantages of 4-in1 cameras:

- up to 8MP UHD quality via coax, without latency and additional IT components
- convenient setup via the recorder (zoom, focus, OSD menu, and much more)
- long transmission paths due to automatic signal adaptation
- combined video, audio and OSD signals via one cable
- easy and cost-effective setup
- comprehensive range of accessories and mounting options
- dual video output / switchable video standards
- versatile support for common video standards (CVI, TVI, AHD and FBAS)
- interference-free digital video signal transmission (CVI, TVI, AHD)



SFC-261KDIA 4-in-1 dome camera with IR headlights



SFC-851KBIA 4-in-1 bullet camera with a 2.7~12 mm zoom lens

Video security Recorder



SNVR-31642E 4K/UHD 16 channel network video recorder with 16 PoE ports

Network recorder

AIVA 12 MP recording and 4K/UHD monitor display output

Network recorders are the ideal complement to our IP cameras. The recorders support IP cameras with a resolution of up to 12 MP (4K/UHD) as well as AIVA function set-up and camera evaluation If new cameras are connected to the (e)PoE port of the recorder, they are automatically detected and integrated. This considerably reduces the setup effort.

The recorders are characterised by the following device-specific features:

- AIVA support, e.g. for setting up and evaluating the functions
- support IP cameras with up to 12MP resolution (4K/UHD)
- up to 64/16/8 channels
- H.265 (+), H.264 (+), MJPEG support
- HDMI and VGA monitor outputs with OSD/POS insertion
- integrated (e)PoE switch with up to 8/16 channels
- camera and recorder updates can be imported via the recorder's USB port
- P2P- (BURGcam App) and BURG-WÄCHTER Cloud capable
- Plug and Play: automatic integration of new cameras (when connected to a PoE port)
- PTZ control via ext. keyboard or mouse
- supports fisheye camera dewarping
- alarm inputs and outputs for connecting external sensors and actuators
- up to 24/12 TB hard disk capacity (4x/2x 6 TB) for recordings
- call up video channels from other recording systems



Al video data evaluation via BURG-WÄCHTER recorders

Targeted rapid location of events that have occurred is essential. This is supported by our recorders with targeted AIVA search functions. It is possible to search specifically for objects (vehicle/person) with e.g. a blue colour (shirt/vehicle paintwork), a specific number plate or other known characteristics.

Area fluctuation (heat map), person/vehicle counts, e.g. hourly, daily or weekly, can be carried out for the evaluation of statistical processes. These devices can be configured according to your data protection requirements by means of network separation, 4-eye principle, encryption of video data, private zones and dynamic pixelation of objects.

Video security Recorder

Penta-brid recorder

Video recorder for analogue, AHD/CVI/TVI and IP signals

Penta-brid recorders are capable of processing analogue, AHD/CVI/TVI and IP signals. This makes it easy to upgrade existing video surveillance systems or set up very efficient mixing systems.

SPVR-41612i Penta-brid recorder with 16 channels

The recorders are characterised device-specific by the following features:

- recorder models with 4, 8 or 16 video inputs available
- call up video channels from other recording systems
- combination of analogue, CVI, TVI, AHD and IP cameras
- setup and configuring 4-in-1 cameras via the Penta-brid recorder
- supports camera resolutions up to 8MP resolution and analogue cameras with up to 960H
- CVI, TVI, AHD and analogue also support Intelligent Video Analysis (IVA) e.g. trip wire, zone monitoring, face detection
- up to 1x 8 TB or 2x 10 (20) TB hard disk capacity
- HDMI and VGA monitor outputs are independently adjustable (depending on model). Up to 24 channels can be distributed on 2 monitors
- external data storage via USB or network
- management of multiple devices also possible via BURG-WÄCHTER VMS
- remote access via the BURGcam App or BURG-WÄCHTER Cloud

Locksmith solutions

BURG-WÄCHTER offer locksmiths a service you can trust. With 100 years of manufacturing experience, we provide reliable security products to support you and your business. We offer an extensive range of cylinder suiting and pinning options which will give you the ability to support even the largest of jobs with a secure access solution. Our padlock solutions offer a wide range of options to cover every need from small domestic requirements to a large commercial operation. We also offer a wide range of key blanks and replacement keys to cover many of our locking products.

Padlock suites	395
Cylinder suites	410
Spares	420
Key blanks	423

For further information on any of our products or services:

Tel: 01274 395333 **Email:** ukcs@burg.biz


Alternately contact your local Area Sales Manager.

Padlock suites

BURG-WÄCHTER offer a comprehensive selection of suiting options across our broad range of padlocks. Services include keyed to differ, keyed alike, master keyed and grand master keyed.

All of these services apply to our high security, Sold Secure & police approved Alpha Titan padlock and we even offer key suiting on the smallest 20mm brass Magno range. Selected padlocks also offer premium services such as guaranteed keyed to differ with a factory certificate and key suited to historic codes.






Padlock Key Systems

BURG-WÄCHTER padlocks are sold keyed to differ as standard. Select ranges are available keyed alike, master keyed and grand master keyed. Guaranteed key differ with factory certificate is also offered on select padlock ranges.



Keyed to differ

Each padlock is supplied with a different key. Ideal for applications where access to each padlock needs to be restricted. Only one key can open one padlock.



Keyed alike


All padlocks can be opened with the same key. Ideal for padlocks that are operate by multiple users.

Padlock Range	Keyed Alike (Factory Provides Key)	Keyed Alike to Sample or No.	Guaranteed Key Differ & Certificate	Master Keyed	Grand Master Keyed
900 Alpha Titan*	✓	✓	✓	✓	✓
116 Profi PC*	✓	✓	✓	✓	✓
800 Alpha	✓	✓	✓	✓	✓
700 Gamma	✓	✓	✓	✓	✓
600 Diamant	✓	✓	✓	✓	
444 Quadra	✓				
116 Profi	✓	✓	✓	✓	
217 Karat	✓	✓	✓		
400 E Magno	✓	✓		✓	
BPL Series	✓	✓		✓	
217 F Ni Atlantic	✓	✓			
460 Yacht	✓				
770 Alutitan	✓				
Circle 21 / 22 Diskus	✓				
SPL100	✓	✓			

^{*}With compatible euro profile cylinder installed.


Padlock

Key Systems



Master keyed

Master keying allows two different and distinct keys to open one padlock. Ideal for restricting access to specific zones while the master key can access all zones.



Grand master keyed

All padlocks can be operated on a different servant key. A master key opens all padlocks in a sub-suite (sub-master). In addition to this, a separate grand master key opens all padlocks in the entire suite.

How to order Key Suites

To order please choose the size of padlock required, the type of shackle and shackle material. Next choose the type of key suite required and note the order code. This code should be added to your order. For non-stocked key suites or ordering to key sample / code, please call 01274 395 333 and speak to a member of the customer service team.



Factory Certificate

A factory certificate can be supplied to certify the key differ is guaranteed unique to the customer.

Padlock ⁻	Type / Configuration				Key Suiting Option / Product Code									
			c	Keyed Alike	Keyed Alike Stock Suite						C. M.C. I			
Size	Shackle Type (Length Shackle Material Standard Keyed to Burg Wächter Choice		Z1	Z2	Z3	Non Stock Suite Z4- Z12	Special Order To Number	Master Keyed	Certified Differ					
60mm	Standard (17mm)	Hardened	0000	0000	0000	0000	0000	0000	0000	0000	0000			
•	▼	•	•	•		•		•	•	•	•			
Select the size of padlock	Choose the type of shackle Standard / Long	Shackle material: Hardened Steel/ Stainless Steel	Code to order stocked keyed to differ	Code to order keyed alike selected by BURG- WÄCHTER	Code to order stocked keyed alike suite. Select from suites: Z1 / Z2 / Z3.		keyed alike suite. Select from suites:		keyed alike suite. Select from suites:		Code to order non-stocked keyed alike suite. Must request suite number: eq. Z10	Code to order padlock keyed to key sample or key number.	Order code for standard master key	Order code for factory certificate guaranteed key differ

Padlock suites Euro cylinder padlocks

900 Alpha Titan

Key & Suiting Options:

- accepts any standard euro profile / Scandinavian cylinders with an overall length of 41mm (11/30mm)
- ideal for Sterling 5-pin single cylinders
- cylinders can be keyed alike and master keyed
- see page 410 for more information on cylinder pinning services





ArtNo.	EAN	Notes
	40 03482	
900 85 V (Padlock Body)	10320 3	85mm Ultra Hard Closed Shackle padlock, For Half Cylinder

Alpha Titan 900 85 V						
Compatible Cylinders	11/30mm Higher Secuirty	11/30mm Higher Secuirty Zero Bitted				
Article Number	BS1 ESN1130	BS1 ESN1130 ZB				
Finish	Nickel	Nickel				
Order Code	700977	700976				
Key Alike Service Order Code	799012					
Master Key Service Code	799	016				
Key Blank Number	KBı	007				
Key Blank Order Code	702	208				
Cut Key Service	799	001				
Master Key Service Code	799	008				

^{*}Sold secure rating only applies when fitted with Sterling BS1 Cylinder



Enhanced 5 Pin euro-profile cylinder was specifically developed to offer enhanced security for cylinder padlocks. The cylinder includes additional hardened and antipick pins and is tested & certified by Sold Secure to Motorcycle Gold / Bicycle Diamond when combined with the Alpha Titan padlock. A zero bitted option makes re-pinning easy and can be easily integrated into existing key suites.

^{*}BS1 ESN1130 is not certified to BS EN1303: 2015 TS007

Padlock suites Euro cylinder padlocks

116 Profi PC / 116 Profi PC Niro

Key & Suiting Options:

- 116 PC 50: accepts any standard euro profile cylinder with an overall length of 41mm (11/30mm)
- 116 PC 50 50/L: accepts any standard euro profile cylinder with an overall length of 47mm (11/36mm)
- ideal for Sterling 5-pin/6-pin single cylinders
- cylinders can be keyed alike and master keyed
- not need to re-work the cylinder
- padlock supplied without cylinder
- see page 410 for more information on cylinder pinning services



ArtNo.	EAN	Notes
	40 03482	
116 PC 50	01240 6	50mm padlock, For 11/30 half cylinder, Standard Shackle
116 PC 50 Niro	18710 4	50mm padlock, For 11/30 half cylinder, Stainless Steel Shackle
116 PC 50 HB 80 Niro	18720 3	50mm padlock, For 11/30 half cylinder, Long Stainless Shackle (80mm)
	50 1656	
116 PC 50/L	7590040	50mm padlock, For 11/35 half cylinder, Standard Shackle

116 PC 50
116 PC 50 Niro
116 PC 50 HR 80 Niro

Compatible Cylinders	11/30mm Higher Secuirty	11/30mm Higher Secuirty Zero Bitted	11/30mm Standard Securty 5 Pin				
Article Number	BS1 ESN1130	BS1 ESN1130 ZB	ESN3011				
Finish	Nickel	Nickel	Nickel				
Order Code	700977	700976	700393				
Key Alike Service Order Code	799	012	799010				
Master Key Service Code	799	016	799014				
Key Blank Number		KB007					
Key Blank Order Code		702208					
Cut Key Service		799001					
Master Key Service Code	799008						
Etching Service	799009						

116 PC 50/L (Coming 2021)

11/36mm British Standard TS007 3★	11/35mm British Standard TS007 1★	11/35mm British Standard TS007 1★	Standard	5mm d Securty Pin	Standard 5	5mm d Securty Pin Bitted				
BS3 ESD1135	BS1 ESN1135	BS1 ESN1135 ZB	ESN3511	ESB3511	ESN3511 ZB	ESB3511 ZB				
Dual	Nickel	Nickel	Nickel	Brass	Nickel	Brass				
700897	700978	Coming 2021	700438	700377	700948	700968				
799013	799	012	799010							
799017	799	016	799014							
KB037	KBO	027	KB007							
702285	702	237	702208							
799006	799	005	799001							
			799008	•						
			799009							

Brass

800 Alpha

Key & Suiting Options:

- keyed to differ
- keyed alike to Burg-Wächter choice
- stocked keyed alike suites
- additional non-stocked keyed alike suites
- keyed alike to key number / sample
- master keyed
- guaranteed key differ factory certificate
- surcharges apply





800 Alpha	800 Alpha Titan - Key Suiting: Order Codes & Surcharges													
	Shackle Type / Length	Shackle Material	Standard Key to Differ	Keyed Alike to Burg	Keyed Alike Stock Suite			Keyed Alike Non Stock	Keyed Alike	Master Key	Certified			
Size				Wächter Choice	Z1	Z2	Z3	Suite Z4-Z12	To Number	ividatel itey	Key to Differ			
				+10%	+10%	+10%	+10%	+25%	+25%	£ See pricing	+25%			
65mm	Standard (26mm)	Hardened	19650	19652	49722	49732	49742	19656	19655	19657	19659			

700 Gamma

Key & Suiting Options:

- keyed to differ
- keyed alike to Burg-Wächter choice
- stocked keyed alike suites
- additional non-stocked keyed alike suites
- keyed alike to key number / sample
- master keved
- guaranteed key differ factory certificate
- surcharges apply





Size	na - Key Suiting: Order Codes & S Shackle Type / Length	Shackle	Standard Key to Differ	Keyed Alike to Burg	Keye	d Alike Stock	Suite	Keyed Alike Non Stock	Keyed Alike Special Order To Number	Master Key	Certified Key to Differ
				Wächter Choice	Z1	Z2	Z3	Suite Z4-Z12			
				+10%	+10%	+10%	+10%	+25%	+25%	£ See pricing	+25%
55mm	Standard (28mm)	Hardened	19170	19172	49692	49702	49712	19176	19175	19177	19179

D 600 Diamant

- keyed to differ
- keyed alike to Burg-Wächter choice
- stocked keyed alike suites
- additional non-stocked keyed alike suites
- keyed alike to key number / sample
- master keyed
- guaranteed key differ factory certificate
- surcharges apply



600 Diama	600 Diamant - Key Suiting: Order Codes & Surcharges													
Size	Shackle Type / Length		Standard Key to Differ	Keyed Alike to Burg	Keye	d Alike Stock	Suite	Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified			
		Shackle Material		Wächter Choice	Z1	Z2	Z3	Suite Z4-Z12	To Number	iviastel Key	Key to Differ			
				+10%	+10%	+10%	+10%	+25%	+25%	£ See pricing	+25%			
40mm	Standard (23mm)	Hardened	17600	17602	48312	48322	48332	17606	17605	17607	17609			
50mm	Standard (28mm)	Hardened	17610	17612	48412	48422	48432	17616	17615	17617	17619			
60mm	Standard (35mm)	Hardened	17620	17622	48512	48522	48532	17626	17625	17627	17629			

Brass

444 Quadra

Key & Suiting Options: • keyed to differ

- stocked keyed alike suites
- surcharges apply



444 Quadr Size	ra - Key Suiting: Order Codes & S Shackle Type / Length	Surcharges Shackle Material	Standard Key to Differ	Keyed Alike to Burg Wächter Choice	Keye	ed Alike Stock	Suite	Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified
					Z1	Z2	Z3	Suite Z4-Z12	To Number	ividstel Ney	Key to Differ
					+10%	+10%	+10%				
50mm	Standard (14mm)	Hardened	28590	=	47312	47262	-	-	-	-	-
70mm	Standard (16.5mm)	Hardened	28680	-	47512	47522	47532	-	-	-	-
90mm	Standard (18mm)	Hardened	28690	=	47612	47622	47632	-	-	-	-

Brass

116 Profi

Key & Suiting Options:

- keyed to differ
- keyed alike to Burg-Wächter choice
- stocked keyed alike suites
- additional non-stocked keyed alike suites
- keyed alike to key number / sample
- master keyed
- guaranteed key differ factory certificate
- surcharges apply



116 Profi -	- Standard Shackle - Key Suiting:	Order Codes	& Surcharges								
				Keyed Alike to Burg	Key	ed Alike Stock	Suite	Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified
Size	Shackle Type / Length	Shackle Material	Standard Key to Differ	Wächter Choice	Z1	Z2	Z3	Suite Z4-Z12	To Number	Waster Key	Key to Differ
				+10%	+10%	+10%	+10%	+25%	+25%	£ See pricing	+25%
25mm	Standard (16mm)	Hardened	3140	3142	44012	44022	44032	3146	3145	3147	3149
30mm	Standard (17.5mm)	Hardened	3150	3152	See Table Below			3156	3155	3157	3159
	Semi-Assembled (17.5mm)	Hardened	3340	-	-	-	-	-	-	-	-
40mm	Standard (22mm)	Hardened	3160	3162		See Table Below		3166	3165	3167	3169
4011111	Semi-Assembled (22mm)	Hardened	3350	-	-	-	-	-	-	-	-
50mm	Standard (27mm)	Hardened	3170	3172		See Table Belov	N	3176	3175	3177	3179
	Semi-Assembled (27mm)	Hardened	3360	-	-	-	-	-	-	-	-
60mm	Standard (33mm)	Hardened	3180	3182	44412	44422	44432	3186	3185	3187	3189
	Semi-Assembled (33mm)	Hardened	3370	-	-	-	-	-	-	-	-

Stocked Keyed Alike Suites:

		Keyed Alike Stock Suite												
Size	Shackle Type / Length	Z1	Z2	Z3	Z4	Z5	Z6	Z7	Z8	Z9	Z10			
		+10%	+10%	+10%	+25%	+25%	+25%	+25%	+25%	+25%	+25%			
25mm	Standard (16mm Hardened)	44012	44022	44032	-	-	-	-	-	-	-			
30mm	Standard (17.5mm Hardened)	44112	44122	44132	44142	44152	44162	44172	44182	44192	44202			
40mm	Standard (22mm Hardened)	44212	44222	44232	44242	44252	44262	44272	44282	44292	44302			
50mm	Standard (27mm Hardened)	44312	44322	44332	44342	44352	44362	44372	44382	44392	44402			
60mm	Standard (33mm Hardened)	44412	44422	44432	-	=	-	-	-	-	=			

Brass

116 Profi with Stainless Steel Shackle

Key & Suiting Options:

- keyed to differ
- keyed alike to Burg-Wächter choice
- stocked keyed alike suites
- additional non-stocked keyed alike suites
- keyed alike to key number / sample
- master keyed
- guaranteed key differ factory certificate
- surcharges apply



116 Profi -	- Stainless Steel Shackle - Key S	uiting: Order C	odes & Surcha	irges							
				Keyed Alike to Burg	Keyed Alike Stock Suite			Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified
Size	Shackle Type / Length	Shackle Material	Standard Key to Differ	Wächter Choice	Z1	Z2	Z3	Suite Z4-Z12	To Number	Waster Key	Key to Differ
				+10%	+10%	+10%	+10%	+25%	+25%	£ See pricing	+25%
25mm	Standard (16mm)	Stainless Steel	3380	3382	44512	44522	44532	3386	3385	3387	3389
30mm	Standard (17.5mm)	Stainless Steel	3190	3192	44612	44622	44632	3196	3195	3197	3199
40mm	Standard (22mm)	Stainless Steel	3200	3202	44712	44722	44732	3206	3205	3207	3209
40111111	Lond Shackle (45mm)	Stainless Steel	3310	3312	45812	-	=	3316	3315	3317	3319
50mm	Standard (27mm)	Stainless Steel	3210	3212	44812	44822	44832	3216	3215	3217	3219
30111111	Semi-Assembled (27mm)	Stainless Steel	31300	-	-	-	-	-	-	-	-
60mm	Standard (33mm)	Stainless Steel	3220	3222	44912	44922	-	3226	3225	3227	3229

116 Profi HB with long Shackle

- keyed to differ
- keyed alike to Burg-Wächter choice
- stocked keyed alike suites
- additional non-stocked keyed alike suites
- keyed alike to key number / sample
- master keyed
- guaranteed key differ factory certificate
- surcharges apply



116 Profi -	- Long Shackle - Key Suiting: Or	der Codes & Su	ırcharges								
			Standard Key to Differ	Keyed Alike to Burg	Keyed Alike Stock Suite			Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified
Size	Shackle Type / Length	Shackle Material		Wächter Choice	Z1	Z2	Z3	Suite Z4-Z12	To Number	iviastei Key	Key to Differ
	Long Shackle (20mm)			+10%	+10%	+10%	+10%	+25%	+25%	£ See pricing	+25%
30mm	Long Shackle (30mm)	Hardened	3230	3232	45012	45022	45032	3236	3235	3237	3239
3011111	Long Shackle (45mm)	Hardened	3240	3242	45112	45122	45132	3246	3245	3247	3249
	Long Shackle (45mm)	Hardened	3250	3252	44112	44122	44132	3256	3255	3257	3259
40mm	Long Shackle (60mm)	Hardened	3260	3262	45312	45322	45332	3266	3265	3267	3269
	Long Stainless Shackle (45mm)	Stainless Steel	3310	3312	45812	=	-	3316	3315	3317	3319
	Long Shackle (80mm)	Hardened	3270	3272	45412	45422	-	3276	3275	3277	3279
50mm	Long Shackle (110mm)	Hardened	3280	3282	45512	45522	-	3286	3285	3287	3289
	Long Shackle (180mm)	Hardened	3290	3292	45612	-	-	3296	3295	3297	3299
60mm	Long Shackle (110mm)	Hardened	3140	3142	45712	-	-	3146	3145	3147	3149

Brass

217 Karat

Key & Suiting Options:

- keyed to differ
- keyed alike to Burg-Wächter choice
- stocked keyed alike suites
- additional non-stocked keyed alike suites
- keyed alike to key number / sample
- master keyed
- guaranteed key differ factory certificate
- surcharges apply



217 Karat	217 Karat - Key Suiting: Order Codes & Surcharges											
	Size Shackle Type / Length	Chaelde	Standard Key to Differ	Keyed Alike to Burg Wächter Choice	Keyed Alike Stock Suite			Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified	
Size		Shackle Material			Z1	Z2	Z3	Suite Z4-Z12	To Number	,	Key to Differ	
				+10%	+10%	+10%	+10%	+25%	+25%	£ See pricing	+25%	
30mm	Standard (17.5mm)	Hardened	3430	3432	47012	47022	47032	3436	3435	3437	3439	
40mm	Standard (22mm)	Hardened	3440	3442	47112	47122	47132	3446	3445	3447	3449	
50mm	Standard (27mm)	Hardened	3450	3452	47212	47222	47232	3456	3455	3457	3459	

400 E Magno

Key & Suiting Options:• keyed to differ

- stocked keyed alike suites
- master keyed
- surcharges apply



400 E Magno - Key Suiting: Order Codes & Surcharges										
					Keye	ed Alike Stock	Suite		Master	
Size	Shackle Type / Length	Shackle Material	Standard Key to Differ	Z1	Z2	Z3	Z4	Z5	Key	
				+10%	+10%	+10%	+10%	+10%	+25%	
20mm	Standard Shackle (11mm)	Hardened	6110	49072	=	-	-	-	-	
20111111	Long Shackle (23mm)	Hardened	6140	49912	-	-	-	-	-	
25mm	Standard Shackle (14mm)	Hardened	6120	49082	49092	-	-	-	-	
30mm	Standard Shackle (17mm)	Hardened	6130	49102	49162	49172	-	-	-	
30111111	Long Shackle (45mm)	Hardened	33580	48932	-	-	-	-	-	
	Standard Shackle (23.5mm)	Hardened	6160	49202	49262	49272	49282	49292	10392	
40mm	Stainless Shackle (23.5mm)	Stainless Steel	33550	48822	48832	-	-	-	-	
40111111	Long Shackle (45mm)	Hardened	6170	48762	49872	-	-	-	-	
	Long Shackle (65mm)	Hardened	6180	48772	-	-	-	-	-	
50mm	Standard Shackle (30mm)	Hardened	6210	48852	48862	48872	-	-	10402	
חווווטכ	Long Shackle (80mm)	Hardened	6260	48892	-	-	-	-	-	
60mm	Standard Shackle (34.5mm)	Hardened	6270	48952	48962	-	-	-	-	

Brass

=Sterling

BPL Series

- keyed to differ
- stocked keyed alike suites
- master keyed
- surcharges apply



erling BI	PL Premium Brass - Key Suiting:	Order Codes 8	k Surcharges							
				Keyed Alike Stock Suite					Master	
Size	Shackle Type / Length	Shackle Material	Standard Key to Differ	KA -1	KA -2	KA -3	KA -4		Key	
				+10%	+10%	+10%	+10%		+25%	
20mm	Standard Shackle	Hardened	701073	701304	-	-	=	=	=	
25mm	Standard Shackle	Hardened	701074	701306	-	-	=	=	=	
30mm	Standard Shackle	Hardened	701293	701307	701308	-	=	=	=	
40mm	Standard Shackle	Hardened	701294	701309	701310	701311	701312	-	701328	
4011111	Long Shackle	Hardened	701297	701324	-	-	=	=	=	
	Standard Shackle	Hardened	701295	701314	701315	701316	701317	=	701331	
50mm	Closed Shackle	Hardened	701063	701652						
	Long Shackle	Hardened	701236	701326	-	-	-	=	=	
60mm	Standard Shackle	Hardened	701319	701320	701321	701322	-	-	-	

Brass

217 Ni Atlantic with Stainless Steel Shackle

Key & Suiting Options:

- keyed to differ
- keyed alike to Burg-Wächter choice
- stocked keyed alike suites
- additional non-stocked keyed alike suites
- keyed alike to key number / sample
- surcharges apply



217 F Ni A	stlantic - Key Suiting: Order Cod	es & Surcharge	es								
	Size Shackle Type / Length			Keyed Alike to Burg Wächter Choice	Keyed Alike Stock Suite			Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified
Size			Standard Key to Differ		X1	X2	Х3	Suite Z4-Z12	To Number		Key to Differ
				+10%	+10%	+10%	+10%	+25%	+25%		
30mm	Standard (13mm)	Stainless Steel	10000	10002	48042	48022	48032	-	10005	-	=
40mm	Standard (17mm)	Stainless Steel	10010	10012	48052	48072	48082	10016	10015	-	-
4011111	Lond Shackle (39mm)	Stainless Steel	10420	10422	48202	48212	48222	-	10425	-	-
50mm	Standard (19.5mm)	Stainless Steel	10020	10022	48062	48092	48102	10026	10025	-	-

460 Yacht with Stainless Steel Shackle

- keyed to differ
- stocked keyed alike suites
- surcharges apply



460 Yacht	- Key Suiting: Order Codes & Su	ırcharges									
				Keyed Alike to Burg Wächter Choice	Keye	Keyed Alike Stock Suite		Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified
Size	Shackle Type / Length	Shackle Material	Standard Key to Differ		Z1	Z2	Z3	Suite Z4-Z12	To Number	,	Key to Differ
					+10%						
30mm	Standard (17.5mm)	Hardened	35460	-	47862	-	-	-	-	-	-
40mm	Standard (22mm)	Hardened	35470	-	47872	-	-	-	-	-	-
50mm	Standard (27mm)	Hardened	35480	-	47882	-	-	-	-	-	-

Aluminium

770 / 770 HB Alutitan

- keyed to differ
- stocked keyed alike suitessurcharges apply



Alike Keyed Alike Special Order Master Key Certified
te To Number Key to Diffe
-
-
-
-
-
÷
-

Padlock suites Stainless Steel

Circle 21 / Diskus 22

Key & Suiting Options:

- keyed to differ
- stocked keyed alike suites
- surcharges apply



Circle 21 - Key Suiting: Order Codes & Surcharges											
			Standard Key to Differ	Keyed Alike to Burg Wächter Choice	Keyed Alike Stock Suite			Keyed Alike Non Stock	Keyed Alike Special Order	Master Key	Certified
Size	Size Shackle Type / Length	Shackle Material			Z1	Z2	Z3	Suite Z4-Z12	To Number	ividster itey	Key to Differ
					+10%	+10%	+10%				
60mm	Standard Shackle	Hardened	37750	=	37752	-	-	-	=		
70mm	Standard Shackle	Hardened	37760	=	37762	-	-	-	=		
Circle 22	- Key Suiting: Order Codes & Sur	charges									
60mm	Standard Shackle	Hardened	28500	-	49752	-	-	-	-		
70mm	Standard Shackle	Hardened	10270	-	49302	49312	49322	-	-		



SPL100

- keyed to differ
- stocked keyed alike suites
- surcharges apply



Sterling SF	Sterling SPL100 - Key Suiting: Order Codes & Surcharges													
			Keyed Alike Stock Suite											
Size	Shackle Type / Length	KA101	KA102	KA103	KA104	KA105	KA106	KA107	KA108	KA109	KA110			
		10%	10%	10%	10%	10%	10%	10%	10%	10%	10%			
70mm	Standard Shackle	701300	701301	701302	701299	701303	702121	702122	702123	702124	702125			



Cylinder suiting

Our key cutting and pinning services are an ideal solution for you or your customers looking for a domestic single security lock or a large scale commercial locking solution. Made to order at our Bradford site we are able to offer a fast solution to suit your needs.

The Master keying and Grand Master keying service is optimal for large buildings and commercial premises that have entrance doors which everyone can use, or where special access for deliveries or maintenance is required. This is when different security levels are paramount for safeguarding access.

We stock a complete finished range of Euro cylinders from TS007 3-star & 1-star and standard 5 Pin. Our TS007 cylinders are independently tested to BS EN1303:2015, TS007:2014 & A2 2018. Zero bitted cylinders are available for our TS007 1-star and 5 Pin cylinders. We also supply full pinning kits for each range should you require the flexibility to create your own suites. We also stock a wide range of replacement cam locks and replacement safe keys.

Using the latest automated machinery we offer a bulk key cutting and etching service with a fast turnaround. Keys can be cut to code or replicated from the original key.

Our aim is to be fast, convenient & accurate.

For further information on any of our products or services:

Tel: 01274 395333 **Email:** ukcs@burg.biz


Alternately contact your local Area Sales Manager.

Pinning services

Euro cylinders

Pinning Service

Sterling 5-pin, Doorminder 6-pin BSi 1 Star and BSi 3 Star cylinders can be ordered Keyed alike, Master or Grand Master keyed. Cylinders can be pinned to a key or to a Sterling code provided.



Pinning Kit (Self-Service)

Ideal as an onsite option for suiting of the 5 pin, 1 star and 3 star Sterling cylinders, a comprehensive pinning kit is available. The kit includes all the required parts to pin cylinders including springs, top & bottom pins, wafers and circlip. This enables the creation of unique suites for customers easily and quickly in-store.


Zero-Bitted 5-pin and 6-pin BSi 1 Star Cylinders

A selection of zero-bitted cylinders are available in all the popular sizes. Ideal for speeding up the repinning process and stops the requirement for cutting down keys for each pinning job.

Pinning Options Available:

Grand Master Keyed


Grand Master key suites are ideal for commercial use with buildings that require multiple access. All cylinders operate on a different Servant key. A Master key opens all cylinders in a sub-suite (Sub-Master). In addition to this, a separate Grand Master key opens all locks in the whole suite.



Etching is available as a chargeable extra for keyed alike keys.


Pinning services

Euro cylinders



Master key


Master keying enables two different and distinct keys to open one cylinder. This restricts access to specific zones while having one master key that can access all zones. A master key system allows control of access to different rooms/areas of an office, business or building.



Keyed to differ

Cylinders supplied each with a different key. Ideal for applications where access to individual doors needs to be restricted. One key opens only one lock.

Keyed Alike



Keyed alike

All door cylinders can be opened with the same key. Ideal for both residential (front and back door share same key) and commercial applications (multiple doors opened via same key).

Cylinder range overview

Sterling



5 Pin Euro-profile cylinders are ideal for the contract market or internal doors where certified locks are not a requirement. A cost effective and high quality lock with additional anti-pick pins added for greater security.





DoorMinder 1 star Kitemark cylinders are perfect for customers upgrading or replacing cylinders and are ideally paired with 2 star door handles to achieve BSi approved 3 star security meeting TS007.





DoorMinder 3 star Kitemark cylinders offer maximum security and are an all in one solution with no additional hardware required. They offer superior attack protection and a patented locking cam system that locks the cam in place when the key is removed for additional attack protection.

Key Suiting Services

Sterling cylinders offer locksmiths flexibility with a wide choice of in-house and self-pinning options available across the ranges.

5-Pin:

- Zero bitted cylinders
- Stocked keyed alike
- Keyed alike, master key & grand master
- Self-service pinning kit available

6-Pin 1 & 3 Star:

- Zero bitted cylinders (1 Star only)
- Keyed alike, master key & grand master
- Self-service pinning kit available

Range Name	DoorMinder	DoorMinder	5 Pin Cylinder
Range Name	3 Star	1 Star	5 Fin Cylinder
Certification / Tests			
Standard	TS007:2014 3* Kitemarked	TS007:2014 1* Kitemarked	-
Test Authority	BSi	BSi	-
Corrosion Test	240 Hours	-	-
Key Features			
No of pins	6	6	5
Key differs	100,000	48,000	12,000
Standard section keyway	✓	✓	✓
Durability cycle tested	100,000	100,000	50,000
Anti-Pick	11	//	✓
Anti-Bump	✓	✓	-
Anti-Drill	✓	✓	-
Snap-Safe	✓	✓	-
Protected cam	✓	-	-
Pinning Options			
Keyed to differ	From stock (page 149)	From stock (page 151)	From stock (page 152)
Keyed alike from stock	-	-	KA1 Suite (page 419)
Non stock suites keyed alike	To order	To order	To order
Master keyed	To order	To order	To order
Key & cylinder etching	✓	✓	✓
Locksmith self suite product*	With grub screw seal pins**	Zero Bit (Page 416)	Zero Bit (Page 418)
Pinning kit / parts	PK003 (Page 415)	PK002 (Page 417)	PK002 (Page 417)
Key blank	KB037	KB027	KB007
Additional keys	Cut to code in- house	Cut to code in- house	Cut to code in- house

^{*} As with all certified brands & products, when suiting, locksmiths should be BSi Approved to maintain TS007 ratings

^{**} Some older stock may not come with grub screw pins. Please check when ordering

Euro cylinders Doorminder 3-Star cylinders







BoxedDouble Euro Cylinders - Dual Finish

ArtNo.	EAN	PU	Dimensions		P
	501656		Overall	Internal x External	KB0
BS3 EPD3636 [†]	700852 1	10	72mm	36 x 36mm	37
BS3 EPD3640	700886 5	10	76mm	36 x 40mm	37
BS3 EPD3645	700887 2	10	81mm	36 x 45mm	37
BS3 EPD4036	700853 8	10	76mm	40 x 36mm	37
BS3 EPD4040 [†]	700856 9	10	80mm	40 x 40mm	37
BS3 EPD4045	700888 9	10	85mm	40 x 45mm	37
BS3 EPD4050	700889 6	10	90mm	40 x 50mm	37
BS3 EPD4055	700890 2	10	95mm	40 x 55mm	37
BS3 EPD4060	700891 9	10	100mm	40 x 60mm	37
BS3 EPD4536 [†]	700854 5	10	81mm	45 x 36mm	37
BS3 EPD4540 [†]	700857 6	10	85mm	45 x 40mm	37
BS3 EPD4545 [†]	700861 3	10	90mm	45 x 45mm	37
BS3 EPD4550	700892 6	10	95mm	45 x 50mm	37
BS3 EPD5040 [†]	700858 3	10	90mm	50 x 40mm	37
BS3 EPD5045 [†]	700862 0	10	95mm	50 x 45mm	37
BS3 EPD5050 [†]	700864 4	10	100mm	50 x 50mm	37
BS3 EPD5536 [†]	700855 2	10	91mm	55 x 36mm	37
BS3 EPD5540 [†]	700859 0	10	95mm	55 x 40mm	37
BS3 EPD5545 [†]	700863 7	10	100mm	55 x 45mm	37
BS3 EPD6040 [†]	700860 6	10	100mm	60 x 40mm	37

^{*} Call 01274 395333 to order Keyed alike or Master Key

Boxed Thumbturn Euro Cylinders - Dual Finish

)			-	
ArtNo.	EAN	PU	Di	mensions	Ť
	501656		Overall	Internal x External	KB0
BS3 ETD3636 [†]	700865 1	10	72mm	36 x 36mm	37
BS3 ETD3645	700916 0	10	81mm	36 x 45mm	37
BS3 ETD4040 [†]	700866 8	10	80mm	40 x 40mm	37
BS3 ETD4050	700895 8	10	90mm	40 x 50mm	37
BS3 ETD4060	700893 4	10	100mm	40 x 60mm	37
BS3 ETD4536	700917 7	10	81mm	45 x 36mm	37
BS3 ETD4545	700894 1	10	90mm	45 x 45mm	37
BS3 ETD5040 [†]	700867 5	10	90mm	50 x 40mm	37
BS3 ETD5050	700896 5	10	100mm	50 x 50mm	37
* Call 01274 205	222 to order k	/ ovod	alika or M	actor Vov	

^{*} Call 01274 395333 to order Keyed alike or Master Key

BoxedSingle / Half Euro Cylinders - Dual Finish


ArtNo.	EAN	PU	Dimensions		T
	501656		Overall	Internal x External	KB0
BS3 ESD1136	700897 2	10	47mm	11 x 36mm	37
BS3 ESD1140	700898 9	10	51mm	11 x 40mm	37
BS3 ESD1145	700899 6	10	56mm	11 x 45mm	37
BS3 ESD1150	700900 9	10	61mm	11 x 50mm	37

^{*} Call 01274 395333 to order Keyed alike or Master Key



Sterling 3 star Euro-profile DoorMinder cylinders are independently tested and certified by BSi. They are designed to provide maximum protection and have innovative patented features to give greater security and peace of mind to the consumer. The cylinders are ideal for residential doors but are equally suited for commercial buildings.

- solid brass body & plug
- snap-safe shear line
- anti-drill hardened pins
- anti-bump mechanism
- anti-pick mushroom pins
- chambers sealed with grub screws for easy re-pinning
- secondary cam protection system
- 100,000 key differs
- 240 Hours Salt spray tested
- 30° offset cam





KM 673833

Independently tested in accordance with:
BS EN1303:2015, TS007:2014 & A2 2018
BSi Certified TS007:2014
3 Star BSi Kitemarked
Licence No.KM673833
Classification:1 6 0 1 0 C 6 D



Cylinder may be temporarily supplied in nickel only finish and without grub screw seal pins. Please check when ordering

Pinning kit

Doorminder 3-Star cylinders



The DoorMinder BSi 3 Star cylinder pinning kit is ideal for those offering a re-pinning service and includes all pins required to Master key and Grand Master key.



Grub screw seal on each cylinder chamber ensure re-pinning Doorminder 3 Star cylinders is a quick and easy process.



Parts are available to order separately in quantities of 100 pieces.

EAN	Qty	Description	Part
759079 8	100	BS3 Standard Top Pin	
759080 4	100	BS3 Mushroom Top Pin	
759081 1	100	BS3 Hardened Top Double Mushroom Pin	
759082 8	100	BS3 Anti-Bump Pin Set	
759083 5	100	BS3 Standard Top Spring	CHILL SHIPS
759084 2	100	BS3 Circlip 0.9mm	0
759085 9	100	BS3 Circlip 0.8mm	O
759086 6	100	BS3 Standard Bottom Pin No 1	
759087 3	100	BS3 Standard Bottom Pin No 2	
759088 0	100	BS3 Standard Bottom Pin No 3	
759089 7	100	BS3 Standard Bottom Pin No 4	—
759090 3	100	BS3 Standard Bottom Pin No 5	—
759091 0	100	BS3 Standard Bottom Pin No 6	
759092 7	100	BS3 Standard Bottom Pin No 7	
759093 4	100	BS3 Standard Bottom Pin No 8	—
759094 1	100	BS3 Master Wafer 1.0mm Brass	ı
759095 8	100	BS3 Master Wafer 1.5mm Brass	
759096 5	100	BS3 Master Wafer 2.0mm Brass	
759097 2	100	BS3 Master Wafer 2.5mm Brass	
759098 9	100	BS3 Master Wafer 3.0mm Brass	
759099 6	100	BS3 Replacement Grub Screw Seal Pin	4000

Parts diagrams for illustration only

Pinning Kit

Supplied in plastic carry case

ArtNo.	EAN	Notes
	501656	
PK003	702191 9	6-Pin British Standard 3-Star

^{*} As with all certified brands & products, when suiting, locksmiths should be BSi Approved to maintain TS007 ratings

Zero bitted cylinders

DoorMinder 1 Star cylinders







Boxed - Satin Nickel

Thumbturn Euro Cylinders

ArtNo.	-No. EAN		Di	mensions	P
	501656		Overall	Internal x External	KB0
BS1 ETN3535 ZB	700848 4	10	70mm	35 x 35mm	27
BS1 ETN4040 ZB	700849 1	10	80mm	40 x 40mm	27
BS1 ETN4050 ZB	700850 7	10	90mm	40 x 50mm	27
BS1 ETN4060 ZB	700851 4	10	100mm	40 x 60mm	27

Boxed - Satin Nickel Finish

Double Euro Cylinders

ArtNo.	EAN	Pack	Dimensions		
	501656		Overall	INT x EXT (Reversible)	KB0
BS1 EPN3535 ZB	700835 4	10	70mm	35 x 35mm	27
BS1 EPN3540 ZB	700836 1	10	75mm	35 x 40mm	27
BS1 EPN3545 ZB	700837 8	10	80mm	35 x 45mm	27
BS1 EPN3555 ZB	700838 5	10	90mm	35 x 55mm	27
BS1 EPN4040 ZB	700839 2	10	80mm	40 x 40mm	27
BS1 EPN4045 ZB	700840 8	10	85mm	40 x 45mm	27
BS1 EPN4050 ZB	700841 5	10	90mm	40 x 50mm	27
BS1 EPN4055 ZB	700842 2	10	95mm	40 x 55mm	27
BS1 EPN4060 ZB	700843 9	10	100mm	40 x 60mm	27
BS1 EPN4545 ZB	700844 6	10	90mm	45 x 45mm	27
BS1 EPN4550 ZB	700845 3	10	95mm	45 x 50mm	27
BS1 EPN4555 ZB	700846 0	10	100mm	45 x 55mm	27
BS1 EPN5050 ZB	700847 7	10	100mm	50 x 50mm	27

Boxed - Satin Nickel Finish

Single Euro Cylinders

EAN	Pack	Dimensions		7
501656		Overall	Internal x External	KB0
BS1 ESN1130 ZB* 700976 4	10	41mm	11 x 30mm	07

^{*}Enhanced security 5-pin cylinder with additional hardened and anti-pick pins. Cylinder is not BSI Kitemarked.



The Sterling 1 Star Euro-profile DoorMinder cylinders are independently tested and certified by BSi. They are designed to be an exceptional quality secure rated cylinder for the commercial and residential markets and have enhanced security features.

Features include anti-drill hardened pins to resist drilling and cylinder plug extraction, anti-pick mushroom pins to resist attack from picking and manipulation, anti-bump mechanism to stop attack from bumping.

The cylinder also has a snap-safe feature to further delay and hinder attacks.

- solid brass body & plug
- snap-safe shear line
- anti-drill hardened pins
- anti-bump mechanism
- anti-pick mushroom pins
- 48,000 key differs
- 30° offset cam





Independently tested in accordance with: BS EN1303:2015, TS007:2014 & A2 2018 BSi Certified TS007:2014 1 Star BSi Kitemarked Licence No. KM 673833

Classification: 1 6 0 0 0 C 5 D



Pinning kit

DoorMinder 1 Star cylinders / 5-Pin

Sterling


A comprehensive pinning kit is available for the Sterling 5-pin, 6-pin and DoorMinder BSi 1 Star cylinders. The kit is ideal for those offering a re-pinning service and includes all pins required to Master key and Grand Master key.



The pinning kit can be used in conjunction with zero-bitted cylinders to increase the speed and efficiency of a re-pinning service.

Parts are available to order separately in quantities of 100 pieces.

Bottom Pins



EAN 50 1656	Qty	Size	Description	Part
759025 5	100	5mm	5 / 6 Pin BS1 Standard Top Pins	
759026 2	100	5mm	5 / 6 Pin BS1 Mushroom Top Pins	
759027 9	100	5mm	6 Pin BS1 Hardened Top Pins	
759028 6	100	7mm	6 Pin BS1 Anti- Bump Top Pins	
759029 3	100	13mm	6 Pin BS1 Anti-Bump Springs Pins	CHRE HILL
759030 9	100	13mm	5 / 6 Pin BS1 Standard Springs	(C222222)
759031 6	500		5 / 6 Pin BS1 Circlips	
759032 3	100	4.8mm	5 / 6 Pin Standard Bottom Pins No 1	-
759033 0	100	5.3mm	5 / 6 Pin Standard Bottom Pins No 2	
759034 7	100	5.8mm	5 / 6 Pin Standard Bottom Pins No 3	
759035 4	100	6.3mm	5 / 6 Pin Standard Bottom Pins No 4	
759036 1	100	6.8mm	5 / 6 Pin Standard Bottom Pins No 5	
759037 8	100	7.3mm	5 / 6 Pin Standard Bottom Pins No 6	
759038 5	100	7.8mm	5 / 6 Pin Standard Bottom Pins No 7	
759039 2	100	4.8mm	5 / 6 Pin BS1 Mushroom Bottom Pins No 1	(
759040 8	100	5.3mm	5 / 6 Pin BS1 Mushroom Bottom Pins No 2	
759041 5	100	5.8mm	5 / 6 Pin BS1 Mushroom Bottom Pins No 3	
759042 2	100	6.3mm	5 / 6 Pin BS1 Mushroom Bottom Pins No 4	[]
759043 9	100	6.8mm	5 / 6 Pin BS1 Mushroom Bottom Pins No 5	
759044 6	100	7.3mm	5 / 6 Pin BS1 Mushroom Bottom Pins No 6	
759045 3	100	7.8mm	5 / 6 Pin BS1 Mushroom Bottom Pins No 7	
759046 0	100	4.8mm	5 / 6 Pin BS1 Hardened Bottom Pins No 1	4
759047 7	100	5.3mm	5 / 6 Pin BS1 Hardened Bottom Pins No 2	=
759048 4	100	5.8mm	5 / 6 Pin BS1 Hardened Bottom Pins No 3	
759049 1	100	6.3mm	5 / 6 Pin BS1 Hardened Bottom Pins No 4	
759050 7	100	6.8mm	5 / 6 Pin BS1 Hardened Bottom Pins No 5	
759051 4	100	7.3mm	5 / 6 Pin BS1 Hardened Bottom Pins No 6	
759052 1	100	7.8mm	5 / 6 Pin BS1 Hardened Bottom Pins No 7	
759053 8	100	1.0mm	5 / 6 Pin BS1 Master Wafers No 2	ı
759054 5	100	1.5mm	5 / 6 Pin BS1 Master Wafers No 3	
759055 2	100	2.0mm	5 / 6 Pin BS1 Master Wafers No 4	•
759056 9	100	2.5mm	5 / 6 Pin BS1 Master Wafers No 5	=
759057 6	100	3.0mm	5 / 6 Pin BS1 Master Wafers No 6	
759058 3	1		5 Pin KB007 Zero Bit Key Blank	
759059 0	1		6 Pin BS1 KB027 Zero Bit Key Blank	

Pinning Kit

Supplied in plastic carry case

ArtNo.	EAN	Notes		
	501656			
PK002	702183 4	Suits 5-pin / 6-Pin H Series* / British Standard 1-Star		

^{*} Discontinued

Zero bitted cylinders 5 Pin cylinders

Boxed-Satin Nickel Finish

Double Euro Cylinders

ArtNo.	EAN	Pack	Dimensions		P
	501656		Overall	INT x EXT (Reversible)	KB0
EPN3030 ZB	700930 6	10	60mm	30 x 30mm	07
EPN3535 ZB	7009313	10	70mm	35 x 35mm	07
EPN3540 ZB	700932 0	10	75mm	35 x 40mm	07
EPN3545 ZB	700933 7	10	80mm	35 x 45mm	07
EPN3555 ZB	700934 4	10	90mm	35 x 55mm	07
EPN4040 ZB	700935 1	10	80mm	40 x 40mm	07
EPN4045 ZB	700936 8	10	85mm	40 x 45mm	07
EPN4050 ZB	700937 5	10	90mm	40 x 50mm	07
EPN4055 ZB	700938 2	10	95mm	40 x 55mm	07
EPN4060 ZB	700939 9	10	100mm	40 x 60mm	07
EPN4545 ZB	700940 5	10	90mm	45 x 45mm	07
EPN4550 ZB	700941 2	10	95mm	45 x 50mm	07
EPN4555 ZB	700942 9	10	100mm	45 x 55mm	07
EPN5050 ZB	700943 6	10	100mm	50 x 50mm	07

Boxed - Satin Nickel Finish

Thumbturn Euro Cylinders

ArtNo.	EAN	Pack	ack Dimensions		7
	501656		Overall	Internal x External	KB0
ETN3535 ZB	700944 3	10	70mm	35 x 35mm	07
ETN4040 ZB	700945 0	10	80mm	40 x 40mm	07
ETN4050 ZB	700946 7	10	90mm	40 x 50mm	07
ETN4060 ZB	700947 4	10	100mm	40 x 60mm	07
ETN4555 ZB	700970 2	10	100mm	45 x 55mm	07
ETN5545 ZB	700971 9	10	100mm	55 x 45mm	07

Boxed - Satin Nickel Finish

Single Euro Cylinders

_	-				
ArtNo.	EAN	Pack	Di	imensions	7
	501656		Overall	Internal x External	KB0
ESN3511 ZB	700948 1	10	46mm	11mm x 35mm	07
ESN4511 ZB	700949 8	10	56mm	11mm x 45mm	07
ESN5011 ZB	700972 6	10	61mm	11mm x 50mm	07

Boxed - Polished Brass Finish

Double Euro Cylinders

ArtNo.	EAN	Pack	Di	mensions	T
	501656		Overall	INT x EXT (Reversible)	KB0
EPB3030 ZB	700950 4	10	60mm	30 x 30mm	07
EPB3535 ZB	700951 1	10	70mm	35 x 35mm	07
EPB3540 ZB	7009528	10	75mm	35 x 40mm	07
EPB3545 ZB	700953 5	10	80mm	35 x 45mm	07
EPB3555 ZB	700954 2	10	90mm	35 x 55mm	07
EPB4040 ZB	700955 9	10	80mm	40 x 40mm	07
EPB4045 ZB	700956 6	10	85mm	40 x 45mm	07
EPB4050 ZB	700957 3	10	90mm	40 x 50mm	07
EPB4055 ZB	700958 0	10	95mm	40 x 55mm	07
EPB4060 ZB	700959 7	10	100mm	40 x 60mm	07
EPB4545 ZB	700960 3	10	90mm	45 x 45mm	07
EPB4550 ZB	700961 0	10	95mm	45 x 50mm	07
EPB4555 ZB	700962 7	10	100mm	45 x 55mm	07
EPB5050 ZB	700963 4	10	100mm	50 x 50mm	07

Boxed-Polished Brass Finish

Thumbturn Euro Cylinders

ArtNo.	EAN	Pack	C Di	mensions	7
	501656		Overall	Internal x External	KB0
ETB3535 ZB	700964 1	10	70mm	35 x 35mm	07
ETB4040 ZB	700965 8	10	80mm	40 x 40mm	07
ETB4050 ZB	700966 5	10	90mm	40 x 50mm	07
ETB4060 ZB	700967 2	10	100mm	40 x 60mm	07
ETB4555 ZB	700973 3	10	100mm	45 x 55mm	07
ETB5545 ZB	700974 0	10	100mm	55 x 45mm	07

Boxed- Polished Brass Finish

Single Euro Cylinders

ArtNo.	EAN	Pack	Di	imensions	P
	501656		Overall	Internal x External	KB0
ESB3511 ZB	700968 9	10	46mm	11mm x 35mm	07
ESB4511 ZB	700969 6	10	56mm	11mm x 45mm	07
ESB5011 ZB	700975 7	10	61mm	11mm x 50mm	07

Stocked keyed alike cylinders

5 Pin cylinders



Boxed - Satin Nickel Finish

Double Euro Cylinders

ArtNo.	EAN	Pack	Dimensions		P
	501656		Overall	INT x EXT (Reversible)	KB0
EPN3030KA1	702169 8	10	60mm	30 x 30mm	07
EPN3535KA1	702170 4	10	70mm	35 x 35mm	07
EPN3545KA1	702171 1	10	80mm	35 x 45mm	07
EPN3555KA1	702172 8	10	90mm	35 x 55mm	07
EPN4040KA1	702173 5	10	80mm	40 x 40mm	07
EPN4045KA1	702174 2	10	85mm	40 x 45mm	07
EPN4050KA1	702175 9	10	90mm	40 x 50mm	07
EPN4055KA1	702176 6	10	95mm	40 x 55mm	07
EPN4060KA1	702177 3	10	100mm	40 x 60mm	07
EPN4545KA1	702178 0	10	90mm	45 x 45mm	07
EPN4550KA1	702179 7	10	95mm	45 x 50mm	07
EPN4555KA1	702180 3	10	100mm	45 x 55mm	07

Boxed - Satin Nickel Finish

Thumbturn Euro Cylinders

ArtNo.	EAN	Pack	Dimensions		1
	501656		Overall	Internal x External	KB0
ETN3535KA1	702181 0	10	70mm	35 x 35mm	07
ETN4040KA1	702182 7	10	80mm	40 x 40mm	07

Boxed - Polished Brass Finish

Double Euro Cylinders

ArtNo.	EAN	Pack	Dimensions		7
	501656		Overall	INT x EXT (Reversible)	KB0
EPB3535KA1	702158 2	10	70mm	35 x 35mm	07
EPB3545KA1	702159 9	10	80mm	35 x 45mm	07
EPB4040KA1	702160 5	10	80mm	40 x 40mm	07
EPB4045KA1	702161 2	10	85mm	40 x 45mm	07
EPB4050KA1	702162 9	10	90mm	40 x 50mm	07
EPB4055KA1	702163 6	10	95mm	40 x 55mm	07
EPB4060KA1	702164 3	10	100mm	40 x 60mm	07
EPB4545KA1	702165 0	10	90mm	45 x 45mm	07
EPB4550KA1	702166 7	10	95mm	45 x 50mm	07
EPB4555KA1	702167 4	10	100mm	45 x 55mm	07

Boxed - Polished Brass Finish

Thumbturn Euro Cylinders

ArtNo.	EAN	Pack	Di	mensions	1
	501656		Overall	Internal x External	KB0
ETB3535KA1	702168 1	10	70mm	35 x 35mm	07

5-pin euro cylinders

The Sterling 5 pin Euro-profile cylinders provide an affordable and dependable cylinder for the commercial and consumer markets. The large number of key differs and anti-pick mushroom pins are ideal for use as a standard lock.

5-pin euro cylinders feature:

- solid brass body & plug
- 5 pin tumbler locking mechanism
- anti-pick mushroom pins
- 12,000 key differs
- 30° offset cam
- standard section keyway



Spares

Replacement cam locks & keys

We stock a wide range of replacement cam locks (see page100) and replacement keys for BURG-WÄCHTER and Sterling products, including:

- cash boxes
- key cabinets
- post boxes

For more information on replacement keys for a specific product please see the accompanying price list for further details.

Pinning service

We can also provide stocked keyed alike suites (KA1 / KA2) across the Sterling cam locks. Ideal for keyed alike banks of post boxes or suited key cabinets and cash boxes to name just a few uses.





Door & window locks keys & suiting

In addition to euro cylinders, we also provide a range of replacement rim cylinders and keys for mortice sashlocks, deadlocks and rim locks.

We also provide replacement keys and keyed alike service on selected uPVC door and window locks.

Replacement keys for safes

Replacement and additional keys can be ordered for most safes in the BURG-WÄCHTER range. It is also possible to key two or more safes to the same key with models that feature the SecuSafe resettable high security key lock.



Key services

We offer a comprehensive key cutting service across all 5-pin and BSi 1 star & 3 star cylinders. Using the latest technology and computer controlled machinery, we can cut keys to the utmost accuracy, giving you a manufacturer grade precision made key every time.

The service includes keys cut to code or from original key. The full service offer includes:

- Keys cut to code
- Replication of original key
- Keyed Alike
- Master Keying
- Grand Master Keying
- Replacement keys for post boxes
- Etching service
- All available with a proven quick turnaround period



Full service solution

Our key cutting and pinning services are an ideal solution for those looking for a single security lock for their own front door to a large establishment/company with multiple sites.

The Master keying and Grand Master keying service is optimal for large buildings and commercial premises that have entrance doors which everyone can use, or where special access to certain parts by cleaners, deliveries or maintenance is needed. This is when different security levels is paramount for safeguarding your premises.

Our aim is to be fast, convenient & accurate.

For further information on any of our products or services:

Tel: 01274 395333 Email: ukcs@burg.biz

Alternately contact your local Area Sales Manager




Key blanks

BURG-WÄCHTER offer a comprehensive range of key blanks across a broad range of products. Key blanks available include: door locks, padlocks, cable and bicycle locks, key cabinets, post boxes and safes. Replacements cams and override keys are also available. Key blanks are supplied in pack quantities for your convenience.

For further information on any of our products or services:

Tel: 01274 395333 **Email:** ukcs@burg.biz


Alternately contact your local Area Sales Manager.




~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Ke	ey blanks for padlock	S	
BURG WÄCHTER Key Shapes	BURG WÄCHTER  92  8.8	BURG WACHTER E4	BURG WACHTER 7.2	4.9 4.9
Item-no.	76 W	67 R	68 R	45 L
SAP Code	14730	80	130	5220
Fits	450/50 - 60	770/30 460 NI 30 444/50 400E/30 222/30 - 35 (from 02/2016)	770/40 - 50 - 60 771 F 40 Berlin & London SB 460 NI 40 + 50 444/70 - 90 400E/35 - 40 - 45 - 50 - 60	222/15 - 20 - 25
Qty	20	20	20	20
Key Shapes	BURG WACHTER 7	BURG WACHTER  7.2  7.2	BURG WACHTER 81 8.0	BURG WACHTER  7
ltem-no.	38 R	39 R	77 R	78 R
SAP Code	190	4200	36300	36310
Fits	222/30 - 35 (until 02/2016)	222/40 - 45 - 50 - 60	402/30 21/60 405/30	402/40 - 50 21/70 405/40 - 50
Qty	20	20	20	20


p.K.,	K	ey blanks for padlock	s	
BURG WÄCHTER Key Shapes	BURG WACHTER  6.9	AS 34	BURG WACHTER 36 36	
Item-no.	48 R	41 L	42 L	
SAP Code	10360	5250	5260	
Fits	22 NI 60 22 70	770 HB 20 26	400E/25	
Qty	20	20	20	
Sterling  Key Shapes	21 7.0	21   7.0	21 45 6.8	Sterling 56
Item-no.	KB001	KB001A	KB001D	КВ002
SAP Code	702196	702197	702199	702200
Fits	BL4, BPL142, BPL242, SPL080, SPL100	SPL100P, LPL142C, LPL152C, LPL142, LPL152, LPL162, LPL242, LPL443	WPL157	BPL152, BPL162, BPL262, ASP160, ASP180, ASP190, ASP290


Key blanks for padlocks						
ESterling  Key Shapes	Sterling 41	16.9 6.8	Sterling 53	33 11.8 4.8		
Item-no.	KB004A	КВ004С	KB012	KB013		
SAP Code	702206	702207	702217	702218		
Fits	BPL132	WPL148	CSP163	BPL122		
Qty	20	20	20	20		
<b>ESterling</b> Key Shapes	16.8 5.8	36 15.6 5.9	48 21 7.2	53 24.3		
Item-no.	KB014	KB014A	KB015B	KB020		
SAP Code	702220	702221	702223	702228		
Fits	BPL123	LPL132	SSP152, SSP152C, SSP162, SSP162C	SSP173		



	K	ey Blanks for bullet l	ocks	
ESterling  Key Shapes	21  7.2			
Item-no.	KB015B			
SAP Code	702223			
Fits	BL01 KA, KA7, KA8 & BL02 KA			
Qty	20			
<b>A</b>	Ke	y blanks for bicycle l	ocks	
Key Shapes	BURG WACHTER 25	BURG WACHTER 92 6.4	BURG WACHTER  EST  7.4	
Item-no.	72 W	71 R	73 W	
SAP Code	5960	5880	5970	
Fits	240/50	550/80, 650/80 1550/150 1650/180 1500 HB 170/180 1500 HB 170/255	570/120	
Qty	20	20	20	









Key	blanks for cigarette k	oins	Key blanks fo	or cash boxes
<u>=</u> Sterling				
Key Shapes	3 40 16.5 7		BURG WACHTER 41	
Item-no.	KB009A		КВ009В	
SAP Code	702212		702214	
Fits	CIG1BK, CIG2BK, CIG2ST		EB01, DB01,02, CB01,02,03,04	
Qty	20		20	
	Ke	y blanks for key cabi	nets	
<b>Sterling</b> Key Shapes	Sterling  45  14.5	Sterling  45  14.5	Sterling  47	
	7	7	6.2	
Item-no.	KB009AR	KB009D	КВ009С	
SAP Code	702213	702498	702215	
Fits	KC15, KC24, KC36, KC48, KC80, KC110, KC140, KC50H, KC100H, KC50HD, KC150	KC15, KC24, KC36, KC48, KC80, KC110, KC140, KC50H, KC100H, KC50HD, KC150	KC200,300,400HL	


£ 57	All-round ca	m / Furniture locks /	Door chain	
BURG WÄCHTER Key Shapes	BURG WACHTER 25.8	BURG WACHTER  6.8	BURG WACHTER  6  6	BURG WACHTER 22 CS
Item-no.	33 W	34 W	35 W	36 W
SAP Code	2400	26960	26970	52060
Fits	ZS 76 ZS 77 ZS 77 H ZS 80 ZS 81 ZS 82	ZBK 71 ZBK 72 ZBK 73 ZBK 74 ZBK 75	ZBK 70	ZS 85 ZS 86
Qty	20	20	20	20
Key Shapes	BURG WACHTER 22 7	BURG WACHTER  84	www.burg.biz	
Item-no.	36 W (V-Profil)	40 RW	40 LW	
SAP Code	17560	1870	1660	
Fits	ZS 85 - ZS 86	BK 92 Point VTK 90 SB	BK 92 Point VTK 90 SB	
Qty	20	20	20	


BURG WÄCHTER Key Shapes	BURG WACHTER 6.2	Furniture locks  www.burg.biz  6.2	BURG WACHTER 14	
Item-no.	65 R	65 L	10 R	
SAP Code	6390	6380	4010	
Fits	MZ 23 MZ 23 20 BK 92M BK 92K	MZ 23 MZ 23 20 BK 92M BK 92K	MZ 83	
Qty	50	50	20	
<b>Sterling</b> Key Shapes	Sterling 44	Sey blanks for cam lo	BURG WÄCHTER 41	Sterling 42
	6.5	7	6	6.5
Item-no.		<b>KB009A</b>	KB009B	KB009G
Item-no.	<b>4</b>	<b></b>		
	KB008	KB009A	KB009B	KB009G





<u>₹</u>	Key blanks for lock-blocking keys				
BURG WÄCHTER Key Shapes	BURG WACHTER  15  3.3	64 99	BURG WACHTER Ø 7	BURG WACHTER  Ø 7  99	
Item-no.	14	22	24	26	
SAP Code	4510	4550	4570	4590	
Fits	Lock block ME	Lock block E6	Lock block E7	Lock block E700	
Qty	20	20	20	20	
Key Shapes	BURG WACHTER  Ø6.7 88				
Item-no.	29				
SAP Code	4240				
Fits	Security insert ES 10 ESA 10				
Qty	20				













SINCE 1920 BURG-WÄCHTER



## **BURG-WÄCHTER UK LTD.**

Eurocam Technology Park, Chase Way Bradford BD5 8HW

## **PHONE**

+44 (0)1274 395333

## **FAX**

+44 (0)1274 731694

## E-MAIL

UKCS@burg.biz











@burgwachteruk